

LISTA DAS EXTENSÕES DE ARQUIVOS MAIS CONHECIDAS:

- **.arj** . Arquivo compactado. É um dos formatos de compressão mais antigos.
- **.asf** . Microsoft Advanced Streaming Format file . Arquivo de áudio ou vídeo do Windows Media Player.
- **.asp** . Active Server Pages. É uma extensão de página na Internet.
- **.au** . Arquivo de som do UNIX
- **.avi** . Microsoft Video for Windows movie . Arquivo de vídeo.
- **.bak** . Arquivo cópia, de segurança. Alguns programas, quando realizam modificações em arquivos do sistema, podem guardar uma cópia do original com essa terminação.
- **.bat** . Arquivo executável (programa) em Windows. Costuma executar comandos de DOS.
- **.bin** . geralmente um arquivo binário, de uso do sistema para algumas aplicações e, portanto, sem possibilidade de manipulação pelo usuário. Pode ser também a extensão de uma imagem de CD, mas nesse caso vem unida a outro arquivo com o mesmo nome, mas com a extensão .cue.
- **.bmp** . arquivo grande de imagem, pode ser aberto em qualquer visualizador ou editor de imagens, por exemplo o Irfan View, e é compatível com todos os programas, inclusive com o próprio sistema operacional Windows. Sua desvantagem é o grande tamanho dos arquivos em relação a outros formatos otimizados.
- **.cab** . formato de arquivo compactado.
- **.cdi** . Arquivo de imagem de CD.
- **.cdr** . Arquivo de imagem vetorizada do Corel Draw.
- **.cfg** . Arquivo que normalmente funciona como apoio para outra aplicação. Geralmente, nele se escrevem as preferências que o usuário seleciona por default (padrão).
- **.com** . Arquivo executável (programa) em ambiente DOS.
- **.dat** . Arquivo de dados. Armazena informações usadas de forma interna por um programa do qual depende. Costuma ser modificado com qualquer editor de texto.
- **.dll** . Dynamic.Link Library . este tipo de arquivo é conhecido como biblioteca. Costuma ser utilizado pelo sistema operacional, para, por exemplo, permitir a comunicação entre um modem e o computador.
- **.doc** . Arquivo texto do Microsoft Word. É capaz de armazenar dados referentes ao formato do texto que contém.
- **.dot** . Microsoft Word document Template . Arquivo de texto
- **.dxf** . Drawing Interchange Format . Arquivo importado pela maioria dos programas de gráficos 3D, como o AutoCAD.
- **.eps** . Encapsulated PostScript Image . Arquivo de imagens exportadas por grande variedade de programas de imagens.
- **.exe** . Arquivo executável (programa).Dando um clique duplo sobre um arquivo com esta extensão inicia.se o processo de instalação ou abre.se um programa instalado.
- **.fla** . Arquivo do Macromedia Flash.
- **.gif** . Graphical Interchange Format . Arquivo de imagem compactado.
- **.hlp** . arquivo de ajuda que vem com os programas.
- **.html (ou .htm)** . É uma página para a Internet. Pode ser visualizada por navegadores, como o Firefox, suíte Mozilla. É capaz de dar formato a texto, acrescentar vínculos a outras páginas, chamar imagens, sons e outros complementos.

- **.inf** . Arquivo de informação do sistema. (Se quiser mais sobre esse tipo, clique aqui).
- **.ini** . Arquivo de inicialização do sistema. Guarda dados de configuração de algum programa.
- **.ico** . Arquivo de imagem dos ícones do Windows.
- **.jpg** . Arquivo de imagem, compactado.
- **.jpeg** . Arquivo de imagem padrão bitmap compactado.
- **.js** . Arquivo que contém programação em JavaScript. É bastante usado pelos navegadores e editável com qualquer editor de texto.
- **.log** . Arquivo de texto que registra toda a atividade de um programa aberto.
- **.lnk** . Atalho do Microsoft Windows . Dá acesso direto a uma aplicação em Windows.
- **.mdb** . Arquivo de banco de dados, geralmente, gerado pelo Microsoft Access.
- **.mid** . Arquivo de áudio pequeno, muito usado na Internet.
- **.mp3** . Arquivo de áudio padrão MPEG Audio Layer 3 (AC3), que aceita compressão em vários níveis.
- **.mpg** . Arquivo de vídeo compactado.
- **.mpeg** . Arquivo de vídeo.
- **.mov** . Arquivo de vídeo que pode ser transmitido pela Internet. É aberto pelo Apple Quicktime.
- **.mmp1**° Clip de filme do Multimedia Player; Arquivo do programa Microsoft Music Producer; Arquivo de mapeamento do programa Mind Manager; Arquivo do jogo Red Alert
- 2° “O arquivo.mmp é um arquivo temporário usado pelo componente OWA para armazenar determinadas informações de perfil durante o ativo sessão.”
- **.nrg** . Arquivo de imagem de disco geralmente gerada pelo programa Nero Burning Rom.
- **.odp** . OpenDocument . Apresentação. Pode ser aberto pelo BrOffice.org Impress
- **.ods** . OpenDocument . Planilha. Pode ser aberto pelo BrOffice.org Calc
- **.odt** . OpenDocument . Texto. Pode ser aberto pelo BrOffice.org Writer
- **.ogg** . Formato de arquivo de áudio compactado.
- **.ole** . Arquivo que usa tecnologia da Microsoft para atualizar informação entre seus programas.
- **.pdb** . Palm Data Base File . Contêm dados utilizados por programas no Palm. Podem ser apenas complementos aos arquivos .prc ou os próprios programas.
- **.pdf** . Portable Document Format . Permite visualizar o documento, independente do sistema operacional ou do programa utilizado na sua criação. Muito usado em manuais.
- **.pho** . Arquivo do Photoshop.
- **.prc** . Program File ou Palm Runnable File. Contêm programas que são instalados no Palm.
- **.pcx** . Arquivo de imagem utilizado pelo Paintbrush.
- **.php** . Arquivo de página da Internet. Permite transportar para a Web o conteúdo armazenado em banco de dados.
- **.pic** . Arquivo de imagem que pode ser usado em qualquer editor de imagens.
- **.png** . Arquivo de imagem voltado para a Web que se abre com praticamente todos os programas de imagens.
- **.pps** . Apresentação do Microsoft PowerPoint

- **.ppt** . Apresentação do Microsoft PowerPoint, slide a slide.
- **.psd** . Imagem do Adobe Photoshop.
- **.rar** . Arquivo compactado. É um formato de compressão de dados muito popular.
- **.rm** . Arquivo de áudio do Real, codificado de forma especial para ser transmitido pela Internet.
- **.rmi** . Arquivo de áudio.
- **.rtf** . “Rich Text Format”. Permite guardar os formatos de texto mais característicos.
- **.reg** . Arquivo de informação relativa ao Registro do Windows.
- **.scr** . Protetores de tela que funcionam em Windows.
- **.sys** . Arquivo de sistema.
- **.swf** . Shockwave Flash. Formato de vídeo muito utilizado na Internet.
- **.sxw** . Texto do BrOffice.org Writer
- **.sxc** . Planilha do BrOffice.org Calc
- **.sxi** . Apresentação do BrOffice.org Impress
- **.sxd** . Imagem do BrOffice.org Draw
- **.tif** . Imagem sem compressão. Costuma ser usado para o armazenamento de imagens em alta resolução.
- **.tmp** . Arquivo temporário. Pode ser excluído.
- **.ttf** . True Type Font. Arquivo de fontes.
- **.txt** . Arquivo de texto com pouca formatação. Pode ser aberto com qualquer editor de texto.
- **.vob** . Vídeo de alta qualidade, usado para armazenar filmes em DVD.
- **.vqf** . Arquivo de áudio bastante compactado.
- **.xls** . Planilha do Microsoft Excel.
- **.wab** . Arquivo em que o Microsoft Outlook guarda o catálogo de endereços.
- **.wav** . Arquivo de áudio sem compressão.
- **.wks** . Arquivo de documento do Microsoft Works.
- **.wmf** . Windows Metafile. Arquivo de imagem. Desenhos vetoriais usados em clip arts no Windows.
- **.wpd** . Arquivo de texto do Word Perfect
- **.wpg** . Arquivo de imagem. Gráfico do Microsoft Word para Windows.
- **.wri** . Arquivo de texto com formato gerado pelo WordPad.
- **.zip** . Arquivo compactado, por exemplo do Ice.Ows

EXTENSÕES, SENDO MAIS COMPLETA NESTA LISTA. MAS EM INGLÊS:

- **.#24** - Printer data file for 24 pin matrix printer (LocoScript)
- **.#ib** - Printer data file (LocoScript)
- **.#sc** - Printer data file (LocoScript)
- **.#st** - Standard mode printer definitions (LocoScript)
- **.\$\$\$** - Temporary file
- **.\$00** - Pipe file (DOS)
- **.\$db** - Temporary file (dBASE IV)
- **.\$ed** - Editor temporary file (MS C)
- **.\$o1** - Pipe file (DOS)
- **.\$vm** - Virtual manager temporary file (Windows 3.x)
- **.000** - Compressed harddisk data (DoubleSpace)
- **.001** - Fax (many)

- **.075** - 75×75 dpi display font (Ventura Publisher)
- **.085** - 85×85 dpi display font (Ventura Publisher)
- **.091** - 91×91 dpi display font (Ventura Publisher)
- **.096** - 96×96 dpi display font (Ventura Publisher)
- **.0b** - Printer font with lineDraw extended character set (PageMaker)
- **.1** - Roff/nroff/troff/groff source for manual page (cawf2.zip)
- **.15u** - Printer font with PI font set (PageMaker)
- **.1st** - Usually README.1ST text
- **.301** - Fax (Super FAX 2000 - Fax-Mail 96)
- **.386** - Intel 80386 processor driver (Windows 3.x)
- **.3ds** - Graphics (3D Studio)
- **.3fx** - Effect (CorelChart)
- **.3gr** - Data file (Windows Video Grabber)
- **.3t4** - Binary file converter to ASCII (Util3)
- **.4c\$** - Datafile (4Cast/2)
- **.4sw** - 4dos Swap File
- **.4th** - Forth source code file (ForthCMP - LMI Forth)
- **.669** - Music (8 channels) (The 669 Composer)
- **.6cm** - Music (6 Channel Module) (Triton FastTracker)
- **.8** - A86 assembler source code file
- **.8cm** - Music (8 Channel Module) (Triton FastTracker)
- **.8m** - Printer font with Math 8 extended character set (PageMaker)
- **.8u** - Printer font with Roman 8 extended character set (PageMaker)
- **.a** - Ada source code file
- **.a** - Library (unix)
- **.a11** - Graphics AIIM image file
- **.ab6** - Datafile (ABStat)
- **.ab8** - Datafile (ABStat)
- **.abk** - Automatic backup file (CorelDRAW)
- **.abs** - Abstracts (info file)
- **.abs** - Data file (Abscissa)
- **.aca** - Project (Project Manager Workbench)
- **.ace** - Project (Project Manager Workbench)
- **.acb** - Graphics (ACMB)
- **.acc** - Program (DR-DOS - ViewMax) (GEM / resident)
- **.act** - Actor source code file
- **.act** - Foxdoc Action Diagrams (FoxPro)
- **.act** - Presentation (Action!)
- **.ad** - Screen saver data (AfterDark)
- **.ada** - Ada source code file
- **.adb** - Ada Package Body
- **.adc** - Bitmap graphics (16 colors) (Scanstudio)
- **.adi** - Graphics (AutoCAD)
- **.adl** - Mca adapter description library (QEMM)
- **.adn** - Add-in (Lotus 1-2-3)
- **.ads** - Ada Package Specification
- **.adt** - Datafile for cardfile application (HP NewWave)

- **.adt** - Fax (AdTech)
- **.adx** - Document (Archetype Designer)
- **.af2** - Flowchart (ABC FlowCharter 2.0)
- **.afi** - Truevision bitmap graphics
- **.afl** - Font file (for Allways) (Lotus 1-2-3)
- **.afm** - Type 1 font metric ASCII data for font installer (ATM - many)
- **.afm** - Datafile for cardfile application (HP NewWave)
- **.ai** - Vector graphics (Adobe Illustrator)
- **.ain** - Compressed file archive created by AIN
- **.aio** - APL file transfer format file
- **.ais** - Array of Intensity Samples graphics (Xerox)
- **.aix** - Datafile for cardfile application (HP NewWave)
- **.all** - Format file for working pages (Always)
- **.all** - General printer information (WordPerfect for Win)
- **.all** - Symbol and font files (Arts & Letters)
- **.alt** - Menu file (WordPerfect Library)
- **.amf** - Music (Advanced Module Format)
- **.amg** - Compressed file archive created by AMGC
- **.amg** - System image file (Actor)
- **.ani** - Animation (Presidio - many)
- **.anm** - Animation (Deluxe Paint Animator)
- **.ann** - Help Annotations (Windows 3.x)
- **.ans** - Ansi graphics (character animation)
- **.ans** - Ascii text ANSI character set (NewWave Write)
- **.aos** - Add-On Software (Nokia 9000)
- **.ap** - Compressed Amiga file archive created by WHAP
- **.ap** - Datafile (Datalex EntryPoint 90)
- **.apc** - Printer driver (Lotus 1-2-3)
- **.apd** - Printer driver (Lotus 1-2-3)
- **.apf** - Printer driver (Lotus 1-2-3)
- **.api** - Passed parameter file (1st Reader)
- **.api** - Printer driver (Lotus 1-2-3)
- **.apl** - APL work space format file
- **.app** - Add-in application file (Symphony)
- **.app** - Application object file (dBASE Application Generator)
- **.app** - Executable application file (DR-DOS - NeXTstep - Atari)
- **.app** - Generated application (FoxPro)
- **.apr** - Employee performance review (Employee Appraiser)
- **.apr** - Lotus Approach File
- **.apx** - Appexpert database file (Borland C++ 4.5)
- **.arc** - Compressed file archive created by ARC (arc602.exe/pk361.exe)
- **.arc** - Compressed file archive created by SQUASH (squash.arc)
- **.arf** - Automatic Response File
- **.ari** - Compressed file archive created by ARI
- **.arj** - Compressed file archive created by ARJ (arj241.exe)
- **.ark** - Arc file archive created by CP/M port of ARC file archiver
- **.ark** - Compressed file archive created by QUARK

- **.arr** - Arrangement (Atari Cubase)
- **.art** - Graphics (scrapbook) (Art Import)
- **.art** - Raster graphics (First Publisher)
- **.arx** - Compressed file archive created by ARX
- **.asc** - Ascii text file
- **.asc** - Transport armor file (PGP)
- **.asd** - Autosave file (Word for Windows)
- **.asd** - Presentation (Astound)
- **.asd** - Screen driver (Lotus 1-2-3)
- **.asf** - Datafile (STATGRAPHICS)
- **.asf** - Screen font (Lotus 1-2-3)
- **.ash** - Assembly language header file (TASM 3.0)
- **.asi** - Assembler include file (Turbo C - Borland C++)
- **.asm** - Assembly source code file
- **.aso** - Assembler object (object orientated) file (Turbo Assembler)
- **.asp** - Aspect source code file (Procomm Plus)
- **.asp** - Association of Shareware Professionals OMBUDSMN.ASP notice
- **.at2** - Auto template (Aldus Persuasion 2.0)
- **.atm** - Adobe Type Manager data/info
- **.au** - Sound (audio) file (SUN Microsystems)
- **.aux** - Auxillary references (TeX/LaTeX)
- **.aux** - Auxiliary dictionary (ChiWriter)
- **.ava** - Publication (Avagio)
- **.avi** - Audio Video Interleaved animation file (Video for Windows)
- **.aw** - Text file (HP AdvanceWrite)
- **.awk** - Awk script/program
- **.awm** - Movie (Animation Works)
- **.aws** - Data (STATGRAPHICS)
- **.b** - Batch list (APPLAUSE)
- **.b&w** - Black and white graphics (atari - mac)
- **.b&w** - Mono binary screen image (1st Reader)
- **.b1n** - Both mono and color binary screen image (1st Reader)
- **.b30** - Printer font (JLaser - Cordata) (Ventura Publisher)
- **.b8** - Raw graphics (one byte per pixel) plane two (PicLab)
- **.b_w** - Black and white graphics (atari - mac)
- **.bad** - Bad file (Oracle)
- **.bak** - Backup file
- **.bal** - Music score (Ballade)
- **.bar** - Horizontal bar menu object file (dBASE Application Generator)
- **.bas** - Basic source code file
- **.bat** - Batch file (DOS)
- **.bb** - Database backup (Papyrus)
- **.bbl** - Bibliographic reference (TeX/BibTeX)
- **.bbm** - Brush (Deluxe Paint)
- **.bbs** - Bulletin Board System announce or text info file
- **.bch** - Batch process object file (dBASE Application Generator)
- **.bch** - Datafile (Datalex EntryPoint 90)

- **.bco** - Outline font description (Bitstream)
- **.bcp** - Borland C++ makefile
- **.bcw** - Environment settings (Borland C++ 4.5)
- **.bdf** - Bitmap Distribution Format font file (X11)
- **.bdf** - Datafile (Egret)
- **.bdr** - Border (MS Publisher)
- **.bez** - Outline font description (Bitstream)
- **.bf2** - Bradford 2 font
- **.bfm** - Font metrics (unix/Frame)
- **.bfx** - Fax (BitFax)
- **.bga** - Bitmap graphics
- **.bgi** - Borland Graphics Interface device driver
- **.bib** - Bibliography (ASCII)
- **.bib** - Database - not compatible with TeX format (Papyrus)
- **.bib** - Literature database (TeX/BibTeX)
- **.bif** - Binary Image Format b&w graphics (Image Capture board)
- **.bin** - Binary file
- **.bio** - OS/2 BIOS
- **.bit** - Bitmap X11
- **.bk** - Faxbook (JetFax)
- **.bk!** - Document backup (WordPerfect for Win)
- **.bk1** - Timed backup file for document window 1 (WordPerfect for Win)
- **.bk2** - Timed backup file for document window 2 (WordPerfect for Win)
- **.bk3** - Timed backup file for document window 3 (WordPerfect for Win)
- **.bk4** - Timed backup file for document window 4 (WordPerfect for Win)
- **.bk5** - Timed backup file for document window 5 (WordPerfect for Win)
- **.bk6** - Timed backup file for document window 6 (WordPerfect for Win)
- **.bk7** - Timed backup file for document window 7 (WordPerfect for Win)
- **.bk8** - Timed backup file for document window 8 (WordPerfect for Win)
- **.bk9** - Timed backup file for document window 9 (WordPerfect for Win)
- **.bkp** - Backup file (Write - TurboVidion DialogDesigner)
- **.bkw** - Mirror image of font set (FontEdit)
- **.bld** - Bloadable picture (BASIC)
- **.blk** - Temporary file (WordPerfect for Win)
- **.bm** - Bitmap graphics
- **.bmk** - Help Bookmarks (Windows 3.x)
- **.bmp** - Bitmap graphics (PC Paintbrush - many)
- **.bnk** - Adlib instrument bank file
- **.boo** - Compressed file ASCII archive created by BOO (msbooasm.arc)
- **.bpc** - Chart (Business Plan Toolkit)
- **.bpt** - Bitmap fills file (CorelDRAW)
- **.br** - Script (Bridge)
- **.brd** - Eagle Layout File
- **.brk** - Fax (Brooktrout Fax-Mail)
- **.bsa** - Compressed file archive created by BSARC
- **.bsc** - Compressed Apple II file archive created by BINSII
- **.bsc** - Database (Source Browser)

- **.bsc** - Pwbrmake object file (MS Fortran)
- **.btm** - Batch To Memory batch file (4DOS)
- **.bug** - Bugs and Problems
- **.bup** - Backup file
- **.but** - Button definitions (Buttons!)
- **.buy** - Datafile format (movie)
- **.bv1** - Overflow file below insert point in Doc 1 (WordPerfect for Win)
- **.bv2** - Overflow file below insert point in Doc 2 (WordPerfect for Win)
- **.bv3** - Overflow file below insert point in Doc 3 (WordPerfect for Win)
- **.bv4** - Overflow file below insert point in Doc 4 (WordPerfect for Win)
- **.bv5** - Overflow file below insert point in Doc 5 (WordPerfect for Win)
- **.bv6** - Overflow file below insert point in Doc 6 (WordPerfect for Win)
- **.bv7** - Overflow file below insert point in Doc 7 (WordPerfect for Win)
- **.bv8** - Overflow file below insert point in Doc 8 (WordPerfect for Win)
- **.bv9** - Overflow file below insert point in Doc 9 (WordPerfect for Win)
- **.bwb** - Spreadsheet application (Visual Baler)
- **.bwr** - Beware (buglist) (Kermit)
- **.c** - C source code file
- **.c** - Compressed unix file archive created by COMPACT
- **.c++** - C++ source code file
- **.c-** - Source code (Sphinx C-)
- **.c00** - Print file (Ventura Publisher)
- **.c86** - C source code file (Computer Innovation C86)
- **.ca** - Initial cache data for root domain servers (Telnet)
- **.cac** - dBASE IV executable when caching on/off (see cachedb.bat)
- **.cad** - Document (Drafix Windows CAD)
- **.cal** - Calendar file (Windows 3.x)
- **.cal** - Spreatsheet (SuperCalc)
- **.can** - Fax (Navigator Fax)
- **.cap** - Caption (Ventura Publisher)
- **.cap** - Session capture file (Telix)
- **.cat** - Catalog (dBASE IV)
- **.cbc** - Fuzzy logic system (CubiCalc)
- **.cbl** - Cobol source code file
- **.cbm** - Compiled bitmap graphics (XLib)
- **.cbt** - Computer Based Training (many)
- **.cc** - C++ source code file
- **.ccc** - Bitmap graphics (native format) (Curtain Call)
- **.ccf** - Communications configuration file (Symphony)
- **.cch** - Chart (CorelChart)
- **.ccl** - Communication Command Language file (Intalk)
- **.cco** - Btx Graphics file (XBTX)
- **.cdb** - Card database (CardScan)
- **.cdb** - Main database (TCU Turbo C Utilities)
- **.cdf** - Graphics (netcdf)
- **.cdk** - Document (Atari Calamus)
- **.cdr** - Vector graphics (CorelDRAW native format)

- **.cdt** - Data (CorelDraw 4.0)
- **.cdx** - Compound index (FoxPro)
- **.ce** - Main.ce (The FarSide Computer Calendar)
- **.ceg** - Bitmap graphics (Tempra Show - Edsun Continuous Edge Graphics)
- **.cel** - Graphics (Autodesk Animator - Lumena)
- **.cf** - Configuration file (imake)
- **.cfg** - Configuration
- **.cfl** - Chart (CorelFLOW)
- **.cfn** - Font data (Atari Calamus)
- **.cfo** - C Form Object internal format object file (TCU Turbo C Utilities)
- **.cfp** - Fax (The Complete Fax Portable)
- **.cga** - CGA display font (Ventura Publisher)
- **.cgi** - Common Gateway Interface script
- **.cgm** - Computer Graphics Metafile vector graphics (A&L - HG - many)
- **.ch** - Header file (Clipper 5)
- **.ch3** - Chart (Harvard Graphics 3.0)
- **.ch4** - Presentation (Charisma 4.0)
- **.chd** - Font descriptor (FontChameleon)
- **.chi** - Document (ChiWriter)
- **.chk** - Recovered data (ChkDsk)
- **.chk** - Temporary file (WordPerfect for Win)
- **.chl** - Configuration History Log
- **.chn** - Data (Ethnograph 3)
- **.chp** - Chapter file (Ventura Publisher)
- **.chr** - Character set (Turbo C - Turbo Pascal)
- **.cht** - Chart (Harvard Graphics 2.0 - SoftCraft Presenter)
- **.cht** - Interface file for ChartMaster (dBASE)
- **.cif** - Caltech Intermediate Format graphics
- **.cif** - Chapter information (Ventura Publisher)
- **.cix** - Database index (TCU Turbo C Utilities)
- **.ckb** - Keyboard mapping (Borland C++ 4.5)
- **.cl** - Common LISP source code file
- **.clp** - Clip art graphics (Quattro Pro)
- **.clp** - Clipboard file (Windows 3.x)
- **.clp** - Compiler script file (clip list) (Clipper 5)
- **.clr** - Color binary screen image (1st Reader)
- **.clr** - Color definitions (Photostyler)
- **.cls** - C++ class definition file
- **.cm** - Data file (CraftMan)
- **.cmd** - Batch file (OS/2)
- **.cmd** - Command (dBASE - Waffle)
- **.cmd** - External command menu (1st Reader)
- **.cmf** - FM-music file (Creative Music File)
- **.cmk** - Card (Card Shop Plus)
- **.cmm** - Cmm script (batch) file (CEnvi)
- **.cmp** - Header file for PostScript printer files (CorelDRAW)
- **.cmp** - User dictionary (MS Word for DOS)

- **.cmp** - Bitmap graphics (Lead CMP compression)
- **.cmv** - Animation (CorelMove CorelDraw 4.0)
- **.cnc** - CNC general program data
- **.cnf** - Configuration (program - printer setup)
- **.cnv** - Data conversion support file (Word for Windows)
- **.cnv** - Temporary file (WordPerfect for Win)
- **.cob** - Cobol source code file
- **.cod** - Datafile (Forecast Plus - MS Multiplan - StatPac Gold)
- **.cod** - Program compiled code (FORTRAN)
- **.cod** - Template source file (dBASE Application Generator)
- **.cod** - Videotext file
- **.col** - Color palette (Autodesk Animator - many)
- **.col** - Spreadsheet (MS Multiplan)
- **.com** - Command (memory image of executable program) (DOS)
- **.con** - Configuration file (Simdir)
- **.cpd** - Script (Complaints Desk)
- **.cpf** - Fax (The Complete Fax)
- **.cpi** - Code Page Information file (DOS)
- **.cpi** - Colorlab Processed Image bitmap graphics
- **.cpl** - Control panel file (Windows 3.x)
- **.cpl** - Presentation (Compel)
- **.cpp** - C++ source code file
- **.cpp** - Presentation (CA-Cricket Presents)
- **.cps** - Backup of startup files by Central Point PC Tools autoexec.cps
- **.cps** - coloured postscript files
- **.cpt** - Compressed Mac file archive created by COMPACT PRO (ext-pc.zip)
- **.cpt** - Encrypted memo file (dBASE)
- **.cpt** - Template (CA-Cricket Presents)
- **.cpz** - Music text file (COMPOZ)
- **.crd** - Cardfile (Windows 3.x - YourWay)
- **.crf** - Cross-reference (MS MASM - Zortech C++)
- **.crp** - Encrypted database (dBASE IV)
- **.crs** - File Conversion Resource (WordPerfect 5.1)
- **.crt** - Terminal settings information (Oracle)
- **.cru** - Compressed file archive created by CRUSH
- **.csg** - Graph (Statistica/w)
- **.csm** - Precompiled headers (Borland C++ 4.5)
- **.csp** - Pc Emcee Screen Image file (Computer Support Corporation)
- [.css](#) - Datafile (CSS - Stats+)
- **.css** - Datasheet (Statistica/w)
- **.csv** - Comma Separated Values text file format (ASCII)
- **.csv** - Adjusted EGA/VGA palette (CompuShow)
- **.ctc** - Control file (PC Installer)
- **.ctf** - Character code translation file (Symphony)
- **.ctl** - Control file (dBASE IV - Aldus Setup)
- **.ctx** - Course TeXt file (Microsoft online guides)
- **.ctx** - Ciphertext file (Pretty Good Privacy RSA System)

- **.cuf** - C Utilities Form definition (TCU Turbo C Utilities)
- **.cur** - Cursor image file (Windows 3.x)
- **.cut** - Bitmap graphics (Dr. Halo)
- **.cv4** - Color file (CodeView)
- **.cvp** - Cover page (WinFax)
- **.cvs** - Graphics (Canvas)
- **.cvt** - Backup file for CONVERTed database file (dBASE IV)
- **.cvw** - Color file (CodeView)
- **.cxx** - C++ source code file (Zortech C++)
- **.dat** - Data file in special format or ASCII
- **.db** - Configuration (dBASE IV - dBFast)
- **.db** - Database (Paradox - Smartware)
- **.db\$** - Temperature debug info (Clarion Modula-2)
- **.db\$** - Temporary file (dBASE)
- **.db2** - Database (dBASE II)
- **.db3** - Database (dBASE III)
- **.dba** - Datafile (DataEase)
- **.dbd** - Business data (Business Insight)
- **.dbd** - Debug info (Clarion Modula-2)
- **.dbf** - Database file (dBASE III/IV - FoxPro - dBFast - DataBoss)
- **.dbg** - Symbolic debugging information (MS C/C++)
- **.dbk** - Database backup (dBASE IV)
- **.dbm** - Datafile (DataEase)
- **.dbm** - Menu template (DataBoss)
- **.dbo** - Compiled program (dBASE IV)
- **.dbs** - Database in SQL Windows format
- **.dbs** - Datafile (PRODAS)
- **.dbs** - Printer description file (Word - Works)
- **.dbt** - Data Base Text (Clipper)
- **.dbt** - Foxbase+ style memo (FoxPro)
- **.dbt** - Memo file for database w/same name (dBASE IV - dBFast)
- **.dbw** - Windows file (DataBoss)
- **.dca** - Document Content Architecture text file (IBM DisplayWrite)
- **.dcf** - Disk image file
- **.dcp** - Data CodePage (OS/2)
- **.dcs** - Bitmap graphics (CYMK format) (QuarkXPress)
- **.dcs** - Datafile (ACT! Activity Files)
- **.dct** - Database dictionary (Clarion Database Developer)
- **.dct** - Spell checking dictionary (Harvard Graphics 3.0 - Symphony)
- **.dcx** - Bitmap graphics (Multipage PCX)
- **.dd** - Compressed Macintosh file archive created by DISKDOUBLER
- **.ddb** - Bitmap graphics
- **.ddi** - Diskdupe Image file (ddupe322.zip)
- **.ddp** - Device Driver Profile file (OS/2)
- **.deb** - Debug script (DOS Debug)
- **.def** - Assembly header file (Geoworks)
- **.def** - Defaults - definitions

- **.dem** - Demonstration
- **.dem** - Graphics (VistaPro)
- **.dev** - Device driver
- **.dfd** - Data Flow Diagram graphic (Prosa)
- **.dfl** - Outline font description (Digifont)
- **.dfl** - Default program settings (Signature)
- **.dfm** - Data Flow Diagram model file (Prosa)
- **.dfs** - Delight Sound File
- **.dfv** - Printing form (Word)
- **.dgn** - Graphics (MicroStation)
- **.dgs** - Diagnostics
- **.dh** - Dependency information for .ph (Geoworks)
- **.dhp** - Dr. Halo PIC Format graphics (Dr. Halo II - III)
- **.dht** - Datafile (Gauss)
- **.dia** - Diagraph graphics (Computer Support Corporation)
- **.dib** - Bitmap graphics (Device-Independent Bitmap)
- **.dic** - Dictionary
- **.dif** - Database (VisiCalc)
- **.dif** - Output from Diff command - script for Patch command
- **.dif** - Text file (Data Interchange Format)
- **.dip** - Graphics
- **.dir** - Dialing directory file (Procomm Plus)
- **.dir** - Directory file (VAX)
- **.dir** - Movie (MacroMind Director 4.x)
- **.dis** - Distribution file (VAX Mail)
- **.dis** - Thesaurus (CorelDraw)
- **.diz** - Description file (Description In Zip)
- **.dkb** - Raytraced graphics (DKBTrace)
- **.dl** - Animation (Italian origin)
- **.dld** - Data (Lotus 1-2-3)
- **.dlg** - Dialog resource script file (MS Windows SDK)
- **.dll** - Dynamic Link Library (Windows 3.x - OS/2)
- **.dll** - Export/import filter (CorelDRAW)
- **.dls** - Setup (Norton Disklock)
- **.dmg** - Dmg é similar ao ISO. Uma imagem de disco do OS X.
- **.dmo** - Demo (Derive)
- **.dmp** - Dump file (eg. screen or memory)
- **.dms** - Compressed Amiga file archive created by DISKMASHER
- **.doc** - Document text file
- **.dog** - Screen file (Laughing Dog Screen Maker)
- **.doh** - Dependency information for .poh (Geoworks)
- **.dos** - External command file (1st Reader)
- **.dos** - Network driver (eg. pkt_dis.dos)
- **.dos** - Text file containing DOS specific info
- **.dot** - Line-type definition file (CorelDRAW)
- **.dot** - Template (Word for Windows)
- **.dox** - Text file (MultiMate 4.0)

- **.doz** - Description Out of Zip (VENDINFO)
- **.dp** - Calendar file (Daily Planner)
- **.dp** - Data file (DataPhile)
- **.dpr** - Default project- and state-related information (Borland C++)
- **.drs** - Display Resource (WordPerfect for Win)
- **.drv** - Device driver eg. for printer
- **.drw** - Vector graphics (Micrografx Designer)
- **.ds4** - Vector graphics (Micrografx Designer 4.0)
- **.dsc** - Discard file (Oracle)
- **.dsd** - Database (DataShaper)
- **.dsk** - Project desktop file (Borland C++ - Turbo Pascal)
- **.dsm** - Digital sound module (DSI)
- **.dsn** - Design (Object System Designer)
- **.dsp** - Display parameters (Signature)
- **.dsp** - Graphics display driver (Dr.Halo)
- **.dsr** - Driver Resource (WordPerfect for Win)
- **.dss** - Screensaver file (DCC)
- **.dss** - Sound (Digital Soup)
- **.dsw** - Desktop settings (Borland C++ 4.5)
- **.dt_** - Data fork of a Macintosh file (Mac-ette)
- **.dta** - Data file (Turbo Pascal - PC-File - Stata)
- **.dtf** - Database file (PFS - Q&A)
- **.dtp** - Document (Timeworks Publisher3)
- **.dtp** - Publication (Publish-It!)
- **.dvc** - Data (Lotus 1-2-3)
- **.dvi** - Device Independent document (TeX)
- **.dvp** - Desqview Program Information file (DESQview)
- **.dvp** - Device parameter file (AutoCAD)
- **.dw2** - Drawing (DesignCAD for windows)
- **.dwc** - Compressed file archive created by DWC (dwc-a501.exe)
- **.dwg** - Drawing (Drafix)
- **.dwg** - Drawing database (AutoCAD)
- **.dx** - Text file (DEC WPS/DX format - DEC WPS Plus)
- **.dxf** - Drawing Interchange File Format vector graphics (AutoCAD)
- **.dxn** - Fax (Fujitsu dexNET)
- **.dyn** - Data (Lotus 1-2-3)
- **.obj** - Error-checking object file (Geoworks)
- **.edt** - Default settings (VAX Edt editor)
- **.eeb** - Button bar for Equation Editor (WordPerfect for Win)
- **.eft** - High resolution screen font (ChiWriter)
- **.efx** - Fax (Everex EFax)
- **.ega** - EGA display font (Ventura Publisher)
- **.el** - Elisp source code file (Emacs lisp)
- **.elc** - Compiled ELISP code (Emacs lisp)
- **.elt** - Event list text file (Prosa)
- **.emf** - Enhanced Metafile graphics
- **.emu** - Terminal emulation data (BITCOM)

- **.enc** - Encoded file - UUENCODEd file (Lotus 1-2-3 - uuexe515.exe)
- **.enc** - Music (Encore)
- **.end** - Arrow-head definition file (CorelDRAW)
- **.eng** - Dictionary engine (Sprint)
- **.eng** - Graphics (charting) (EnerGraphics)
- **.env** - Enveloper macro (WOPR)
- **.env** - Environment file (WordPerfect for Win)
- **.epd** - Publication (Express Publisher)
- **.epi** - Document (Express Publisher)
- **.eps** - Encapsulated PostScript vector graphics (Adobe Illustrator)
- **.eps** - Printer font (Epson - Xerox...) (Ventura Publisher)
- **.eqn** - Equation (WordPerfect for Win)
- **.erd** - Entity Relationship Diagram graphic file (Prosa)
- **.erm** - Entity Relationship Diagram model file (Prosa)
- **.err** - Error log
- **.err** - Error messages for command line compilers
- **.esh** - Extended Shell batch file
- **.eth** - Document (Ethnograph 3)
- **.etx** - Structure Enhanced (setext) text
- **.evt** - Event log
- **.evy** - Document (WordPerfect Envoy)
- **.ewd** - Document (Express Publisher for Windows)
- **.ex3** - Device driver (Harvard Graphics 3.0)
- **.exc** - REXX source code file (VM/CMS)
- **.exc** - Exclude file for Optimize (do not process) (QEMM)
- **.exe** - Directly executable program (DOS)
- **.xm** - Msdos executable, system-manager compliant (HP calculator)
- **.ext** - Extension file (Norton Commander)
- **.exx** - Intermediate file by MsgPut (IBM LinkWay)
- **.ezf** - Fax (Calculus EZ-Fax)
- **.f** - Fortran source code file
- **.f** - Compressed file archive created by FREEZE
- **.f01** - Fax (perfectfax)
- **.f06** - Dos screen text font - height 6 pixels (fntcol13.zip)
- **.f07** - Dos screen text font - height 7 pixels (fntcol13.zip)
- **.f08** - Dos screen text font - height 8 pixels (fntcol13.zip)
- **.f09** - Dos screen text font - height 9 pixels (fntcol13.zip)
- **.f10** - Dos screen text font - height 10 pixels (fntcol13.zip)
- **.f11** - Dos screen text font - height 11 pixels (fntcol13.zip)
- **.f12** - Dos screen text font - height 12 pixels (fntcol13.zip)
- **.f13** - Dos screen text font - height 13 pixels (fntcol13.zip)
- **.f14** - Dos screen text font - height 14 pixels (fntcol13.zip)
- **.f16** - Dos screen text font - height 16 pixels (fntcol13.zip)
- **.f2r** - Linear module (music) (Farandole)
- **.f3r** - Blocked module (music) (Farandole)
- **.f77** - Fortran 77 source code file
- **.f96** - Fax (Frecom FAX96)

- **.fac** - Face graphics
- **.faq** - Frequently Asked Questions text file
- **.far** - Music
- **.fax** - Fax (raster graphics) (most Fax programs)
- **.fc** - Spell checking dictionary (Harvard Graphics 2.0)
- **.fcm** - Binary file patch file (forward compression)(jlpak10.zip)
- **.fd** - Declaration file (MS Fortran)
- **.fd** - Field offsets for compiler (DataFlex)
- **.fdw** - Form (F3 Design and Mapping)
- **.feb** - Button bar for Figure Editor (WordPerfect for Win)
- **.ff** - Outline font description (Agfa Compugraphics)
- **.fff** - Fax (defFax)
- **.fft** - Dca/FFT Final Form Text text file (DisplayWrite)
- **.fh3** - Vector graphics (Aldus FreeHand 3.x)
- **.fh4** - Vector graphics (Aldus FreeHand 4.x)
- **.fi** - Interface file (MS Fortran)
- **.fif** - Fractal Image Format file
- **.fil** - File template (Application Generator)
- **.fil** - Files list object file (dBASE Application Generator)
- **.fil** - Overlay (WordPerfect)
- **.fin** - Print-formatted text file (Perfect Writer - Scribble - MINCE)
- **.fit** - Fits graphics
- **.fit** - File Index Table (WindowsNT)
- **.fix** - Patch file
- **.fky** - Macro file (FoxPro)
- **.flb** - Format library (Papyrus)
- **.flc** - Animation (Autodesk Animator)
- **.fld** - Folder (Charisma)
- **.fli** - Tex font library (EmTeX)
- **.fli** - Animation (Autodesk Animator)
- **.flm** - Film Roll (AutoCAD/AutoShade)
- **.flo** - Micrografx FlowCharter
- **.flt** - Filter file (Micrografx Picture Publisher)
- **.flt** - Support file (Asymetrix ToolBook) - graphics filter
- **.flx** - Compiled binary (DataFlex)
- **.fm** - Spreatsheet (FileMaker Pro)
- **.fm1** - Spreadsheet (Lotus 1-2-3 release 2.x)
- **.fm3** - Device driver (Harvard Graphics 3.0)
- **.fm3** - Spreadsheet (Lotus 1-2-3 release 3.x)
- **.fmb** - File Manager Button bar (WordPerfect for Win)
- **.fmf** - Font or icon file (IBM LinkWay)
- **.fmk** - Makefile (Fortran PowerStation)
- **.fmo** - Compiled format file (dBASE IV)
- **.fmt** - Format file (dBASE IV - FoxPro - Clipper 5 - dBFast)
- **.fmt** - Style sheet (Sprint)
- **.fn3** - Font file (Harvard Graphics 3.0)
- **.fnt** - Font file (many)

- **.fnx** - Inactive font (Exact)
- **.fo1** - Font file (Borland Turbo C)
- **.fo2** - Font file (Borland Turbo C)
- **.fol** - Folder of saved messages (1st Reader)
- **.fon** - Dialing directory file (Telix)
- **.fon** - Font file (many - Windows 3.x font library)
- **.fon** - Log of all calls (Procomm Plus)
- **.for** - Fortran source code file
- **.for** - Form (WindowBase)
- **.fot** - Installed TrueType font (Windows Font Installer)
- **.fp** - Configuration file (FoxPro)
- **.fpc** - Catalog (FoxPro)
- **.fpt** - Memo (FoxPro)
- **.fpw** - Floorplan drawing (FloorPLAN plus for Windows)
- **.fr3** - Renamed dBASE III+ form file (dBASE IV)
- **.frf** - Font (FontMonger)
- **.frg** - Uncompiled report file (dBASE IV)
- **.frm** - Form (Visual Basic)
- **.frm** - Report file (dBASE IV - Clipper 5 - dBFast)
- **.frm** - Text (order form)
- **.fro** - Compiled report file (dBASE IV)
- **.frp** - Form (PerForm PRO Plus - FormFlow)
- **.frs** - Screen Font Resource (WordPerfect for Win)
- **.frt** - Report memo (FoxPro)
- **.frx** - Report (FoxPro)
- **.fsl** - Form (Paradox for Windows)
- **.fsm** - Farandoyle Sample format music
- **.fst** - Linkable program (dBFast)
- **.fsx** - Data (Lotus 1-2-3)
- **.ftm** - Font file (Micrografx)
- **.ftp** - Configuration (FTP Software PC/TCP)
- **.fw** - Database (FrameWork)
- **.fw2** - Database (Framework II)
- **.fw3** - Database (Framework III)
- **.fx** - On-line guide (FastLynx)
- **.fxd** - Phonebook (FAXit)
- **.fxp** - Compiled format (FoxPro)
- **.fxs** - Fax Transmit Format graphics (WinFax)
- **.g** - Data chart (APPLAUSE)
- **.g8** - Raw graphics (one byte per pixel) plane three (PicLab)
- **.gam** - Fax (GammaFax)
- **.gbl** - Global definitions (VAXTPU editor)
- **.gc1** - Lisp source code (Golden Common Lisp 1.1)
- **.gc3** - Lisp source code (Golden Common Lisp 3.1)
- **.gcd** - Graphics
- **.gdf** - Dictionary file (GEOS)
- **.ged** - Editor's native file format (Arts & Letters)

- **.ged** - Graphics editor file (EnerGraphics)
- **.gem** - Vector graphics (GEM - Ventura Publisher)
- **.gen** - Compiled template (dBASE Application Generator)
- **.gen** - Generated text (Ventura Publisher)
- **.geo** - Geode (Geoworks)
- **.gfb** - Compressed GIF image created by GIFBLAST (gifblast.exe)
- **.gft** - Font (NeoPaint)
- **.gib** - Chart (Graph-in-the-Box)
- **.gif** - Graphics Interchange Format bitmap graphics (CompuShow)
- **.giw** - Presentation (Graph-in-the-Box for Windows)
- **.gl** - Animation (GRASP GRaphical System for Presentation)
- **.glm** - Datafile (Glim)
- **.gls** - Datafile (Across)
- **.gly** - Glossary (MS Word)
- **.gmf** - CGM graphics (APPLAUSE)
- **.gmp** - Geomorph tile map (SPX)
- **.goc** - Goc source code file (Geoworks)
- **.goh** - Goc header file (Geoworks)
- **.gp** - Geode parameter file (Geoworks Glue)
- **.gph** - Graph (Lotus 1-2-3/G)
- **.gpk** - Omnigo program package
- **.gr2** - Screen driver (Windows 3.x)
- **.gra** - Datafile (SigmaPlot)
- **.grb** - Ms-DOS Shell Monitor file (MS-DOS 5)
- **.grf** - Graph file (Graph Plus - Charisma)
- **.grp** - Group file (Windows 3.x - Papyrus)
- **.grp** - Pictures group (PixBase)
- **.gry** - Raw GREY graphics
- **.gs1** - Presentation (GraphShow)
- **.gsd** - Vector graphics (Professional Draw)
- **.gsw** - Worksheet (GraphShow)
- **.gup** - Data (PopMail)
- **.gxl** - Graphics library (Genus)
- **.gz** - Compressed file archive created by GZIP (GNU zip)
- **.h** - Header file
- **.h!** - On-line help file (Flambeaux Help! Display Engine)
- **.h++** - Header file (C++)
- **.h-** - Header file (Sphinx C-)
- **.ha** - Compressed file archive created by HA (ha098.zip)
- **.hap** - Compressed file archive created by HAP (hap303re.zip)
- **.hbk** - Handbook (Mathcad)
- **.hdf** - Hierarchical Data File graphics (SDSC Image Tools)
- **.hdf** - Help file (Help Development Kit)
- **.hdl** - Alternate download file listing (Procomm Plus)
- **.hdr** - Pc-File+ Database header
- **.hdr** - Datafile (Egret)
- **.hdr** - Message header text (Procomm Plus - 1st Reader)

- **.hdw** - Vector graphics (Harvard Draw)
- **.hdx** - Help index (AutoCAD - Zortech C++)
- **.hex** - Hex dump
- **.hfi** - Hp Font Info file (GEM)
- **.hgl** - Hp Graphics Language graphics
- **.hh** - C++ header file
- **.hhh** - Precompiled header file (Power C)
- **.hhp** - Help information for remote users (Procomm Plus)
- **.hin** - Molecule (HyperChem)
- **.hlb** - Help library (VAX)
- **.hlp** - Help information
- **.hmm** - Alternate Mail Read option menu (Procomm Plus)
- **.hnc** - CNC program files Heidenhain (?) dialog
- **.hof** - Hall Of Fame (game scores)
- **.hp8** - Ascii text HP Roman8 character set (NewWave Write)
- **.hpf** - Hp LaserJet fonts (PageMaker)
- **.hpg** - HPGL plotter file vector graphics (AutoCad - Harvard Graphics)
- **.hpi** - Font information file (GEM)
- **.hpj** - Help project (MS Help Compiler)
- **.hpk** - Compressed file archive created by HPACK (hpack75.zip)
- **.hpm** - Emm text (HP NewWave)
- **.hpm** - Alternate Main menu for privileged users (Procomm Plus)
- **.hpp** - C++ header file (Zortech C++)
- **.hqx** - Compressed Macintosh ASCII archive created by BINHEX (xbin23.zip)
- **.hrf** - Graphics (Hitachi Raster Format)
- **.hrm** - Alternate Main menu for limited/normal users (Procomm Plus)
- **.hs2** - Monochrome image (Postering)
- **.hsi** - Handmade Software Inc. graphics - almost JPEG (Image Alchemy)
- **.hst** - History file (Procomm Plus)
- **.htm** - HyperText Markup Language document
- **.htx** - Hypertext file
- **.hwd** - Presentation (Hollywood)
- **.hxm** - Alternate Protocol Selection menu for all users (Procomm Plus)
- **.hxx** - C++ header file
- **.hy1** - Hyphenation algorithms (Ventura Publisher)
- **.hy2** - Hyphenation algorithms (Ventura Publisher)
- **.hyc** - Data (WordPerfect)
- **.hyd** - Hyphenation dictionary (WordPerfect for Win)
- **.hyp** - Compressed file archive created by HYPER (hyper25.zip)
- **.i** - Intermediate file (Borland C++ 4.5)
- **.iax** - Bitmap graphics (IBM Image Access eXecutive)
- **.ibm** - Compressed file archive created by ARCHDOS (Internal IBM only)
- **.ica** - Bitmap graphics (Image Object Content Architecture)
- **.icb** - Bitmap graphics
- **.icn** - Icon source code file
- **.ico** - Icon (Windows 3.x)
- **.id** - Disk identification file

- **.ide** - Project (Borland C++ 4.5)
- **.idw** - Vector graphics (IntelliDraw)
- **.idx** - Index (many - FoxPro)
- **.ifd** - Form (JetForm Design)
- **.iff** - Interchange File Format bitmap graphics/sound (Amiga)
- **.iff** - Sun TAAC Image File Format (SDSC Image Tool)
- **.ifp** - Script (KnowledgeMan)
- **.ifs** - Fractal image compressed file (Yuvpak)
- **.ifs** - System file (OS/2) hpfs.ifs
- **.ilb** - Data (Scream Tracker)
- **.ilk** - Outline of program's format (MS ILink incremental linker)
- **.im8** - Sun raster graphics
- **.ima** - Mirage vector graphics (EGO, Chart, Autumn)
- **.img** - Bitmap graphics (Ventura Publisher - GEM Paint)
- **.imp** - Spreadsheet (Lotus Improv)
- **.imq** - Image presentation (ImageQ)
- **.in\$** - Installation file (HP NewWave)
- **.in3** - Input device driver (Harvard Graphics 3.0)
- **.inb** - Test script (Vermont HighTest)
- **.inc** - Include file (several programming languages)
- **.ind** - Index (dBASE IV)
- **.inf** - Type 1 LaserJet font information file (soft font installers)
- **.inf** - Information text file (ASCII)
- **.inf** - Install script
- **.ini** - Initialization file
- **.ink** - Pantone reference fills file (CorelDRAW)
- **.ins** - Data (WordPerfect)
- **.ins** - Installation script (1st Reader)
- **.ins** - Instrument music file (Adlib)
- **.int** - Borland Interface Units
- **.int** - Program saved in Internal (semi-compiled) format (Signature)
- **.inx** - Index (Foxbase)
- **.io** - Compressed file archive created by CPIO
- **.job** - 3d graphics database in TDDD format
- **.ioc** - Organizational chart (Instant ORGcharting!)
- **.ion** - 4dos descript.ion file (file descriptions)
- **.ipl** - Pantone Spot reference palette file (CorelDRAW)
- **.irs** - Resource (WordPerfect)
- **.isd** - Spelling Checker dictionary (RapidFile)
- **.ish** - Compressed file archive created by ISH
- **.iso** - ISO-9660 table
- **.it** - Settings (intalk)
- **.itf** - Interface file (JPI TopSpeed Pascal)
- **.iw** - Presentation flowchart (IconAuthor - HSC InterActive)
- **.iwa** - Text file (IBM Writing Assistant)
- **.iwp** - Text file (Wang)
- **.izt** - Izl binary token file (IZL)

- **.jas** - Graphics
- **.jav** - Java source code file
- **.jbd** - Datafile (SigmaScan)
- **.jbx** - Project file (Project Scheduler 4)
- **.jet** - Fax (Hybrid JetFax)
- **.jff** - Bitmap graphics (JPEG File Interchange Format)
- **.jor** - Journal file SQL
- **.jou** - Journal backup (VAX Edt editor)
- **.jpc** - Graphics (Japan PIC)
- **.jpg** - Bitmap graphics (Joint Photography Experts Group)
- **.jtf** - Fax (Hayes JT Fax)
- **.jtf** - Bitmap graphics (JPEG Tagged Interchange Format)
- **.jw** - Text document (JustWrite)
- **.jwl** - Library (JustWrite)
- **.jzz** - Spreatsheet (Jazz)
- **.kar** - Midi file with karaoke word track
- **.kb** - Keyboard script (Borland C++ 4.5)
- **.kb** - Program source (Knowledge Pro)
- **.kbd** - Keyboard mapping (LocoScript - Signature - Procomm Plus)
- **.kbm** - Keyboard mapping (Reflection 4.0)
- **.kcl** - Lisp source code (Kyoto Common Lisp)
- **.kex** - Macro (KEDIT)
- **.key** - Datafile (Forecast Pro)
- **.key** - Keyboard macros
- **.key** - Security file eg. Shareware Registration info
- **.kpp** - Toolpad (SmartPad)
- **.kps** - Ibm KIPS bitmap graphics
- **.kyb** - Keyboard mapping (FTP Software PC/TCP)
- **.l** - Lex source code file
- **.l** - Lisp source code file
- **.l** - Linker directive file (WATCOM wlink)
- **.lab** - Datafile (NCSS - SOLO)
- **.lab** - Mailing labels (Q+E for MS Excel)
- **.lay** - Word chart layout (APPLAUSE)
- **.lbg** - Label generator data (dBASE IV)
- **.lbl** - Label (dBASE IV - Clipper 5 - dBFast)
- **.lbm** - Bitmap graphics (DeluxePaint)
- **.lbm** - Linear bitmap graphics (XLib)
- **.lbo** - Compiled label (dBASE IV)
- **.lbr** - Compressed file archive created by LU (lue220.arc)
- **.lbr** - Display driver (Lotus 1-2-3)
- **.lbt** - Label memo (FoxPro)
- **.lbt** - Label (FoxPro)
- **.lcf** - Linker Control File (Norton Guides compiler)
- **.lck** - Lockfile (Paradox)
- **.lcl** - Data (FTP Software PC/TCP)
- **.lcn** - Lection (WordPerfect)

- **.lcs** - Datafile (ACT! History Files)
- **.lcw** - Spreadsheet (Lucid 3-D)
- **.ld** - Long Distance codes file (Telix)
- **.ld1** - Overlay file (dBASE)
- **.ldb** - Data (MS Access)
- **.ldf** - Library definition file (Geoworks Glue)
- **.les** - Lesson (check *.cvt)
- **.lev** - Level file (NetHack 3.x)
- **.lex** - Lexicon (dictionary) (many)
- **.lft** - Laser printer font (ChiWriter)
- **.lg** - Logo procedure definitions (LSRHS Logo)
- **.lgo** - Logo for header and footer (SuperFax)
- **.lgo** - Startup logo code (Windows 3.x)
- **.lha** - Compressed file archive created by LHA/LHARC (lha255b.exe)
- **.lhw** - Compressed Amiga file archive created by LHWARP
- **.lib** - Library file (several programming languages)
- **.lif** - Logical Interchange Format data file (Hewlett-Packard)
- **.lif** - Compressed file archive
- **.lim** - Compressed file archive created by LIMIT (limit12.zip)
- **.lin** - Line types (AutoCAD)
- **.lis** - Listing (VAX)
- **.lj** - Text file for HP LJ II printer
- **.ll3** - Laplink III related file (document) (LapLink III)
- **.lnk** - Linker response file (.RTLlink)
- **.lod** - Load file
- **.log** - Log file
- **.lpc** - Printer driver (TEKO)
- **.lrf** - Linker response file (MS C/C++)
- **.lrs** - Language Resource File (WordPerfect for Win)
- **.lsp** - Lisp source code file (Xlisp)
- **.lss** - Spreadsheet (Legato)
- **.lss** - Lotus Script
- **.lst** - Keyboard macro (1st Reader)
- **.lst** - List file (archive index - compiler listfile)
- **.lst** - Spool file (Oracle)
- **.ltm** - Form (Lotus Forms)
- **.lwd** - Text document (LotusWorks)
- **.lwp** - Text document (Lotus WordPro)
- **.lzd** - Difference file for binaries (Ldiff 1.20)
- **.lzh** - Compressed file archive created by LHA/LHARC (lha255b.exe)
- **.lzs** - Compressed file archive created by LARC (larc333.zip)
- **.lzw** - Compressed Amiga file archive created by LHWARP
- **.m** - Function (program) (Matlab)
- **.m** - Macro module (Brief)
- **.m** - Standard package (Mathematica)
- **.m11** - Text file (MASS11)
- **.m3** - Modula 3 source code file

- **.m3d** - 3d animation macro
- **.m4** - M4 preprocessor file (unix)
- **.m_u** - Backup of boot sector, FAT and boot dir (MazeGold)
- **.ma3** - Macro (Harvard Graphics 3.0)
- **.mac** - Bitmap graphics (Macintosh MacPaint)
- **.mac** - Macro
- **.mag** - Woody Lynn's MAG graphics format (MPS Magro Paint System)
- **.mai** - Mail (VAX)
- **.mak** - Makefile
- **.mak** - Project file (Visual Basic)
- **.man** - Command manual
- **.map** - Color palette
- **.map** - Format data (Micrografx Picture Publisher)
- **.map** - Linker map file
- **.map** - Map (Atlas MapMaker)
- **.map** - Network map (AccView)
- **.mar** - Assembly program (VAX Macro)
- **.mas** - Smartmaster set (Freelance Graphics)
- **.mat** - Data file (Matlab)
- **.max** - Max source code file
- **.mb** - Memo field values for database (Paradox)
- **.mbk** - Multiple index file backup (dBASE IV)
- **.mbx** - Mailbox (Eudora/Zerberus)
- **.mcc** - Configuration file (Mathcad)
- **.mcd** - Document (Mathcad)
- **.mcf** - Font file (Mathcad)
- **.mci** - Mci command script (Media Control Interface)
- **.mcp** - Application script (Capsule)
- **.mcp** - Printer driver (Mathcad)
- **.mcw** - Text file (MacWrite II)
- **.md** - Compressed file archive created by MDCD (mdcd10.arc)
- **.mda** - Data (MS Access)
- **.mdb** - Database (MS Access)
- **.mdl** - Model (3D Design Plus)
- **.mdl** - Spreadsheet (CA-Compete!)
- **.mdm** - Modem definition (TELEX)
- **.mdt** - Data table (MS ILink incremental linker)
- **.mdx** - Multiple index file (dBASE IV)
- **.me** - Usually ASCII text file READ.ME
- **.meb** - Macro Editor bottom overflow file (WordPerfect Library)
- **.med** - Macro Editor delete save (WordPerfect Library)
- **.med** - Music (OctaMED)
- **.mem** - Macro Editor macro (WordPerfect Library)
- **.mem** - Memory variable save file (Clipper - dBASE IV - FoxPro)
- **.meq** - Macro Editor print queue file (WordPerfect Library)
- **.mer** - Macro Editor resident area (WordPerfect Library) (vakioalue)
- **.mes** - Macro Editor work space file (WordPerfect Library)

- **.mes** - Message
- **.met** - Macro Editor top overflow file (WordPerfect Library)
- **.met** - Document (Omnipage Pro)
- **.meu** - Menu group (DOS Shell)
- **.mex** - Mex file (executable command) (Matlab)
- **.mex** - Macro Editor expound file (WordPerfect Library)
- **.mf** - Metafont text file
- **.mgf** - Font (Micrografx)
- **.mib** - Snmp MIB file
- **.mid** - Standard MIDI file (music synthetizers)
- **.mii** - Datafile (MicroStat-II)
- **.mix** - Object file (Power C)
- **.mk** - Makefile
- **.mke** - Makefile (MS Windows SDK)
- **.mki** - Japanese graphics MAKIchan format (MagView 0.5)
- **.mks** - Data (TACT)
- **.mkv** - é a sigla do formato para video digital do padrão Matroska, ou Matroska Video
- **.ml3** - Project (Milestones 3.x)
- **.mlb** - Macro library file (Symphony)
- **.mm** - Text file (MultiMate Advantage II)
- **.mmf** - Mail message file (MS Mail)
- **.mmm** - Movie (RIFF RMMP format) (MacroMind Director 3.x)
- **.mmo** - Memo writer file (RapidFile)
- **.mmp** - Output video format from Bravado board
- **.mnd** - Menu source (AutoCAD Menu Compiler)
- **.mng** - Map (DeLorme Map'n'Go)
- **.mnt** - Menu memo (FoxPro)
- **.mnu** - Advanced macro (HP NewWave)
- **.mnu** - Menu (AutoCAD Menu Compiler - Norton Commander - Signature)
- **.mnx** - Compiled menu (AutoCAD)
- **.mnx** - Menu (FoxPro)
- **.mny** - Account book (MS Money)
- **.mob** - Device definition (PEN Windows)
- **.mod** - Modula-2 source code file (Clarion Modula-2)
- **.mod** - Windows kernel module
- **.mod** - Music (FastTracker - many)
- **.mon** - Monitor description (ReadMail)
- **.mov** - Movie (AutoCAD AutoFlix)
- **.mp2** - Mpeg audio file (xing)
- **.mpc** - Calender file (MS Project)
- **.mpg** - Mpeg animation
- **.mpm** - Mathplan macro (WordPerfect Library)
- **.mpp** - Project file (MS Project)
- **.mpr** - Generated program (FoxPro)
- **.mpr** - Lotus Approach Smartmaster
- **.mpt** - Bitmap graphics (Multipage TIFF)

- **.mpv** - View file (MS Project)
 - **.mpx** - Compiled menu program (FoxPro)
 - **.mrb** - Multiple Resolution Bitmap graphics (MS C/C++)
 - **.mrs** - Macro Resource file (WordPerfect for Win)
 - **.msc** - Microsoft C makefile
 - **.msg** - Message
 - **.msp** - Bitmap graphics (Microsoft Paint)
 - **.mss** - Manuscript text file (Perfect Writer - Scribble - MINCE - Jove)
 - **.mst** - Minispecification file (Prosa)
 - **.mst** - Setup script (MS Windows SDK)
 - **.msw** - Text file (MS Word)
 - **.msx** - Compressed CP/M file archive created by MSX
 - **.mth** - Math file (Derive)
 - **.mtm** - Multitracker Module music
 - **.mtw** - Datafile (Minitab)
 - **.mu** - Menu (Quattro Pro)
 - **.mus** - Sound file (MusicTime)
 - **.mvf** - Stop frame file (AutoCAD AutoFlix)
 - **.mvi** - Movie command file (AutoCAD AutoFlix)
 - **.mvw** - Log file (Saber LAN)
 - **.mwf** - Animation (ProMotion)
 - **.mwp** - Lotus Approach Smartmaster
 - **.mxt** - Data (MS C)
 - **.myp** - Presentation (MM Make Your Point)
 - **.nap** - Naplps file (VideoShow) (EnerGraphics)
 - **.nb** - Text file (Nota Bene)
 - **.nc** - Graphics (netcdf)
 - **.nc** - Instructions for NC (Numerical Control) machine (CAMS)
 - **.ncc** - Cnc (Computer Numeric Control) control file (CamView 3D)
 - **.ncd** - Norton Change Directory support file (Norton Commander)
 - **.ndb** - Network database (Intellicom - Compex)
 - **.ndx** - Index file (dBASE II - III - IV - dBFast)
 - **.neo** - Raster graphics (Atari Neochrome)
 - **.net** - Network configuration/info file
 - **.new** - New info
 - **.nfo** - Info file
 - **.ng** - Online documentation database (Norton Guide)
 - **.nlm** - Netware Loadable Module
 - **.nlx** - Form (FormWorx 3.0)
 - **.np** - Project schedule (Nokia Planner) (Visual Planner 3.x)
 - **.npc** - (ou Musepack) é um formato de áudio com bastante qualidade, superior ao MP3 e Vorbis
- Para transcodificar esses arquivos para MP3 por exemplo, utilize o dBpowerAMP
- **.npi** - Source for DGEN.EXE interpreter (dBASE Application Generator)
 - **.nst** - Music (NoiseTracker)
 - **.nt** - Startup files (Windows NT)
 - **.ntr** - Executable ASCII text file (strip header and rename) (netrun31.zip)

- **.nts** - Tutorial (Norton)
- **.nts** - Executable ASCII text file (strip header and rename) (netsend1.zip)
- **.ntx** - Index (Clipper 5)
- **.nuf** - Message for new users on their 1st call (Procomm Plus)
- **.nws** - Info text file (latest news) (ASCII)
- **.nxt** - Sound (NeXT format)
- **.o** - Object file (unix - Atari - GCC)
- **.o\$\$** - Outfile (Sprint)
- **.oaz** - Fax (NetFax Manager)
- **.ob** - Object cut/paste file (IBM LinkWay)
- **.obj** - Object code (Intel Reconfigurable Object Module)
- **.obr** - Object browser data file (Borland C++)
- **.obs** - Script (ObjectScript)
- **.obv** - Visual interface (ObjectScript)
- **.ocf** - Object Craft File (Object Craft)
- **.ocr** - Incoming fax transcribed to text (FAXGrapper)
- **.ocx** - OLE custom control
- **.odl** - Type library source (Visual C++)
- **.ofd** - Form definition (ObjectView)
- **.off** - Object File Format vector graphics
- **.okt** - Music (Oktalizer)
- **.olb** - Object library (VAX)
- **.old** - Backup file
- **.oli** - Text file (Olivetti)
- **.oom** - Swap file (Shroom)
- **.opn** - Active options (Exact)
- **.opt** - Optimize support file (QEMM)
- **.opw** - Organization chart (Org Plus for Windows)
- **.opx** - Inactive options (Exact)
- **.ora** - Parameter file (Oracle)
- **.org** - Calendar file (Lotus Organizer)
- **.otl** - Outline font description (Z-Soft Type Foundry)
- **.otx** - Text file (Olivetti Olitext Plus)
- **.out** - Output file
- **.ov1** - Overlay file (part of program to be loaded when needed)
- **.ov2** - Overlay file (part of program to be loaded when needed)
- **.ovd** - Datafile (ObjectVision)
- **.ovl** - Overlay file (part of program to be loaded when needed)
- **.ovr** - Overlay file (part of program to be loaded when needed)
- **.p** - Pascal source code file
- **.p** - Rea-C-Time application parameter file (ReaGeniX code generator)
- **.p** - Picture file (APPLAUSE)
- **.p16** - Music (16 channels) (ProTracker Studio 16)
- **.p22** - Patch file (Patch22)
- **.pa1** - Worktable (PageAhead)
- **.pac** - Stad Image (graphics ?)
- **.pac** - Package (SBStudio II)

- **.pad** - Keypad definition (Telemate)
- **.pak** - Compressed file archive created by PAK (pak251.exe)
- **.pal** - Color palette
- **.pan** - Printer-specific file (copy to coreldrw.ink) (CorelDRAW)
- **.par** - Parts application (Digitalk PARTS)
- **.par** - Parameter file (Fractint)
- **.par** - Permanent output file (Windows 3.x)
- **.pas** - Pascal source code file
- **.pat** - Hatch patterns (AutoCAD - Photostyler)
- **.pat** - Vector fill files (CorelDRAW)
- **.pb** - Fax (FAXability Plus)
- **.pb** - Phonebook (WinFax Pro)
- **.pb** - Setup file (PixBase)
- **.pb1** - Document (First Publisher for Windows)
- **.pba** - Powerbasic BASIC source code (Genus)
- **.pbd** - Phone book (FaxNOW! - Faxit)
- **.pbi** - Powerbasic include file (Genus)
- **.pbi** - Profiler Binary Input (MS Source Profiler)
- **.pbl** - Powerbasic library (Genus)
- **.pbm** - Pbm Portable Bit Map graphics
- **.pbm** - Planar bitmap graphics (XLib)
- **.pbo** - Profiler Binary Output (MS Source Profiler)
- **.pbt** - Profiler Binary Table (MS Source Profiler)
- **.pc** - Text file containing IBM PC specific info
- **.pc3** - Custom palette (Harvard Graphics 3.0)
- **.pc8** - Ascii text IBM8 character set (NewWave Write)
- **.pcc** - Cutout picture vector graphics (PC Paintbrush)
- **.pcd** - Graphics (Kodak PhotoCD)
- **.pcf** - Profiler Command File (MS Source Profiler)
- **.pch** - Patch file
- **.pch** - Precompiled header (MS C/C++)
- **.pcj** - Multimedia authoring tool graphics (IBM's Linkaway-Live)
- **.pck** - Pickfile (Turbo Pascal)
- **.pcl** - HP-PCL graphics data (HP Printer Control Language)
- **.pct** - Bitmap graphics (Macintosh b&w PICT1 - color PICT2)
- **.pcw** - Text file (PC Write)
- **.pcx** - Bitmap graphics (PC Paintbrush)
- **.pda** - Bitmap graphics
- **.pdb** - Data (TACT)
- **.pdf** - Package Definition File
- **.pdf** - Graphics file (ED-SCAN 24bit format)
- **.pdl** - Project Description Language file (Borland C++ 4.5)
- **.pds** - Pds graphics
- **.pds** - Pldasm source code file (hardware assembly)
- **.pdv** - Printer driver (Paintbrush)
- **.pdw** - Document (Professional Draw)
- **.peb** - Program Editor bottom overflow file (WordPerfect Library)

- **.ped** - Program Editor delete save (WordPerfect Library)
- **.pem** - Program Editor macro (WordPerfect Library)
- **.peq** - Program Editor print queue file (WordPerfect Library)
- **.per** - Program Editor resident area (WordPerfect Library) (vakioalue)
- **.pes** - Program Editor work space file (WordPerfect Library)
- **.pet** - Program Editor top overflow file (WordPerfect Library)
- **.pfa** - Type 3 font file (unhinted PostScript font)
- **.pfb** - Type 1 font file
- **.pfc** - Text file (First Choice)
- **.pfk** - Programmable function keys (XTreePro)
- **.pfm** - Windows Type 1 font metric file
- **.pfs** - Database (PFS:FILE) - text file (PFS:Write)
- **.pft** - Printer font (ChiWriter)
- **.pg** - Page cut/paste file (IBM LinkWay)
- **.pgi** - Printer Graphics File device driver (PGRAPH library)
- **.pgm** - Portable Grayscale bitMap graphics
- **.pgm** - Program (Signature)
- **.pgp** - Support file (Pretty Good Privacy RSA System)
- **.pgs** - Manual page (man4dos)
- **.ph** - Optimized .goh file (Geoworks)
- **.ph** - Perl header file
- **.ph** - Phrase-table (MS C/C++)
- **.phn** - Phone list (UltraFax - QmodemPro)
- **.pho** - Phone database (Metz Phone for Windows)
- **.phr** - Phrases (LocoScript)
- **.pic** - Pixar picture file (SDSC Image Tool)
- **.pic** - Bitmap graphics (Macintosh b&w PICT1 - color PICT2)
- **.pic** - Bitmap graphics (many eg. Lotus 1-2-3 - PC Paint)
- **.pif** - Program Information File (Windows 3.x)
- **.pif** - Vector graphics GDF format (IBM mainframe computers)
- **.pit** - Compressed Mac file archive created by PACKIT (unpackit.zoo)
- **.pix** - Alias image file (SDSC Image Tool)
- **.pj** - Project (CA-SuperProject)
- **.pjt** - Project memo (FoxPro)
- **.pjx** - Project (FoxPro)
- **.pk** - Packed bitmap font bitmap file (TeX DVI drivers)
- **.pka** - Compressed file archive created by PKARC
- **.pkg** - Installer script (Next)
- **.pkt** - Fidonet packet
- **.pl** - Perl source code file
- **.pl** - Prolog source code file
- **.pl** - Property List font metric file (TeX)
- **.pl** - Palette (Harvard Graphics)
- **.pl1** - Room plan (3D Home Architect)
- **.pl3** - Chart palette (Harvard Graphics 3.0)
- **.plb** - Library (FoxPro)
- **.plc** - Add-in file (functions - macros - applications) (Lotus 1-2-3)

- **.pll** - Pre-linked library (Clipper 5)
- **.pln** - Spreadsheet (WordPerfect for Win)
- **.plt** - Hpgl plotter file vector graphics (AutoCAD)
- **.plt** - Palette
- **.plt** - Pre-linked transfer file (Clipper 5)
- **.ply** - Data (PopMail)
- **.ply** - Presentation screen (Harvard Spotlight)
- **.pm** - Bitmap graphics (Presentation Manager)
- **.pm3** - Document (PageMaker 3)
- **.pm4** - Document (PageMaker 4)
- **.pm5** - Document (PageMaker 5)
- **.pmc** - Graphics (A4TECH Scanner)
- **.pmm** - Program file (Amaris BTX/2)
- **.pn3** - Printer device driver (Harvard Graphics 3.0)
- **.png** - Bitmap graphics (Portable Network Graphics)
- **.pnm** - Pbm Portable aNy Map (PNM) graphics
- **.pnt** - Macintosh painting
- **.pnt** - Qwk reader pointer file (MarkMail 2.x)
- **.poh** - Optimized .goh file (Geoworks)
- **.pop** - Messages index (PopMail)
- **.pop** - Pop-up menu object (dBASE Application Generator)
- **.pov** - Raytraced graphics image (Persistence Of Vision)
- **.pow** - Chord chart (PowerChords)
- **.pp** - Compressed Amiga file archive created by POWERPACKER
- **.ppb** - Button bar for Print Preview (WordPerfect for Win)
- **.ppl** - Polaroidpaletteplus ColorKey device driver (Harvard Graphics 3.0)
- **.ppm** - Portable Pixel Map graphics
- **.ppo** - Pre-processor output (Clipper 5)
- **.ppp** - Publication (PagePlus)
- **.pps** - Storyboard (Personal Producer)
- **.ppt** - General file extension (PowerPoint)
- **.pr2** - Presentation (Aldus Persuasion 2.x)
- **.pr2** - Printer driver (dBASE IV)
- **.pr3** - Postscript printer driver (dBASE IV)
- **.pr3** - Presentation (Aldus Persuasion 3.x)
- **.prd** - Printer driver (many)
- **.pre** - Presentation (Freelance Graphics)
- **.pre** - Settings (Programmer's WorkBench - MS C/C++)
- **.prf** - Pixel Run Format graphics (Improces - Fastgraph)
- **.prf** - Printer driver (dBASE IV)
- **.prf** - Profiler output
- **.prg** - Program (Atari)
- **.prg** - Program source (dBASE IV - FoxPro - Clipper 5 - dBFast)
- **.pri** - Printer definitions (LocoScript)
- **.prj** - Project
- **.prm** - Parameters
- **.prn** - Printer driver (Signature)

- **.prn** - Text file (Lotus 1-2-3 - Symphony)
- **.pro** - Prolog source code file
- **.pro** - Graphics profile file (DOS)
- **.prs** - Printer Resource eg. fonts (WordPerfect for Win)
- **.prs** - Presentation (Harvard Graphics Win)
- **.prs** - Procedure (dBASE IV)
- **.prt** - Printer driver (Dr.Halo)
- **.prx** - Compiled program (FoxPro)
- **.ps** - Postscript file (text/graphics) (ASCII)
- **.psd** - Graphics (Photoshop 3.0)
- **.pse** - Bitmap graphics (IBM printer Page Segment)
- **.psf** - Outline PostScript printer font (ChiWriter)
- **.psm** - Music (MASI - ProTracker)
- **.psm** - Symbol table of IDE (Turbo Pascal)
- **.psp** - Procedure (Prodea Synergy)
- **.pt3** - Device driver (Harvard Graphics 3.0)
- **.pt3** - Template (PageMaker 3)
- **.pt4** - Template (PageMaker 4)
- **.ptb** - Script (PubTech BatchWorks)
- **.ptm** - Macro (PubTech BatchWorks)
- **.ptr** - Qwk reader pointer file (QMail)
- **.pub** - Page template (MS Publisher)
- **.pub** - Public key ring file (Pretty Good Privacy RSA System)
- **.pub** - Publication (Ventura Publisher - 1st Publisher)
- **.put** - Compressed file archive created by PUT (put334.zip)
- **.pvd** - Script (Instalit)
- **.pvl** - Library (Instalit)
- **.pvt** - Local Fidonet pointlist
- **.pw** - Text file (Professional Write)
- **.pwl** - Password List
- **.pwp** - Text document (Professional WritePlus)
- **.px** - Primary database index (Paradox)
- **.py** - Python script file
- **.pyc** - Compiled PYTHON script file
- **.pzd** - Default settings (Pizazz Plus)
- **.pzo** - Overlay file (Pizazz Plus)
- **.pzp** - Palette (Pizazz Plus)
- **.pzs** - Settings (Pizazz Plus)
- **.pzt** - Transfer file (Pizazz Plus)
- **.pzx** - Swap file (Pizazz Plus)
- **.qag** - Quick Access Group (Norton Desktop)
- **.qap** - Application (Omnis Quartz)
- **.qbe** - Saved query (Query By Example) (dBASE IV - Quattro Pro)
- **.qbo** - Compiled query (dBASE IV)
- **.qbw** - Spreadsheet (QuickBooks for Windows)
- **.qd0** - Data file - segment 10 (Omnis Quartz)
- **.qd1** - Data file - segment 1 (Omnis Quartz)

- **.qd2** - Data file - segment 2 (Omnis Quartz)
- **.qd3** - Data file - segment 3 (Omnis Quartz)
- **.qd4** - Data file - segment 4 (Omnis Quartz)
- **.qd5** - Data file - segment 5 (Omnis Quartz)
- **.qd6** - Data file - segment 6 (Omnis Quartz)
- **.qd7** - Data file - segment 7 (Omnis Quartz)
- **.qd8** - Data file - segment 8 (Omnis Quartz)
- **.qd9** - Data file - segment 9 (Omnis Quartz)
- **.qdk** - Backup of startup files created by Optimize (QEMM)
- **.qdv** - Graphics (Steve Blackstock Giffer)
- **.qef** - Query file (Q+E for MS Excel)
- **.qfx** - Fax (QuickLink)
- **.qlb** - Quick library (MS C/C++)
- **.qlc** - Data (PostScript help file) atmfonts.qlc
- **.qlp** - Printer driver (QuickLink)
- **.qm4** - Options or services file (QMail 4.x Mail Door)
- **.qpr** - Generated query program (FoxPro)
- **.qpr** - Print queue device driver (OS/2)
- **.qpx** - Compiled query program (FoxPro)
- **.qrs** - Equation Editor support file (WordPerfect for Win)
- **.qrt** - Qrt ray tracing graphics
- **.qry** - Query (dBASE IV)
- **.qt** - Quicktime movie (animation)
- **.qwk** - Qwk reader message file
- **.qxd** - Document (QuarkXPress)
- **.qxl** - Element library (QuarkXPress)
- **.r** - Ratfor (FORTRAN preprocessor) file
- **.r8** - Raw graphics (one byte per pixel) plane one (PicLab)
- **.r8p** - Pcl 4 bitmap font file (Intellifont)
- **.ra** - Music (RealAudio)
- **.ram** - Ramfile (RealAudio)
- **.rar** - Compressed file archive created by RAR (rar1_402.exe)
- **.ras** - Sun Rasterfile graphics
- **.rat** - Datafile (RATS)
- **.raw** - Raw RGB 24-bit graphics
- **.rbf** - Datafile (Rbase)
- **.rc** - Resource script (MS C/C++ - Borland C++)
- **.rc** - Configuration (emacs)
- **.rcg** - Netscape newsgroup file (netsc.rcg)
- **.rdf** - Compiled UIC source code (Geoworks UI Compiler)
- **.rdi** - Device-independent bitmap file (RIFF RDIB format)
- **.rdx** - Datafile (Reflex)
- **.rec** - Datafile (EpiInfo)
- **.rec** - Record file (Sprint)
- **.rec** - Recorded macro file (Windows 3.x)
- **.red** - Path info (Clarion Modula-2)
- **.ref** - Cross-reference

- **.reg** - Ole Registration (Windows 3.x)
- **.reg** - Registration (Corel programs)
- **.rem** - Remarks
- **.rep** - Qwk reader reply file
- **.rep** - Report (Report Designer - CodeReporter - DataBoss)
- **.req** - Request
- **.res** - Compiled resource (MS C/C++ - Borland C++)
- **.res** - Dbase resources (dBASE IV)
- **.rev** - Revision file (Geoworks)
- **.rex** - Rexx source code file
- **.rex** - Report definition (Oracle)
- **.rez** - Resource file
- **.rf** - Sun raster graphics
- **.rft** - Dca/RFT Revisable Format Text file (IBM DisplayWrite 4.0-5.1)
- **.rgb** - Sgi RGB image file (SDSC Image Tool)
- **.rgx** - Symbol tables etc. info (ReaGeniX code generator)
- **.rh** - Resource header file (Borland C++ 4.5)
- **.ri** - Data (Lotus 1-2-3)
- **.rib** - Graphics in Renderman format (3DReality)
- **.ric** - Fax (Ricoh)
- **.rif** - Riff bitmap graphics (Fractal Design Painter)
- **.rip** - Graphics (Remote Access)
- **.rix** - Bitmap graphics (ColorRIX VGA Paint)
- **.rl4** - Bitmap graphics
- **.rl8** - Bitmap graphics
- **.rla** - Wavefront raster image file (SDSC Image Tool)
- **.rlb** - Data (Harvard Graphics Win) hgw.rlb
- **.rlc** - Graphics 1bit/pixel scanner output
- **.rle** - Utah Run Length Encoded raster graphic (SDSC Image Tool)
- **.rlz** - Realizer source code file (CA-Realizer)
- **.rmi** - Midi file (RIFF RMID format)
- **.rmk** - Makefile (Clipper RMake)
- **[.rmvb](#)** - O formato RMVB é ideal para curtir os vídeos no computador, pois o arquivo gerado neste sistema fica proporcionalmente menor (com ótima qualidade de som e imagem), facilitando o download em conexões mais lentas.
.Este formato é do Real Media
- **.rn** - Xpl program for Nota Bene users
- **.rnd** - Rendering Slide (AutoCAD AutoShade)
- **.rno** - Runoff file (VAX)
- **.rol** - Fm music Adlib Music File (Roland)
- **.rpd** - Database (RapidFile)
- **.rpl** - Text document (Replica)
- **.rpt** - Report
- **.rs** - Data file (Amiga Resource - Reassembler)
- **.rs_** - Resource fork of a Macintosh file (Mac-ette)
- **.rsc** - Resource file

- **.rsp** - Response file
- **.rtf** - Rich Text Format text file (many - Windows Word)
- **.rtf** - Windows Help file script
- **.rtl** - Run Time Library (NU 7.0)
- **.rtl** - Text file
- **.rtp** - Rtpatch software update package data file
- **.rts** - Runtime library file (CA-Realizer)
- **.rvw** - Review
- **.rws** - Resource Workshop data file (Borland C++)
- **.rwx** - Script (RenderWare)
- **.s** - Assembly source code file (unix)
- **.s** - Scheme source code file
- **.s\$\$** - Temporary sort file (Sprint)
- **.s3m** - Music (16 channels) (Scream Tracker 3.0)
- **.sal** - Datafile (SORITEC)
- **.sam** - Text file (Samna - Lotus Ami/Ami Pro)
- **.sar** - Compressed file archive created by SAR (sar1.zip)
- **.sav** - Backup file (saved file)
- **.sav** - Configuration
- **.sav** - Saved game situation (eg. NetHack)
- **.sb** - Audio file (signed byte)
- **.sbd** - Storyboard (Storyboard Editor)
- **.sbi** - Sound Blaster Instrument file (Creative Labs)
- **.sbp** - Dml program (Superbase 4)
- **.sbr** - Support file (Source Browser)
- **.sbt** - Notes related to record (Suberbase 4 Windows)
- **.sc** - Pal script (Paradox)
- **.sc** - Display driver (Framework II)
- **.sc3** - Renamed dBASE III screen mask file (dBASE IV)
- **.sc3** - Screen device driver (Harvard Graphics 3.0)
- **.sca** - Datafile (SCA)
- **.scc** - Text file
- **.scd** - Scodl Scan Conversion Object Description Language graphics
- **.scf** - Multimedia show (ScoreMaker)
- **.scf** - Spelling checker configuration (Symphony)
- **.sch** - Project schedule (Schedule Publisher)
- **.sch** - Schematics file (ORCAD)
- **.sci** - System Configuration Information
- **.sci** - Fax (SciFax)
- **.scm** - Scheme source code file
- **.scn** - Screen file (Kermit)
- **.sco** - High score
- **.scp** - Script (BITCOM)
- **.scr** - Debug source code file (DOS Debug)
- **.scr** - Screen - significa que é uma proteção de tela(dBASE IV - Procomm Plus)
- **.scr** - Screen font (LocoScript)
- **.scr** - Screen saver (Windows 3.x)

- **.scr** - Script (Kermit - 1st Reader)
- **.set** - Screen memo (FoxPro)
- **.scx** - Bitmap graphics (ColorRIX)
- **.scx** - Chart (Stanford Chart)
- **.scx** - Screen (FoxPro)
- **.scy** - Security file (ReaGeniX)
- **.sda** - Fidonet's Software Distribution Network file archive description
- **.sdf** - System Data Format file (fixed length ASCII text)
- **.sdi** - Software Distribution Network Info file
- **.sdn** - Software Distribution Network compressed file archive (pak251.exe)
- **.sea** - Self-Extracting compressed Macintosh file Archive
- **.sec** - Secret key ring file (Pretty Good Privacy RSA System)
- **.sec** - Secured animation file (Disney Animation Studio)
- **.sep** - Printer separator page
- **.seq** - Atari animation file
- **.seq** - Sequential Instruction File (Bubble Chamber)
- **.ses** - Session info (Clarion Modula-2)
- **.set** - Configuration (1st Reader)
- **.set** - Driver sets created by Install (Symphony)
- **.set** - Setup options file
- **.sf** - Ircam Sound File (CSound package - MixView sound sample editor)
- **.sf** - Wps attribute storage (OS/2 WorkPlace Shell) wp_root.sf
- **.sfi** - Graphics (SIS Framegrabber)
- **.sfi** - Printer font (HP LaserJet landscape) (Ventura Publisher)
- **.sfl** - Pcl 4 bitmap font (landscape) (Intellifont) (Ventura Publisher)
- **.sfn** - Font (SPX)
- **.sfp** - Pcl 4 bitmap font (portrait) (Intellifont) (Ventura Publisher)
- **.sfs** - Pcl 5 scalable font file (Intellifont)
- **.sft** - Screen font (ChiWriter)
- **.sg1** - Graphics (Stanford Graphics)
- **.sgf** - Document with graphics (Starwriter)
- **.sgi** - Graphics (IRIS - Silicon Graphics)
- **.sgp** - Statistics (STATGRAPHICS Plus)
- **.sgt** - Save/get keyboard macro (Signature)
- **.sh** - Unix shell script
- **.sh** - Unix ASCII file archive created by SHAR (unshar.zip)
- **.sh3** - Presentation (Harvard Graphics 3.0)
- **.shb** - Background (CorelShow)
- **.shg** - Segmented-graphics bitmap
- **.shk** - Compressed Apple II file archive created by SHRINKIT
- **.shm** - Shell macro (WordPerfect Library)
- **.shp** - Shape file and source file for text fonts (AutoCAD)
- **.shr** - Unix ASCII file archive created by SHAR (unshar.zip)
- **.shw** - Presentation (Harvard Graphics 2.0 - CorelShow)
- **.shw** - Slide show (WordPerfect Presentations)
- **.shx** - Shape entities (AutoCAD)
- **.sif** - Setup Installation Files info (Windows NT Setup)

- **.sig** - Current program settings (Signature)
- **.sig** - Signature file (PopMail)
- **.sik** - Backup file (Sicherungskopie) (MS Word)
- **.sit** - Compressed Macintosh archive created by STUFFIT (unsit30.zip)
- **.sl** - S-Lang source code file
- **.slb** - Slide library (AutoCAD)
- **.slc** - Compiled SALT script (Telix)
- **.sld** - Slide (AutoCAD)
- **.sli** - Slide (MAGICorp Slide Service)
- **.slk** - Sylk Symbolic Link format data file (MultiPlan)
- **.sll** - Sound data file
- **.slt** - Salt Script Application Language for Telix script source (Telix)
- **.sm** - Smalltalk source code file
- **.sm** - Maillist (SoftSpoken Mailer)
- **.sm** - Script (ScriptMaker)
- **.sm** - Text file (Samna Word)
- **.smf** - Fax (SMARTFAX)
- **.smm** - Macro (Ami Pro)
- **.smp** - Sample (sound file)
- **.smt** - Text file (Smart Ware II)
- **.snd** - Digitized sound file (Macintosh/ATARI/PC)
- **.sng** - Song (midi sound) (Midisoft Studio - Prism)
- **.sno** - Snobol4 source code file
- **.snp** - Output video format from Computer Eyes equipment
- **.sol** - Solution eg. game walkthroughs
- **.som** - Network serial numbers (Quattro Pro)
- **.som** - Sort information (Paradox)
- **.son** - Song (SBStudio II)
- **.sou** - Sound data (sound tool)
- **.sp** - Compressed file archive created by SPLINT (unix)
- **.spc** - Program (MS Multiplan)
- **.spc** - Temporary file (WordPerfect for Win)
- **.spd** - Scalable font (Speedo) (Harvard Graphics 3.0)
- **.spf** - Slide presentation file (EnerGraphics)
- **.spg** - Glossary (Sprint)
- **.spi** - Graphics (Siemens and Philips scanner)
- **.spl** - Compressed file archive created by SPLINT (splint.arc)
- **.spl** - Customized printer driver (Sprint)
- **.spl** - Personal spell dictionary (Signature)
- **.spl** - Print spooling file (Windows 3.x)
- **.spl** - Sample
- **.spm** - Data (WordPerfect) wp{wp}.spm
- **.spp** - Printer file (Sprint)
- **.spr** - Document letter (Sprint)
- **.spr** - Genarated screen program (FoxPro)
- **.spr** - Sprite
- **.sps** - Spsxx source code file (VAX/VMS)

- **.sps** - Screen driver (Sprint)
- **.spt** - Spitbol source code file
- **.spt** - Support file (MITAC disk/system management utility pack)
- **.spw** - Worksheet (SigmaPlot)
- **.spx** - Compiled screen program (FoxPro)
- **.sql** - SQL report or query
- **.sqz** - Compressed file archive created by SQUEEZE (sqz1083e.exe)
- **.src** - Source (DataFlex)
- **.srf** - Sun Raster File graphics
- **.srp** - Script (QuickLink)
- **.ss** - Bitmap graphics (Splash)
- **.ssd** - Datafile (SAS/PC)
- **.ssp** - Datafile (SAS Transport)
- **.st** - Smalltalk source code file (Little Smalltalk)
- **.st** - Instrument library (Scream Tracker)
- **.st** - Stamp (NeoPaint)
- **.sta** - Saved state (Reflection 4.0)
- **.sta** - Stack (Spinmaker Plus)
- **.stb** - Stub library (Genus GX Kernel)
- **.std** - State Transition Diagram graphic file (Prosa)
- **.std** - Standard (something..) (LocoScript)
- **.stf** - Compressed file archive created by SHRINKTOFIT
- **.stm** - State Transition Diagram model file (Prosa)
- **.stm** - Music (Scream Tracker)
- **.sto** - Pascal stub OBJ file (Genus GX Kernel)
- **.str** - Structure list object file (dBASE Application Generator)
- **.sts** - Project status info (MS C/C++)
- **.sts** - Song format (Scream Tracker)
- **.stw** - Data file (SmartTerm for Windows)
- **.stx** - Electronic book (SmarText)
- **.stx** - Tax form (CA-Simply Tax)
- **.sty** - Style library or sheet (many text and graphics programs)
- **.sui** - Suit library (Simple User Interface Toolkit)
- **.sum** - Summary
- **.sun** - Sun rasterfile graphics
- **.sup** - Supplementary dictionary (WordPerfect for Win)
- **.svd** - Autosave file for document (MS Word)
- **.svg** - Autosave file for glossary (MS Word)
- **.svs** - Autosave file for style sheet (MS Word)
- **.sw** - Audio file (signed word)
- **.swg** - Swag packet (SWAG Reader)
- **.swp** - Document backup (Sprint)
- **.swp** - Swap file (DOS)
- **.sy1** - Smartpix symbol library (Ami Pro)
- **.sy3** - Symbol file (Harvard Graphics 3.0)
- **.syd** - Backup of startup files created by QEMM (?) autoexec.syd
- **.sym** - Precompiled headers (Borland C++)

- **.sym** - Program symbol table (many compilers and linkers)
- **.sym** - Symbol file (Harvard Graphics 2.0)
- **.syn** - Sdsc Synu image file (SDSC Image Tool)
- **.syn** - Synonym file (MS Word 5)
- **.sys** - Datafile (SYGRAPH - SYSTAT - SPSS/PC)
- **.sys** - System file - device driver or hardware configuration info (DOS)
- **.syw** - Graphics symbols (Harvard Graphics Win)
- **.t** - Tads source
- **.t** - Tape Archive (tar) without compression
- **.t** - Tester symbol table (ReaGeniX code generator)
- **.t44** - Temporary file for Sort or Index (dBASE IV)
- **.t64** - Program (C64S emulator)
- **.tag** - Query tag name (DataFlex)
- **.tah** - Turbo Assembler Help file (Borland C++)
- **.tal** - Text illustration (TypeAlign)
- **.tar** - Compressed file archive created by TAR (pax2exe.zoo)
- **.taz** - Compressed ASCII file archive created by TAR and COMPRESS (.tar.Z)
- **.tb1** - Font file (Borland Turbo C)
- **.tb2** - Font file (Borland Turbo C)
- **.tbf** - Fax (Imavox TurboFax)
- **.tbk** - Memo backup (dBASE IV - FoxPro)
- **.tbk** - Toolbook (Asymetrix ToolBook)
- **.tbl** - Graphics (native format) (PageMaker TableEditor)
- **.tbl** - Table of values (OS/2)
- **.tbs** - Text elements ?? (Textbausteine) (MS Word)
- **.tbx** - Table (Project Scheduler 4)
- **.tc** - Configuration (Turbo C - Borland C++)
- **.tch** - Turbo C Help file (Borland C++)
- **.tcl** - Tool Command Language source code (Swat)
- **.tcw** - Drawing (TurboCAD for Windows)
- **.td** - Configuration file (Turbo Debugger for DOS)
- **.td0** - Disk image file (Teledisk)
- **.td2** - Configuration file (Turbo Debugger for Win32)
- **.tdb** - Database (TACT)
- **.tdf** - Font (TheDraw)
- **.tdf** - Typeface definition file (Speedo)
- **.tdh** - Help file (Turbo Debugger)
- **.tdk** - Keystroke recording file (Turbo Debugger)
- **.tds** - Symbol table (Turbo Debugger)
- **.tdw** - Configuration file (Turbo Debugger for Windows)
- **.tef** - Fax (Relisys TEFAX)
- **.tel** - Host file (Telnet)
- **.tem** - Turbo Editor Macro Language script (Borland C++)
- **.tem** - Input template (IconAuthor)
- **.tex** - Tex text file (Scientific Word)
- **.tex** - Datasheet (Idealist)
- **.tf** - Configuration (Turbo Profiler)

- **.tfa** - Area file (Turbo Profiler)
- **.tfc** - Catalogue file (Tobi's Floppy Cataloguer)
- **.tfh** - Help file (Turbo Profiler)
- **.tfm** - Tex Font Metric file (TeX)
- **.tfm** - Tagged font metric file (Intellifont)
- **.tfs** - Statistics (Turbo Profiler)
- **.tgl** - Project file (On Target)
- **.tga** - Truevision Targa bitmap graphics
- **.tgz** - Compressed file archive created by TAR and GNUzip (.tar.gz)
- **.ths** - Thesaurus dictionary (WordPerfect for Win)
- **.tif** - Tagged Image File Format bitmap graphics (PageMaker - CorelDRAW)
- **[.tiff](#)** - (Tagged Image File Format) é mais um padrão utilizado para compressão
- **.til** - Fuzzy logic knowledge base (Togai InfraLogic Fuzzy-C Compiler)
- **.tis** - Tile set (MahJongg 3.0)
- **.tjl** - Backup file (VAXTPU editor)
- **.tlb** - Reference table (Bubble Chamber)
- **.tlb** - Text library (VAX)
- **.tlb** - Type library (Visual C++)
- **.tlc** - Compiled Tool Command Language source code (Swat)
- **.tlp** - Project (TimeLine)
- **.tmf** - Tagged Font Metric file (WordPerfect for Win)
- **.tmo** - Ztg global optimizer default output file (Zortech C++)
- **[.tmp](#)** - Temporary file
- **.tms** - Script (Telemate)
- **.toc** - Table Of Contents
- **.tos** - Self-extracting file archive (Atari ST)
- **.tp** - Configuration (Turbo Pascal)
- **.tp** - Session-state file (Turbo Profiler)
- **.tp3** - Template (Harvard Graphics 3.0)
- **.tpb** - Downloadable PCL Soft font file backup (HiJaak)
- **.tpf** - Downloadable PCL Soft font file (HiJaak)
- **.tph** - Help file (Turbo Pascal)
- **.tpl** - Resident units library (Turbo Pascal)
- **.tpl** - Template (Harvard Graphics 2.0)
- **.tpp** - Protected Mode Units (Borland Pascal 7.0)
- **.tpu** - Turbo Pascal Unit (BGI) (Turbo Pascal)
- **.tpu** - Command file (VAXTPU editor)
- **.tpw** - Session-state file (Turbo Profiler for Windows)
- **.tpw** - Turbo Pascal Unit (BGI) (Turbo Pascal for Windows)
- **.tpz** - Compressed file archive created by TAR and GNUzip (.tar.gz)
- **.tr** - Session-state settings (Turbo Debugger for DOS)
- **.tr** - Man page input suitable for troff -man (cawf2.zip)
- **.tr2** - Session-state settings (Turbo Debugger for Win32)
- **.trc** - Debug support file (Power CTrace)
- **.tre** - Directory tree file (PC-Tools)
- **.trm** - Terminal settings (Windows 3.x)
- **.trn** - Translation support file (Quattro)

- **.trs** - Executable file (Micrografx)
- **.trw** - Session-state settings (Turbo Debugger for Windows)
- **.tst** - Printer test file (WordPerfect for Win)
- **.ttf** - Truetype Font file
- **.tut** - Tutorial
- **.tv** - Table view settings (Paradox)
- **.tv1** - Overflow file above insert point in Doc 1 (WordPerfect for Win)
- **.tv2** - Overflow file above insert point in Doc 2 (WordPerfect for Win)
- **.tv3** - Overflow file above insert point in Doc 3 (WordPerfect for Win)
- **.tv4** - Overflow file above insert point in Doc 4 (WordPerfect for Win)
- **.tv5** - Overflow file above insert point in Doc 5 (WordPerfect for Win)
- **.tv6** - Overflow file above insert point in Doc 6 (WordPerfect for Win)
- **.tv7** - Overflow file above insert point in Doc 7 (WordPerfect for Win)
- **.tv8** - Overflow file above insert point in Doc 8 (WordPerfect for Win)
- **.tv9** - Overflow file above insert point in Doc 9 (WordPerfect for Win)
- **.tvf** - Table view settings (dBASE)
- **.txf** - Compressed file archive created by TAR and FREEZE (.tar.f)
- **.txi** - Support file (TeX)
- **.txt** - Text file
- **.tym** - Time Stamp (PageMaker 4)
- **.tz** - Compressed file archive created by TAR and COMPRESS (.tar.Z)
- **.tzb** - Compressed file archive created by TAR - COMPRESS - BTOA (.tar.Z.btoa)
- **.ub** - Audio file (unsigned byte)
- **.uc2** - Compressed file archive created by UltraCompressor II (uc2.zip)
- **.ucn** - New compressed file archive created by UltraCompressor II
- **.udf** - Filter (Photostyler)
- **.ue2** - Encrypted file archive created by UltraCompressor II
- **.uhs** - Universal Hint System (binary file)
- **.ui** - Espire source code file (Geoworks UI Compiler)
- **.ui** - User interface (Sprint)
- **.uif** - Long prompts for windows (WordPerfect for Win)
- **.uih** - Espire header file (Geoworks UI Compiler)
- **.ul** - Ulaw audio file
- **.uld** - Information about uploaded files (Procomm Plus)
- **.ult** - Music (UltraTracker)
- **.umb** - Backup file (MemMaker)
- **.uni** - Unimod music module (MIKMOD)
- **.uni** - Datafile (Forecast Pro)
- **.unx** - Text file containing UNIX specific info
- **.upd** - Program update info
- **.upd** - Update data (dBASE)
- **.upo** - Compiled update data (dBASE)
- **.usp** - Printer font with USASCII extended character set (PageMaker)
- **.usr** - User database file (Procomm Plus - Turbo C++ tour)
- **.uu** - Compressed ASCII file archive created by UUDE/ENCODE
- **.uue** - Compressed ASCII file archive created by UUENCODE (uuexe515.exe)
- **.uw** - Audio file (unsigned word)

- **.v** - Consistency check support file (ReaGeniX code generator)
- **.v** - Main input file for an image (Vivid 2.0)
- **.val** - Validity checks and referential integrity (Paradox for Windows)
- **.val** - Values list object file (dBASE Application Generator)
- **.van** - Animation (VistaPro)
- **.var** - Variable file (IconAuthor)
- **.vbx** - Visual Basic eXtension (Visual Basic)
- **.vc** - Include file with color definitions (Vivid 2.0)
- **.vc** - Spreatsheet (VisiCalc)
- **.vcw** - Visual workbench information (MS Visual C++)
- **.vcx** - Spreatsheet (VisiCalc Advanced)
- **.vda** - Bitmap graphics
- **.vdr** - Drawing (ComputerEasy Draw)
- **.vew** - View file (Clipper 5, Lotus Approach)
- **.vfm** - Voting Form (Voter)
- **.vfn** - Voting Form for Customers (Voter)
- **.vga** - Vga display driver
- **.vga** - Vga display font
- **.vgd** - Vga display driver (Generic CADD)
- **.vgr** - Graphics (Ventura Publisher)
- **.vi** - Graphics (Jovian Logic VI)
- **.vic** - Vicar graphics
- **.vid** - Ms-DOS Shell Monitor file (MS-DOS 5)
- **.vid** - Bitmap graphics (YUV12C M-Motion Frame Buffer)
- **.vid** - Screen device driver (Word)
- **.vif** - Khoros Visualization image file (SDSC Image Tool)
- **.vik** - Viking graphics
- **.vis** - Vis graphics
- **.vm** - Virtual Memory file (Geoworks)
- **.vmc** - Virtual memory configuration (Acrobat reader)
- **.vmf** - Font characteristics (Ventura Publisher)
- **.vms** - Text file containing VMS specific info
- **.vo** - Include file with object definition (Vivid 2.0)
- **.voc** - Digitized samples (Creative Voice file)
- **.vof** - Object folder (VZ Programmer)
- **.vpg** - Graphics (VPGraphics)
- **.vrm** - Overlay file (QuattroPro)
- **.vrp** - Project (WATCOM VXùRexx)
- **.vrs** - Video Resource eg. video device driver (WordPerfect)
- **.vs** - Include file with surface definition (Vivid 2.0)
- **.vsd** - Diagram (Shapeware Visio)
- **.vsm** - Simulation model (VisSim)
- **.vsp** - Sprite (SPX)
- **.vss** - Smartshapes file (Shapeware Visio)
- **.vst** - Truevision Vista bitmap graphics
- **.vue** - Animation (3D Studio)
- **.vue** - View (dBASE IV - FoxPro)

- **.vw** - Text file (Volkswriter)
- **.vwr** - File viewer file (PC Tools)
- **.vxd** - Virtual device driver (MS Windows)
- **.w** - Word chart file (APPLAUSE)
- **.w30** - Printer font (AST TurboLaser) (Ventura Publisher)
- **.w31** - Startup file (Windows 3.1)
- **.w44** - Temporary file for Sort or Index (dBASE)
- **.wav** - Waveform audio file (RIFF WAVE format)
- **.wb1** - Notebook (Quattro Pro)
- **.wb2** - Spreadsheet (Quattro Pro)
- **.wbf** - Ms Windows Batch File (Catch)
- **.wbk** - Document/workbook (WordPerfect for Win)
- **.wbt** - Batch file (WinBatch)
- **.wcd** - Macro token list (WordPerfect for Win)
- **.wcm** - Data transmission file (MS Works)
- **.wcm** - Macro (WordPerfect for Win)
- **.wcp** - Product information description (WordPerfect for Win)
- **.wdb** - Database (MS Works)
- **.web** - Web source code file
- **.wfm** - Form object (dBASE Form Designer)
- **.wfn** - Font (CorelDRAW)
- **.wfx** - Data file (Winfax)
- **.wg1** - Worksheet (Lotus 1-2-3/G)
- **.wg2** - Worksheet (Lotus 1-2-3 for OS/2)
- **.wid** - Width table (Ventura Publisher)
- **.win** - Window file (FoxPro - dBASE)
- **.wiz** - Page wizard (MS Publisher)
- **.wk1** - Spreadsheet (Lotus 1-2-3 version 2.x - Symphony 1.1+)
- **.wk3** - Spreadsheet (Lotus 1-2-3 version 3.x)
- **.wk4** - Spreadsheet (Lotus 1-2-3 version 3.4)
- **.wkb** - Document (WordPerfect for Win)
- **.wke** - Spreatsheet (Lotus 1-2-3 educational version)
- **.wkq** - Spreatsheet (Quattro)
- **.wks** - Spreadsheet (Lotus 1-2-3 version 1A - Symphony 1.0 - MS Works)
- **.wks** - Workspace (Xlisp)
- **.wlk** - Graphics (Virtus Walkthrough)
- **.wmc** - Backup of startup files by Windows MathCad autoexec.wmc
- **.wmc** - Macro file (WordPerfect for Win)
- **.wmc** - Text file (WordMARC)
- **.wmf** - Windows MetaFile vector graphics
- **.wn** - Text (NeXT WriteNow)
- **.wnf** - Outline font description (CorelDRAW native format)
- **.woa** - Swap file (Windows 3.x)
- **.woc** - Organization (Windows OrgChart)
- **.wow** - Music (8 channels) (Grave Mod Player)
- **.wp** - Text file (WordPerfect 4.2)
- **.wp5** - Document (WordPerfect 5.x)

- **.wpd** - Document (WordPerfect 6.0 - PFS:WindowWorks)
- **.wpl** - Fax (WorldPort)
- **.wpl** - Form (WordPerfect)
- **.wpg** - Wordperfect Graphics vector graphics (DrawPerfect)
- **.wpl** - Macros (WordPerfect for Win)
- **.wpm** - Macros (WordPerfect)
- **.wps** - Text document (MS Works)
- **.wq!** - Compressed spreadsheet (Quattro Pro)
- **.wq1** - Spreadsheet (Quattro Pro)
- **.wr1** - Spreatsheet (Symphony 1.1 - 1.2 - 2)
- **.wrd** - Template (Charisma)
- **.wri** - Text file (Windows Write)
- **.wrk** - Spreatsheet (Symphony 1.0)
- **.wrp** - Compressed Amiga file archive created by WARP
- **.wrs** - Windows Resource eg. printer driver (WordPerfect for Win)
- **.ws** - Text file (WordStar 5.0-6.0)
- **.ws2** - Text file (WordStar 2000)
- **.wsd** - Document (WordStar)
- **.wsp** - Workspace (Fortran PowerStation)
- **.wst** - Text file (WordStar)
- **.wwb** - Button bar for document window (WordPerfect for Win)
- **.wwk** - Keyboard layout (WordPerfect for Win)
- **.wxp** - Document (EXP for Windows)
- **.x** - Avs X image file (SDSC Image Tool)
- **.x** - Lex source code file
- **.x01** - Secondary index (Paradox)
- **.x02** - Secondary index (Paradox)
- **.x03** - Secondary index (Paradox)
- **.x04** - Secondary index (Paradox)
- **.x05** - Secondary index (Paradox)
- **.x06** - Secondary index (Paradox)
- **.x07** - Secondary index (Paradox)
- **.x08** - Secondary index (Paradox)
- **.x09** - Secondary index (Paradox)
- **.xbm** - X11 Bitmap graphics
- **.xfn** - Printer font (Xerox 4045) (Ventura Publisher)
- **.xft** - 24 pin printer font (ChiWriter)
- **.xla** - Xlib Archive (xlibpas2.zip)
- **.xla** - Add-in macro sheet (MS Excel)
- **.xlb** - Data (MS Excel)
- **.xlc** - Chart document (MS Excel)
- **.xll** - Excel Dynamic Link Library (MS Excel)
- **.xlm** - Macro sheet (MS Excel)
- **.xls** - Worksheet (MS Excel)
- **.xlt** - Template (MS Excel)
- **.xlt** - Translation table (Lotus 1-2-3 - Symphony - Procomm Plus)
- **.xlw** - Workbook (MS Excel)

- **.xm** - Music (Fast Tracker)
- **.xmi** - Compressed eXtended MIIdi music
- **.xnf** - Standard Network File form
- **.xpm** - X11 Pixel Map graphics
- **.xqt** - Executable file (Waffle)
- **.xqt** - Macro sheet (SuperCalc)
- **.xrf** - Cross-reference file
- **.xtb** - External translation table (LocoScript)
- **.xwd** - X Window System window dump image graphics (SDSC Image Tool)
- **.xwk** - Keyboard mapping (Crosstalk)
- **.xwp** - Session (Crosstalk)
- **.xwp** - Text file (Xerox Writer)
- **.xx** - Compressed file ASCII archive created by XXENCODE (uuexe515.exe)
- **.xxe** - Compressed file ASCII archive created by XXENCODE (uuexe515.exe)
- **.xy** - Text file (XY Write)
- **.xy3** - Text file (XYWrite III)
- **.xyw** - Text file (XyWrite III)
- **.y** - Yacc grammar file
- **.y** - Compressed Amiga file archive created by YABBA
- **.y01** - Secondary index (Paradox)
- **.y02** - Secondary index (Paradox)
- **.y03** - Secondary index (Paradox)
- **.y04** - Secondary index (Paradox)
- **.y05** - Secondary index (Paradox)
- **.y06** - Secondary index (Paradox)
- **.y07** - Secondary index (Paradox)
- **.y08** - Secondary index (Paradox)
- **.y09** - Secondary index (Paradox)
- **.yal** - Data (Arts & Letters)
- **.yuv** - Yuv graphics
- **.yz** - Compressed file archive created by YAC
- **.z** - Compressed file ASCII archive created by COMPRESS (comp430d.zip)
- **.z** - Compressed file archive created by PACK (Unix SysV pack)
- **.z3** - Infocom game module
- **.zdg** - Compressed ZiffNet text document (Zview)
- **.zer** - Data file (Zerberus)
- **.zgm** - Graphics (Zenographics)
- [zip](#) - Compressed file archive created by PKZIP (pkz204g.exe)
- **.zom** - Compressed Amiga file archive created by ZOOM
- **.zoo** - Compressed file archive created by ZOO (zoo210.exe)
- **.zvd** - Zyxel Voicefile (Z-Fax)
- **~\$** - Temporary file (1st Reader)
- **~ap** - Old AppExpert project database (Borland C++ 4.5)
- **~de** - Project backup (Borland C++ 4.5)
- **~mn** - Menu backup (Norton Commander)
- **.\201\$\201** - Temporary file (1st Reader)

1. #24 Printer data file for 24 pin matrix printer (LocoScript)
2. #ib Printer data file (LocoScript)
3. #sc Printer data file (LocoScript)
4. #st Standard mode printer definitions (LocoScript)
5. \$\$\$ Temporary file
6. \$00 Pipe file (DOS)
7. \$db Temporary file (dBASE IV)
8. \$ed Editor temporary file (MS C)
9. \$o1 Pipe file (DOS)
10. \$vm Virtual manager temporary file (Windows 3
11. .x)
12. .000 Compressed harddisk data (DoubleSpace)
13. .001 Fax (many)
14. .075 75×75 dpi display font (Ventura Publisher)
15. .085 85×85 dpi display font (Ventura Publisher)
16. .091 91×91 dpi display font (Ventura Publisher)
17. .096 96×96 dpi display font (Ventura Publisher)
18. .0b Printer font with lineDraw extended character set (PageMaker)
19. .1 Roff/nroff/troff/groff source for manual page (cawf2
20. .zip)
21. .15u Printer font with PI font set (PageMaker)
22. .1st Usually README
23. .1ST text
24. .301 Fax (Super FAX 2000 - Fax-Mail 96))
25. .386 Intel 80386 processor driver (Windows 3
26. .x)
27. .3ds Graphics (3D Studio)
28. .3fx Effect (CorelChart)
29. .3gr Data file (Windows Video Grabber)
30. .3t4 Binary file converter to ASCII (Util3)
31. .4c\$ Datafile (4Cast/2)
32. .4sw 4dos Swap File
33. .4th Forth source code file (ForthCMP - LMI Forth)
34. .669 Music (8 channels) (The 669 Composer)
35. .6cm Music (6 Channel Module) (Triton FastTracker)
36. .8 A86 assembler source code file
37. .8cm Music (8 Channel Module) (Triton FastTracker)
38. .8m Printer font with Math 8 extended character set (PageMaker)
39. .8u Printer font with Roman 8 extended character set (PageMaker)
40. .a Ada source code file
41. .a Library (unix)
42. .a11 Graphics AIIM image file
43. .ab6 Datafile (ABStat)
44. .ab8 Datafile (ABStat)
45. .abk Automatic backup file (CorelDRAW)
46. .abs Abstracts (info file)
47. .abs Data file (Abscissa)
48. .aca Project (Project Manager Workbench)

49. .acb Graphics (ACMB)
50. .acc Program (DR-DOS - ViewMax) (GEM / resident)
51. .act Actor source code file
52. .act Foxdoc Action Diagrams (FoxPro)
53. .act Presentation (Action!)
54. .ad Screen saver data (AfterDark)
55. .ada Ada source code file
56. .adb Ada Package Body
57. .adc Bitmap graphics (16 colors) (Scanstudio)
58. .adi Graphics (AutoCAD)
59. .adl Mca adapter description library (QEMM)
60. .adn Add-in (Lotus 1-2-3)
61. .ads Ada Package Specification
62. .adt Datafile for cardfile application (HP NewWave)
63. .adt Fax (AdTech)
64. .adx Document (Archetype Designer)
65. .af2 Flowchart (ABC FlowCharter 2)
66. .0)
67. .afi Truevision bitmap graphics
68. .afl Font file (for Allways) (Lotus 1-2-3)
69. .afm Type 1 font metric ASCII data for font installer (ATM - many)
70. .afm Datafile for cardfile application (HP NewWave)
71. .ai Vector graphics (Adobe Illustrator)
72. .ain Compressed file archive created by AIN
73. .aio APL file transfer format file
74. .ais Array of Intensity Samples graphics (Xerox)
75. .aix Datafile for cardfile application (HP NewWave)
76. .all Format file for working pages (Always)
77. .all General printer information (WordPerfect for Win)
78. .all Symbol and font files (Arts & Letters)
79. .alt Menu file (WordPerfect Library)
80. .amf Music (Advanced Module Format)
81. .amg Compressed file archive created by AMGC
82. .amg System image file (Actor)
83. .ani Animation (Presidio - many)
84. .anm Animation (Deluxe Paint Animator)
85. .ann Help Annotations (Windows 3
86. .x)
87. .ans Ansi graphics (character animation)
88. .ans Ascii text ANSI character set (NewWave Write)
89. .aos Add-On Software (Nokia 9000)
90. .ap Compressed Amiga file archive created by WHAP
91. .ap Datafile (Datalex EntryPoint 90)
92. .apc Printer driver (Lotus 1-2-3)
93. .apd Printer driver (Lotus 1-2-3)
94. .apf Printer driver (Lotus 1-2-3)
95. .api Passed parameter file (1st Reader)
96. .api Printer driver (Lotus 1-2-3)
97. .apl APL work space format file
98. .app Add-in application file (Symphony)

99. .app Application object file (dBASE Application Generator)
100. .app Executable application file (DR-DOS - NeXTstep - Atari)
101. .app Generated application (FoxPro)
102. .apr Employee performance review (Employee Appraiser)
103. .apr Lotus Approach File
104. .apx Appexpert database file (Borland C++ 4
105. .5)
106. .arc Compressed file archive created by ARC (arc602
107. .exe/pk361
108. .exe)
109. .arc Compressed file archive created by SQUASH (squash
110. .arc)
111. .arf Automatic Response File
112. .ari Compressed file archive created by ARI
113. .arj Compressed file archive created by ARJ (arj241
114. .exe)
115. .ark Arc file archive created by CP/M port of ARC file archiver
116. .ark Compressed file archive created by QUARK
117. .arr Arrangement (Atari Cubase)
118. .art Graphics (scrapbook) (Art Import)
119. .art Raster graphics (First Publisher)
120. .arx Compressed file archive created by ARX
121. .asc Ascii text file
122. .asc Transport armor file (PGP)
123. .asd Autosave file (Word for Windows)
124. .asd Presentation (Astound)
125. .asd Screen driver (Lotus 1-2-3)
126. .asf Datafile (STATGRAPHICS)
127. .asf Screen font (Lotus 1-2-3)
128. .ash Assembly language header file (TASM 3
129. .0)
130. .asi Assembler include file (Turbo C - Borland C++)
131. .asm Assembly source code file
132. .aso Assembler object (object orientated) file (Turbo Assembler)
133. .asp Aspect source code file (Procomm Plus)
134. .asp Association of Shareware Professionals OMBUDSMN
135. .ASP notice
136. .at2 Auto template (Aldus Persuasion 2
137. .0)
138. .atm Adobe Type Manager data/info
139. .au Sound (audio) file (SUN Microsystems)
140. .aux Auxillary references (TeX/LaTeX)
141. .aux Auxiliary dictionary (ChiWriter)
142. .ava Publication (Avagio)
143. .avi Audio Video Interleaved animation file (Video for Windows)
144. .aw Text file (HP AdvanceWrite)
145. .awk Awk script/program
146. .awm Movie (Animation Works)
147. .aws Data (STATGRAPHICS)
148. .b Batch list (APPLAUSE)

- 149. .b&w Black and white graphics (atari - mac)
- 150. .b&w Mono binary screen image (1st Reader)
- 151. .b1n Both mono and color binary screen image (1st Reader)
- 152. .b30 Printer font (JLaser - Cordata) (Ventura Publisher)
- 153. .b8 Raw graphics (one byte per pixel) plane two (PicLab)
- 154. .b_w Black and white graphics (atari - mac)
- 155. .bad Bad file (Oracle)
- 156. .bak Backup file
- 157. .bal Music score (Ballade)
- 158. .bar Horizontal bar menu object file (dBASE Application Generator)
- 159. .bas Basic source code file
- 160. .bat Batch file (DOS)
- 161. .bb Database backup (Papyrus)
- 162. .bbl Bibliographic reference (TeX/BibTeX)
- 163. .bbm Brush (Deluxe Paint)
- 164. .bbs Bulletin Board System announce or text info file
- 165. .bch Batch process object file (dBASE Application Generator)
- 166. .bch Datafile (Datalex EntryPoint 90)
- 167. .bco Outline font description (Bitstream)
- 168. .bcp Borland C++ makefile
- 169. .bcw Environment settings (Borland C++ 4
- 170. .5)
- 171. .bdf Bitmap Distribution Format font file (X11)
- 172. .bdf Datafile (Egret)
- 173. .bdr Border (MS Publisher)
- 174. .bez Outline font description (Bitstream)
- 175. .bf2 Bradford 2 font
- 176. .bfm Font metrics (unix/Frame)
- 177. .bfx Fax (BitFax)
- 178. .bga Bitmap graphics
- 179. .bgi Borland Graphics Interface device driver
- 180. .bib Bibliography (ASCII)
- 181. .bib Database - not compatible with TeX format (Papyrus)
- 182. .bib Literature database (TeX/BibTeX)
- 183. .bif Binary Image Format b&w graphics (Image Capture board)
- 184. .bin Binary file
- 185. .bio OS/2 BIOS
- 186. .bit Bitmap X11
- 187. .bk Faxbook (JetFax)
- 188. .bk! Document backup (WordPerfect for Win)
- 189. .bk1 Timed backup file for document window 1 (WordPerfect for Win)
- 190. .bk2 Timed backup file for document window 2 (WordPerfect for Win)
- 191. .bk3 Timed backup file for document window 3 (WordPerfect for Win)
- 192. .bk4 Timed backup file for document window 4 (WordPerfect for Win)
- 193. .bk5 Timed backup file for document window 5 (WordPerfect for Win)
- 194. .bk6 Timed backup file for document window 6 (WordPerfect for Win)
- 195. .bk7 Timed backup file for document window 7 (WordPerfect for Win)
- 196. .bk8 Timed backup file for document window 8 (WordPerfect for Win)
- 197. .bk9 Timed backup file for document window 9 (WordPerfect for Win)
- 198. .bkp Backup file (Write - TurboVidion DialogDesigner)

- 199. .bkw Mirror image of font set (FontEdit)
- 200. .bld Bloadable picture (BASIC)
- 201. .blk Temporary file (WordPerfect for Win)
- 202. .bm Bitmap graphics
- 203. .bmk Help Bookmarks (Windows 3
- 204. .x)
- 205. .bmp Bitmap graphics (PC Paintbrush - many)
- 206. .bnk Adlib instrument bank file
- 207. .boo Compressed file ASCII archive created by BOO (msboasm
- 208. .arc)
- 209. .bpc Chart (Business Plan Toolkit)
- 210. .bpt Bitmap fills file (CorelDRAW)
- 211. .br Script (Bridge)
- 212. .brd Eagle Layout File
- 213. .brk Fax (Brooktrout Fax-Mail)
- 214. .bsa Compressed file archive created by BSARC
- 215. .bsc Compressed Apple II file archive created by BINSII
- 216. .bsc Database (Source Browser)
- 217. .bsc Pwbrmake object file (MS Fortran)
- 218. .btm Batch To Memory batch file (4DOS)
- 219. .bug Bugs and Problems
- 220. .bup Backup file
- 221. .but Button definitions (Buttons!)
- 222. .buy Datafile format (movie)
- 223. .bv1 Overflow file below insert point in Doc 1 (WordPerfect for Win)
- 224. .bv2 Overflow file below insert point in Doc 2 (WordPerfect for Win)
- 225. .bv3 Overflow file below insert point in Doc 3 (WordPerfect for Win)
- 226. .bv4 Overflow file below insert point in Doc 4 (WordPerfect for Win)
- 227. .bv5 Overflow file below insert point in Doc 5 (WordPerfect for Win)
- 228. .bv6 Overflow file below insert point in Doc 6 (WordPerfect for Win)
- 229. .bv7 Overflow file below insert point in Doc 7 (WordPerfect for Win)
- 230. .bv8 Overflow file below insert point in Doc 8 (WordPerfect for Win)
- 231. .bv9 Overflow file below insert point in Doc 9 (WordPerfect for Win)
- 232. .bwb Spreadsheet application (Visual Baler)
- 233. .bwr Beware (buglist) (Kermit)
- 234. .c C source code file
- 235. .c Compressed unix file archive created by COMPACT
- 236. .c++ C++ source code file
- 237. .c- Source code (Sphinx C-)
- 238. .c00 Print file (Ventura Publisher)
- 239. .c86 C source code file (Computer Innovation C86)
- 240. .ca Initial cache data for root domain servers (Telnet)
- 241. .cac dBASE IV executable when caching on/off (see cachedb
- 242. .bat)
- 243. .cad Document (Drafix Windows CAD)
- 244. .cal Calendar file (Windows 3
- 245. .x)
- 246. .cal Spreatsheet (SuperCalc)
- 247. .can Fax (Navigator Fax)
- 248. .cap Caption (Ventura Publisher)

249. .cap Session capture file (Telix)
250. .cat Catalog (dBASE IV)
251. .cbc Fuzzy logic system (CubiCalc)
252. .cbl Cobol source code file
253. .cbm Compiled bitmap graphics (XLib)
254. .cbt Computer Based Training (many)
255. .cc C++ source code file
256. .ccc Bitmap graphics (native format) (Curtain Call)
257. .ccf Communications configuration file (Symphony)
258. .cch Chart (CorelChart)
259. .ccl Communication Command Language file (Intalk)
260. .cco Btx Graphics file (XBTX)
261. .cdb Card database (CardScan)
262. .cdb Main database (TCU Turbo C Utilities)
263. .cdf Graphics (netcdf)
264. .cdk Document (Atari Calamus)
265. .cdr Vector graphics (CorelDRAW native format)
266. .cdt Data (CorelDraw 4
267. .0)
268. .cdx Compound index (FoxPro)
269. .ce Main
270. .ce (The FarSide Computer Calendar)
271. .ceg Bitmap graphics (Tempra Show - Edsun Continuous Edge Graphics)
272. .cel Graphics (Autodesk Animator - Lumena)
273. .cf Configuration file (imake)
274. .cfg Configuration
275. .cfl Chart (CorelFLOW)
276. .cfn Font data (Atari Calamus)
277. .cfo C Form Object internal format object file (TCU Turbo C Utilities)
278. .cfp Fax (The Complete Fax Portable)
279. .cga CGA display font (Ventura Publisher)
280. .cgi Common Gateway Interface script
281. .cgm Computer Graphics Metafile vector graphics (A&L - HG - many)
282. .ch Header file (Clipper 5)
283. .ch3 Chart (Harvard Graphics 3
284. .0)
285. .ch4 Presentation (Charisma 4
286. .0)
287. .chd Font descriptor (FontChameleon)
288. .chi Document (ChiWriter)
289. .chk Recovered data (ChkDsk)
290. .chk Temporary file (WordPerfect for Win)
291. .chl Configuration History Log
292. .chn Data (Ethnograph 3)
293. .chp Chapter file (Ventura Publisher)
294. .chr Character set (Turbo C - Turbo Pascal)
295. .cht Chart (Harvard Graphics 2
296. .0 - SoftCraft Presenter)
297. .cht Interface file for ChartMaster (dBASE)
298. .cif Caltech Intermediate Format graphics

299. .cif Chapter information (Ventura Publisher)
300. .cix Database index (TCU Turbo C Utilities)
301. .ckb Keyboard mapping (Borland C++ 4
302. .5)
303. .cl Common LISP source code file
304. .clp Clip art graphics (Quattro Pro)
305. .clp Clipboard file (Windows 3
306. .x)
307. .clp Compiler script file (clip list) (Clipper 5)
308. .clr Color binary screen image (1st Reader)
309. .clr Color definitions (Photostyler)
310. .cls C++ class definition file
311. .cm Data file (CraftMan)
312. .cmd Batch file (OS/2)
313. .cmd Command (dBASE - Waffle)
314. .cmd External command menu (1st Reader)
315. .cmf FM-music file (Creative Music File)
316. .cmk Card (Card Shop Plus)
317. .cmm Cmm script (batch) file (CEnvi)
318. .cmp Header file for PostScript printer files (CorelDRAW)
319. .cmp User dictionary (MS Word for DOS)
320. .cmp Bitmap graphics (Lead CMP compression)
321. .cmv Animation (CorelMove CorelDraw 4
322. .0)
323. .cnc CNC general program data
324. .cnf Configuration (program - printer setup)
325. .cnv Data conversion support file (Word for Windows)
326. .cnv Temporary file (WordPerfect for Win)
327. .cob Cobol source code file
328. .cod Datafile (Forecast Plus - MS Multiplan - StatPac Gold)
329. .cod Program compiled code (FORTRAN)
330. .cod Template source file (dBASE Application Generator)
331. .cod Videotext file
332. .col Color palette (Autodesk Animator - many)
333. .col Spreadsheet (MS Multiplan)
334. .com Command (memory image of executable program) (DOS)
335. .con Configuration file (Simdir)
336. .cpd Script (Complaints Desk)
337. .cpf Fax (The Complete Fax)
338. .cpi Code Page Information file (DOS)
339. .cpi Colorlab Processed Image bitmap graphics
340. .cpl Control panel file (Windows 3
341. .x)
342. .cpl Presentation (Compel)
343. .cpp C++ source code file
344. .cpp Presentation (CA-Cricket Presents)
345. .cps Backup of startup files by Central Point PC Tools autoexec
346. .cps
347. .cps coloured postscript files
348. .cpt Compressed Mac file archive created by COMPACT PRO (ext-pc

349. .zip)
350. .cpt Encrypted memo file (dBASE)
351. .cpt Template (CA-Cricket Presents)
352. .cpz Music text file (COMPOZ)
353. .crd Cardfile (Windows 3
354. .x - YourWay)
355. .crf Cross-reference (MS MASM - Zortech C++)
356. .crp Encrypted database (dBASE IV)
357. .crs File Conversion Resource (WordPerfect 5
358. .1)
359. .crt Terminal settings information (Oracle)
360. .cru Compressed file archive created by CRUSH
361. .csg Graph (Statistica/w)
362. .csm Precompiled headers (Borland C++ 4
363. .5)
364. .csp Pc Emcee Screen Image file (Computer Support Corporation)
365. .css Datafile (CSS - Stats+)
366. .css Datasheet (Statistica/w)
367. .csv Comma Separated Values text file format (ASCII)
368. .csv Adjusted EGA/VGA palette (CompuShow)
369. .ctc Control file (PC Installer)
370. .ctf Character code translation file (Symphony)
371. .ctl Control file (dBASE IV - Aldus Setup)
372. .ctx Course TeXt file (Microsoft online guides)
373. .ctx Ciphertext file (Pretty Good Privacy RSA System)
374. .cuf C Utilities Form definition (TCU Turbo C Utilities)
375. .cur Cursor image file (Windows 3
376. .x)
377. .cut Bitmap graphics (Dr
378. . Halo)
379. .cv4 Color file (CodeView)
380. .cvp Cover page (WinFax)
381. .cvs Graphics (Canvas)
382. .cvt Backup file for CONVERTed database file (dBASE IV)
383. .cvw Color file (CodeView)
384. .cxx C++ source code file (Zortech C++)
385. .dat Data file in special format or ASCII
386. .db Configuration (dBASE IV - dBFast)
387. .db Database (Paradox - Smartware)
388. .db\$ Temperature debug info (Clarion Modula-2)
389. .db\$ Temporary file (dBASE)
390. .db2 Database (dBASE II)
391. .db3 Database (dBASE III)
392. .dba Datafile (DataEase)
393. .dbd Business data (Business Insight)
394. .dbd Debug info (Clarion Modula-2)
395. .dbf Database file (dBASE III/IV - FoxPro - dBFast - DataBoss)
396. .dbg Symbolic debugging information (MS C/C++)
397. .dbk Database backup (dBASE IV)
398. .dbm Datafile (DataEase)

399. .dbm Menu template (DataBoss)
400. .dbo Compiled program (dBASE IV)
401. .dbs Database in SQL Windows format
402. .dbs Datafile (PRODAS)
403. .dbs Printer description file (Word - Works)
404. .dbt Data Base Text (Clipper)
405. .dbt Foxbase+ style memo (FoxPro)
406. .dbt Memo file for database w/same name (dBASE IV - dBFast)
407. .dbw Windows file (DataBoss)
408. .dca Document Content Architecture text file (IBM DisplayWrite)
409. .dcf Disk image file
410. .dcp Data CodePage (OS/2)
411. .dcs Bitmap graphics (CYMK format) (QuarkXPress)
412. .dcs Datafile (ACT! Activity Files)
413. .dct Database dictionary (Clarion Database Developer)
414. .dct Spell checking dictionary (Harvard Graphics 3
415. .0 - Symphony)
416. .dcx Bitmap graphics (Multipage PCX)
417. .dd Compressed Macintosh file archive created by DISKDOUBLER
418. .ddb Bitmap graphics
419. .ddi Diskdupe Image file (ddupe322
420. .zip)
421. .ddp Device Driver Profile file (OS/2)
422. .deb Debug script (DOS Debug)
423. .def Assembly header file (Geoworks)
424. .def Defaults - definitions
425. .dem Demonstration
426. .dem Graphics (VistaPro)
427. .dev Device driver
428. .dfd Data Flow Diagram graphic (Prosa)
429. .dfi Outline font description (Digifont)
430. .dfl Default program settings (Signature)
431. .dfm Data Flow Diagram model file (Prosa)
432. .dfs Delight Sound File
433. .dfv Printing form (Word)
434. .dgn Graphics (MicroStation)
435. .dgs Diagnostics
436. .dh Dependency information for
437. .ph (Geoworks)
438. .dhp Dr
439. . Halo PIC Format graphics (Dr
440. . Halo II - III)
441. .dht Datafile (Gauss)
442. .dia Diagraph graphics (Computer Support Corporation)
443. .dib Bitmap graphics (Device-Independent Bitmap)
444. .dic Dictionary
445. .dif Database (VisiCalc)
446. .dif Output from Diff command - script for Patch command
447. .dif Text file (Data Interchange Format)
448. .dip Graphics

449. .dir Dialing directory file (Procomm Plus)
450. .dir Directory file (VAX)
451. .dir Movie (MacroMind Director 4
452. .x)
453. .dis Distribution file (VAX Mail)
454. .dis Thesaurus (CorelDraw)
455. .diz Description file (Description In Zip)
456. .dkb Raytraced graphics (DKBTrace)
457. .dl Animation (Italian origin)
458. .dld Data (Lotus 1-2-3)
459. .dlg Dialog resource script file (MS Windows SDK)
460. .dll Dynamic Link Library (Windows 3
461. .x - OS/2)
462. .dll Export/import filter (CorelDRAW)
463. .dls Setup (Norton Disklock)
464. .dmo Demo (Derive)
465. .dmp Dump file (eg
466. . screen or memory)
467. .dms Compressed Amiga file archive created by DISKMASHER
468. .doc Document text file
469. .dog Screen file (Laughing Dog Screen Maker)
470. .doh Dependency information for
471. .poh (Geoworks)
472. .dos External command file (1st Reader)
473. .dos Network driver (eg
474. . pkt_dis
475. .dos)
476. .dos Text file containing DOS specific info
477. .dot Line-type definition file (CorelDRAW)
478. .dot Template (Word for Windows)
479. .dox Text file (MultiMate 4
480. .0)
481. .doz Description Out of Zip (VENDINFO)
482. .dp Calendar file (Daily Planner)
483. .dp Data file (DataPhile)
484. .dpr Default project- and state-related information (Borland C++)
485. .drs Display Resource (WordPerfect for Win)
486. .drv Device driver eg
487. . for printer
488. .drw Vector graphics (Micrografx Designer)
489. .ds4 Vector graphics (Micrografx Designer 4
490. .0)
491. .dsc Discard file (Oracle)
492. .dsd Database (DataShaper)
493. .dsk Project desktop file (Borland C++ - Turbo Pascal)
494. .dsm Digital sound module (DSI)
495. .dsn Design (Object System Designer)
496. .dsp Display parameters (Signature)
497. .dsp Graphics display driver (Dr
498. .Halo)

499. .dsr Driver Resource (WordPerfect for Win)
500. .dss Screensaver file (DCC)
501. .dss Sound (Digital Soup)
502. .dsw Desktop settings (Borland C++ 4
503. .5)
504. .dt_ Data fork of a Macintosh file (Mac-ette)
505. .dta Data file (Turbo Pascal - PC-File - Stata)
506. .dtf Database file (PFS - Q&A)
507. .dtp Document (Timeworks Publisher3)
508. .dtp Publication (Publish-It!)
509. .dvc Data (Lotus 1-2-3)
510. .dvi Device Independent document (TeX)
511. .dvp Desqview Program Information file (DESeqview)
512. .dvp Device parameter file (AutoCAD)
513. .dw2 Drawing (DesignCAD for windows)
514. .dwc Compressed file archive created by DWC (dwc-a501
515. .exe)
516. .dwg Drawing (Drafix)
517. .dwg Drawing database (AutoCAD)
518. .dx Text file (DEC WPS/DX format - DEC WPS Plus)
519. .dxf Drawing Interchange File Format vector graphics (AutoCAD)
520. .dxn Fax (Fujitsu dexNET)
521. .dyn Data (Lotus 1-2-3)
522. .ebj Error-checking object file (Geoworks)
523. .edt Default settings (VAX Edt editor)
524. .eeb Button bar for Equation Editor (WordPerfect for Win)
525. .eft High resolution screen font (ChiWriter)
526. .efx Fax (Everex EFax)
527. .ega EGA display font (Ventura Publisher)
528. .el Elisp source code file (Emacs lisp)
529. .elc Compiled ELISP code (Emacs lisp)
530. .elt Event list text file (Prosa)
531. .emf Enhanced Metafile graphics
532. .emu Terminal emulation data (BITCOM)
533. .enc Encoded file - UUENCODEd file (Lotus 1-2-3 - uuexe515
534. .exe)
535. .enc Music (Encore)
536. .end Arrow-head definition file (CorelDRAW)
537. .eng Dictionary engine (Sprint)
538. .eng Graphics (charting) (EnerGraphics)
539. .env Enveloper macro (WOPR)
540. .env Environment file (WordPerfect for Win)
541. .epd Publication (Express Publisher)
542. .epi Document (Express Publisher)
543. .eps Encapsulated PostScript vector graphics (Adobe Illustrator)
544. .eps Printer font (Epson - Xerox)
545. .
546. .
547. .) (Ventura Publisher)
548. .eqn Equation (WordPerfect for Win)

549. .erd Entity Relationship Diagram graphic file (Prosa)
550. .erm Entity Relationship Diagram model file (Prosa)
551. .err Error log
552. .err Error messages for command line compilers
553. .esh Extended Shell batch file
554. .eth Document (Ethnograph 3)
555. .etx Structure Enhanced (setext) text
556. .evt Event log
557. .evy Document (WordPerfect Envoy)
558. .ewd Document (Express Publisher for Windows)
559. .ex3 Device driver (Harvard Graphics 3
560. .0)
561. .exc Rexx source code file (VM/CMS)
562. .exc Exclude file for Optimize (do not process) (QEMM)
563. .exe Directly executable program (DOS)
564. .exm Msdos executable, system-manager compliant (HP calculator)
565. .ext Extension file (Norton Commander)
566. .exx Intermediate file by MsgPut (IBM LinkWay)
567. .ezf Fax (Calculus EZ-Fax)
568. .f Fortran source code file
569. .f Compressed file archive created by FREEZE
570. .f01 Fax (perfectfax)
571. .f06 Dos screen text font - height 6 pixels (fntcol13
572. .zip)
573. .f07 Dos screen text font - height 7 pixels (fntcol13
574. .zip)
575. .f08 Dos screen text font - height 8 pixels (fntcol13
576. .zip)
577. .f09 Dos screen text font - height 9 pixels (fntcol13
578. .zip)
579. .f10 Dos screen text font - height 10 pixels (fntcol13
580. .zip)
581. .f11 Dos screen text font - height 11 pixels (fntcol13
582. .zip)
583. .f12 Dos screen text font - height 12 pixels (fntcol13
584. .zip)
585. .f13 Dos screen text font - height 13 pixels (fntcol13
586. .zip)
587. .f14 Dos screen text font - height 14 pixels (fntcol13
588. .zip)
589. .f16 Dos screen text font - height 16 pixels (fntcol13
590. .zip)
591. .f2r Linear module (music) (Farandole)
592. .f3r Blocked module (music) (Farandole)
593. .f77 Fortran 77 source code file
594. .f96 Fax (Frecom FAX96)
595. .fac Face graphics
596. .faq Frequently Asked Questions text file
597. .far Music
598. .fax Fax (raster graphics) (most Fax programs)

599. .fc Spell checking dictionary (Harvard Graphics 2
600. .0)
601. .fcm Binary file patch file (forward compression)(jlpak10
602. .zip)
603. .fd Declaration file (MS Fortran)
604. .fd Field offsets for compiler (DataFlex)
605. .fdw Form (F3 Design and Mapping)
606. .feb Button bar for Figure Editor (WordPerfect for Win)
607. .ff Outline font description (Agfa Compugraphics)
608. .fff Fax (defFax)
609. .fft Dca/FFT Final Form Text text file (DisplayWrite)
610. .fh3 Vector graphics (Aldus FreeHand 3
611. .x)
612. .fh4 Vector graphics (Aldus FreeHand 4
613. .x)
614. .fi Interface file (MS Fortran)
615. .fif Fractal Image Format file
616. .fil File template (Application Generator)
617. .fil Files list object file (dBASE Application Generator)
618. .fil Overlay (WordPerfect)
619. .fin Print-formatted text file (Perfect Writer - Scribble - MINCE)
620. .fit Fits graphics
621. .fit File Index Table (WindowsNT)
622. .fix Patch file
623. .fky Macro file (FoxPro)
624. .flb Format library (Papyrus)
625. .flc Animation (Autodesk Animator)
626. .fld Folder (Charisma)
627. .fli Tex font library (EmTeX)
628. .fli Animation (Autodesk Animator)
629. .flm Film Roll (AutoCAD/AutoShade)
630. .flo Micrografx FlowCharter
631. .flt Filter file (Micrografx Picture Publisher)
632. .flt Support file (Asymetrix ToolBook) - graphics filter
633. .flx Compiled binary (DataFlex)
634. .fm Spreatsheet (FileMaker Pro)
635. .fm1 Spreadsheet (Lotus 1-2-3 release 2
636. .x)
637. .fm3 Device driver (Harvard Graphics 3
638. .0)
639. .fm3 Spreadsheet (Lotus 1-2-3 release 3
640. .x)
641. .fmb File Manager Button bar (WordPerfect for Win)
642. .fmf Font or icon file (IBM LinkWay)
643. .fmk Makefile (Fortran PowerStation)
644. .fmo Compiled format file (dBASE IV)
645. .fmt Format file (dBASE IV - FoxPro - Clipper 5 - dBFast)
646. .fmt Style sheet (Sprint)
647. .fn3 Font file (Harvard Graphics 3
648. .0)

649. .fnt Font file (many)
650. .fnx Inactive font (Exact)
651. .fo1 Font file (Borland Turbo C)
652. .fo2 Font file (Borland Turbo C)
653. .fol Folder of saved messages (1st Reader)
654. .fon Dialing directory file (Telix)
655. .fon Font file (many - Windows 3
656. .x font library)
657. .fon Log of all calls (Procomm Plus)
658. .for Fortran source code file
659. .for Form (WindowBase)
660. .fot Installed Truetype font (Windows Font Installer)
661. .fp Configuration file (FoxPro)
662. .fpc Catalog (FoxPro)
663. .fpt Memo (FoxPro)
664. .fpw Floorplan drawing (FloorPLAN plus for Windows)
665. .fr3 Renamed dBASE III+ form file (dBASE IV)
666. .frf Font (FontMonger)
667. .frg Uncompiled report file (dBASE IV)
668. .frm Form (Visual Basic)
669. .frm Report file (dBASE IV - Clipper 5 - dBFast)
670. .frm Text (order form)
671. .fro Compiled report file (dBASE IV)
672. .frp Form (PerForm PRO Plus - FormFlow)
673. .frs Screen Font Resource (WordPerfect for Win)
674. .ftr Report memo (FoxPro)
675. .frx Report (FoxPro)
676. .fsl Form (Paradox for Windows)
677. .fsm Farandoyle Sample format music
678. .fst Linkable program (dBFast)
679. .fsx Data (Lotus 1-2-3)
680. .ftm Font file (Micrografx)
681. .ftp Configuration (FTP Software PC/TCP)
682. .fw Database (FrameWork)
683. .fw2 Database (Framework II)
684. .fw3 Database (Framework III)
685. .fx On-line guide (FastLynx)
686. .fxd Phonebook (FAXit)
687. .fxp Compiled format (FoxPro)
688. .fxs Fax Transmit Format graphics (WinFax)
689. .g Data chart (APPLAUSE)
690. .g8 Raw graphics (one byte per pixel) plane three (PicLab)
691. .gam Fax (GammaFax)
692. .gbl Global definitions (VAXTPU editor)
693. .gc1 Lisp source code (Golden Common Lisp 1
694. .1)
695. .gc3 Lisp source code (Golden Common Lisp 3
696. .1)
697. .gcd Graphics
698. .gdf Dictionary file (GEOS)

699. .ged Editor's native file format (Arts & Letters)
700. .ged Graphics editor file (EnerGraphics)
701. .gem Vector graphics (GEM - Ventura Publisher)
702. .gen Compiled template (dBASE Application Generator)
703. .gen Generated text (Ventura Publisher)
704. .geo Geode (Geoworks)
705. .gfb Compressed GIF image created by GIFBLAST (gifblast
706. .exe)
707. .gft Font (NeoPaint)
708. .gib Chart (Graph-in-the-Box)
709. .gif Graphics Interchange Format bitmap graphics (CompuShow)
710. .giw Presentation (Graph-in-the-Box for Windows)
711. .gl Animation (GRASP GRaphical System for Presentation)
712. .glm Datafile (Glim)
713. .gls Datafile (Across)
714. .gly Glossary (MS Word)
715. .gmf CGM graphics (APPLAUSE)
716. .gmp Geomorph tile map (SPX)
717. .goc Goc source code file (Geoworks)
718. .goh Goc header file (Geoworks)
719. .gp Geode parameter file (Geoworks Glue)
720. .gph Graph (Lotus 1-2-3/G)
721. .gpk Omnigo program package
722. .gr2 Screen driver (Windows 3
723. .x)
724. .gra Datafile (SigmaPlot)
725. .grb Ms-DOS Shell Monitor file (MS-DOS 5)
726. .grf Graph file (Graph Plus - Charisma)
727. .grp Group file (Windows 3
728. .x - Papyrus)
729. .grp Pictures group (PixBase)
730. .gry Raw GREY graphics
731. .gsl Presentation (GraphShow)
732. .gsd Vector graphics (Professional Draw)
733. .gsw Worksheet (GraphShow)
734. .gup Data (PopMail)
735. .gxl Graphics library (Genus)
736. .gz Compressed file archive created by GZIP (GNU zip)
737. .h Header file
738. .h! On-line help file (Flambeaux Help! Display Engine)
739. .h++ Header file (C++)
740. .h- Header file (Sphinx C-)
741. .ha Compressed file archive created by HA (ha098
742. .zip)
743. .hap Compressed file archive created by HAP (hap303re
744. .zip)
745. .hbk Handbook (Mathcad)
746. .hdf Hierarchical Data File graphics (SDSC Image Tools)
747. .hdf Help file (Help Development Kit)
748. .hdl Alternate download file listing (Procomm Plus)

749. .hdr Pc-File+ Database header
750. .hdr Datafile (Egret)
751. .hdr Message header text (Procomm Plus - 1st Reader)
752. .hdw Vector graphics (Harvard Draw)
753. .hdx Help index (AutoCAD - Zortech C++)
754. .hex Hex dump
755. .hfi Hp Font Info file (GEM)
756. .hgl Hp Graphics Language graphics
757. .hh C++ header file
758. .hhh Precompiled header file (Power C)
759. .hlp Help information for remote users (Procomm Plus)
760. .hin Molecule (HyperChem)
761. .hlp Help library (VAX)
762. .hlp Help information
763. .hmm Alternate Mail Read option menu (Procomm Plus)
764. .hnc CNC program files Heidenhain (?) dialog
765. .hof Hall Of Fame (game scores)
766. .hp8 Ascii text HP Roman8 character set (NewWave Write)
767. .hpf Hp LaserJet fonts (PageMaker)
768. .hpg HPGL plotter file vector graphics (AutoCad - Harvard Graphics)
769. .hpi Font information file (GEM)
770. .hpj Help project (MS Help Compiler)
771. .hpk Compressed file archive created by HPACK (hpack75
772. .zip)
773. .hpm Emm text (HP NewWave)
774. .hpm Alternate Main menu for privileged users (Procomm Plus)
775. .hpp C++ header file (Zortech C++)
776. .hqx Compressed Macintosh ASCII archive created by BINHEX (xbin23
777. .zip)
778. .hrf Graphics (Hitachi Raster Format)
779. .hrm Alternate Main menu for limited/normal users (Procomm Plus)
780. .hs2 Monochrome image (Postering)
781. .hsi Handmade Software Inc
782. . graphics - almost JPEG (Image Alchemy)
783. .hst History file (Procomm Plus)
784. .htm HyperText Markup Language document
785. .htx Hypertext file
786. .hwd Presentation (Hollywood)
787. .hxm Alternate Protocol Selection menu for all users (Procomm Plus)
788. .hxx C++ header file
789. .hy1 Hyphenation algorithms (Ventura Publisher)
790. .hy2 Hyphenation algorithms (Ventura Publisher)
791. .hyc Data (WordPerfect)
792. .hyd Hyphenation dictionary (WordPerfect for Win)
793. .hyp Compressed file archive created by HYPER (hyper25
794. .zip)
795. .i Intermediate file (Borland C++ 4
796. .5)
797. .iax Bitmap graphics (IBM Image Access eXecutive)
798. .ibm Compressed file archive created by ARCHDOS (Internal IBM only)

799. .ica Bitmap graphics (Image Object Content Architecture)
800. .icb Bitmap graphics
801. .icn Icon source code file
802. .ico Icon (Windows 3
803. .x)
804. .id Disk identification file
805. .ide Project (Borland C++ 4
806. .5)
807. .idw Vector graphics (IntelliDraw)
808. .idx Index (many - FoxPro)
809. .ifd Form (JetForm Design)
810. .iff Interchange File Format bitmap graphics/sound (Amiga)
811. .iff Sun TAAC Image File Format (SDSC Image Tool)
812. .ifp Script (KnowledgeMan)
813. .ifs Fractal image compressed file (Yuvpak)
814. .ifs System file (OS/2) hpfs
815. .ifs
816. .ilb Data (Scream Tracker)
817. .ilk Outline of program's format (MS ILink incremental linker)
818. .im8 Sun raster graphics
819. .ima Mirage vector graphics (EGO, Chart, Autumn)
820. .img Bitmap graphics (Ventura Publisher - GEM Paint)
821. .imp Spreadsheet (Lotus Improv)
822. .imq Image presentation (ImageQ)
823. .in\$ Installation file (HP NewWave)
824. .in3 Input device driver (Harvard Graphics 3
825. .0)
826. .inb Test script (Vermont HighTest)
827. .inc Include file (several programming languages)
828. .ind Index (dBASE IV)
829. .inf Type 1 LaserJet font information file (soft font installers)
830. .inf Information text file (ASCII)
831. .inf Install script
832. .ini Initialization file
833. .ink Pantone reference fills file (CorelDRAW)
834. .ins Data (WordPerfect)
835. .ins Installation script (1st Reader)
836. .ins Instrument music file (Adlib)
837. .int Borland Interface Units
838. .int Program saved in Internal (semi-compiled) format (Signature)
839. .inx Index (Foxbase)
840. .io Compressed file archive created by CPIO
841. .job 3d graphics database in TDDD format
842. .ioc Organizational chart (Instant ORGcharting!)
843. .ion 4dos descript
844. .ion file (file descriptions)
845. .ipl Pantone Spot reference palette file (CorelDRAW)
846. .irs Resource (WordPerfect)
847. .isd Spelling Checker dictionary (RapidFile)
848. .ish Compressed file archive created by ISH

849. .iso ISO-9660 table
850. .it Settings (intalk)
851. .itf Interface file (JPI TopSpeed Pascal)
852. .iw Presentation flowchart (IconAuthor - HSC InterActive)
853. .iwa Text file (IBM Writing Assistant)
854. .iwp Text file (Wang)
855. .izt Izl binary token file (IZL)
856. .jas Graphics
857. .jav Java source code file
858. .jbd Datafile (SigmaScan)
859. .jbx Project file (Project Scheduler 4)
860. .jet Fax (Hybrid JetFax)
861. .jff Bitmap graphics (JPEG File Interchange Format)
862. .jor Journal file SQL
863. .jou Journal backup (VAX Edt editor)
864. .jpc Graphics (Japan PIC)
865. .jpg Bitmap graphics (Joint Photography Experts Group)
866. .jtf Fax (Hayes JT Fax)
867. .jtf Bitmap graphics (JPEG Tagged Interchange Format)
868. .jw Text document (JustWrite)
869. .jwl Library (JustWrite)
870. .jzz Spreatsheet (Jazz)
871. .kar Midi file with karaoke word track
872. .kb Keyboard script (Borland C++ 4
873. .5)
874. .kb Program source (Knowledge Pro)
875. .kbd Keyboard mapping (LocoScript - Signature - Procomm Plus)
876. .kbm Keyboard mapping (Reflection 4
877. .0)
878. .kcl Lisp source code (Kyoto Common Lisp)
879. .kex Macro (KEDIT)
880. .key Datafile (Forecast Pro)
881. .key Keyboard macros
882. .key Security file eg
883. . Shareware Registration info
884. .kpp Toolpad (SmartPad)
885. .kps Ibm KIPS bitmap graphics
886. .kyb Keyboard mapping (FTP Software PC/TCP)
887. .l Lex source code file
888. .l Lisp source code file
889. .l Linker directive file (WATCOM wlink)
890. .lab Datafile (NCSS - SOLO)
891. .lab Mailing labels (Q+E for MS Excel)
892. .lay Word chart layout (APPLAUSE)
893. .lbg Label generator data (dBASE IV)
894. .lbl Label (dBASE IV - Clipper 5 - dBFast)
895. .lbm Bitmap graphics (DeluxePaint)
896. .lbm Linear bitmap graphics (XLib)
897. .lbo Compiled label (dBASE IV)
898. .lbr Compressed file archive created by LU (lue220

899. .arc)
900. .lbr Display driver (Lotus 1-2-3)
901. .lbt Label memo (FoxPro)
902. .lbt Label (FoxPro)
903. .lcf Linker Control File (Norton Guides compiler)
904. .lck Lockfile (Paradox)
905. .lcl Data (FTP Software PC/TCP)
906. .lcn Lession (WordPerfect)
907. .lcs Datafile (ACT! History Files)
908. .lcw Spreadsheet (Lucid 3-D)
909. .ld Long Distance codes file (Telix)
910. .ldl Overlay file (dBASE)
911. .ldb Data (MS Access)
912. .ldf Library definition file (Geoworks Glue)
913. .les Lesson (check *
914. .cbt)
915. .lev Level file (NetHack 3
916. .x)
917. .lex Lexicon (dictionary) (many)
918. .lft Laser printer font (ChiWriter)
919. .lg Logo procedure definitions (LSRHS Logo)
920. .lgo Logo for header and footer (SuperFax)
921. .lgo Startup logo code (Windows 3
922. .x)
923. .lha Compressed file archive created by LHA/LHARC (lha255b
924. .exe)
925. .lhw Compressed Amiga file archive created by LHWARP
926. .lib Library file (several programming languages)
927. .lif Logical Interchange Format data file (Hewlett-Packard)
928. .lif Compressed file archive
929. .lim Compressed file archive created by LIMIT (limit12
930. .zip)
931. .lin Line types (AutoCAD)
932. .lis Listing (VAX)
933. .lj Text file for HP LJ II printer
934. .ll3 Laplink III related file (document) (LapLink III)
935. .lnk Linker response file (
936. .RTLnk)
937. .lod Load file
938. .log Log file
939. .lpc Printer driver (TEKO)
940. .lrf Linker response file (MS C/C++)
941. .lrs Language Resource File (WordPerfect for Win)
942. .lsp Lisp source code file (Xlisp)
943. .lss Spreadsheet (Legato)
944. .lss Lotus Script
945. .lst Keyboard macro (1st Reader)
946. .lst List file (archive index - compiler listfile)
947. .lst Spool file (Oracle)
948. .ltm Form (Lotus Forms)

- 949. .lwd Text document (LotusWorks)
- 950. .lwp Text document (Lotus WordPro)
- 951. .lzd Difference file for binaries (Ldiff 1
- 952. .20)
- 953. .lzh Compressed file archive created by LHA/LHARC (lha255b
- 954. .exe)
- 955. .lzs Compressed file archive created by LARC (larc333
- 956. .zip)
- 957. .lzw Compressed Amiga file archive created by LHWARP
- 958. .m Function (program) (Matlab)
- 959. .m Macro module (Brief)
- 960. .m Standard package (Mathematica)
- 961. .m11 Text file (MASS11)
- 962. .m3 Modula 3 source code file
- 963. .m3d 3d animation macro
- 964. .m4 M4 preprocessor file (unix)
- 965. .m_u Backup of boot sector, FAT and boot dir (MazeGold)
- 966. .ma3 Macro (Harvard Graphics 3
- 967. .0)
- 968. .mac Bitmap graphics (Macintosh MacPaint)
- 969. .mac Macro
- 970. .mag Woody Lynn's MAG graphics format (MPS Magro Paint System)
- 971. .mai Mail (VAX)
- 972. .mak Makefile
- 973. .mak Project file (Visual Basic)
- 974. .man Command manual
- 975. .map Color palette
- 976. .map Format data (Micrografx Picture Publisher)
- 977. .map Linker map file
- 978. .map Map (Atlas MapMaker)
- 979. .map Network map (AccView)
- 980. .mar Assembly program (VAX Macro)
- 981. .mas Smartmaster set (Freelance Graphics)
- 982. .mat Data file (Matlab)
- 983. .max Max source code file
- 984. .mb Memo field values for database (Paradox)
- 985. .mbk Multiple index file backup (dBASE IV)
- 986. .mbx Mailbox (Eudora/Zerberus)
- 987. .mcc Configuration file (Mathcad)
- 988. .mcd Document (Mathcad)
- 989. .mcf Font file (Mathcad)
- 990. .mci Mci command script (Media Control Interface)
- 991. .mcp Application script (Capsule)
- 992. .mcp Printer driver (Mathcad)
- 993. .mcw Text file (MacWrite II)
- 994. .md Compressed file archive created by MDCD (mdcd10
- 995. .arc)
- 996. .mda Data (MS Access)
- 997. .mdb Database (MS Access)
- 998. .mdl Model (3D Design Plus)

999. .mdl Spreadsheet (CA-Compete!)

1000. .mdm Modem definition (TELIX)

1001. .mdt Data table (MS ILink incremental linker)

1002. .mdx Multiple index file (dBASE IV)

1003. .me Usually ASCII text file READ

1004. .ME

1005. .meb Macro Editor bottom overflow file (WordPerfect Library)

1006. .med Macro Editor delete save (WordPerfect Library)

1007. .med Music (OctaMED)

1008. .mem Macro Editor macro (WordPerfect Library)

1009. .mem Memory variable save file (Clipper - dBASE IV - FoxPro)

1010. .meq Macro Editor print queue file (WordPerfect Library)

1011. .mer Macro Editor resident area (WordPerfect Library) (vakioalue)

1012. .mes Macro Editor work space file (WordPerfect Library)

1013. .mes Message

1014. .met Macro Editor top overflow file (WordPerfect Library)

1015. .met Document (Omnipage Pro)

1016. .meu Menu group (DOS Shell)

1017. .mex Mex file (executable command) (Matlab)

1018. .mex Macro Editor expound file (WordPerfect Library)

1019. .mf Metafont text file

1020. .mgf Font (Micrografx)

1021. .mib Snmp MIB file

1022. .mid Standard MIDI file (music synthetizers)

1023. .mii Datafile (MicroStat-II)

1024. .mix Object file (Power C)

1025. .mk Makefile

1026. .mke Makefile (MS Windows SDK)

1027. .mki Japanese graphics MAKIchan format (MagView 0

1028. .5)

1029. .mks Data (TACT)

1030. .ml3 Project (Milestones 3

1031. .x)

1032. .mlb Macro library file (Symphony)

1033. .mm Text file (MultiMate Advantage II)

1034. .mmf Mail message file (MS Mail)

1035. .mmm Movie (RIFF RMMP format) (MacroMind Director 3

1036. .x)

1037. .mmo Memo writer file (RapidFile)

1038. .mmp Output video format from Bravado board

1039. .mnd Menu source (AutoCAD Menu Compiler)

1040. .mng Map (DeLorme Map'n'Go)

1041. .mnt Menu memo (FoxPro)

1042. .mnu Advanced macro (HP NewWave)

1043. .mnu Menu (AutoCAD Menu Compiler - Norton Commander -
Signature)

1044. .mnx Compiled menu (AutoCAD)

1045. .mnx Menu (FoxPro)

1046. .mny Account book (MS Money)

1047. .mob Device definition (PEN Windows)

1048. .mod Modula-2 source code file (Clarion Modula-2)
1049. .mod Windows kernel module
1050. .mod Music (FastTracker - many)
1051. .mon Monitor description (ReadMail)
1052. .mov Movie (AutoCAD AutoFlix)
1053. .mp2 Mpeg audio file (xing)
1054. .mpc Calender file (MS Project)
1055. .mpg Mpeg animation
1056. .mpm Mathplan macro (WordPerfect Library)
1057. .mpp Project file (MS Project)
1058. .mpr Generated program (FoxPro)
1059. .mpr Lotus Approach Smartmaster
1060. .mpt Bitmap graphics (Multipage TIFF)
1061. .mpv View file (MS Project)
1062. .mpx Compiled menu program (FoxPro)
1063. .mrb Multiple Resolution Bitmap graphics (MS C/C++)
1064. .mrs Macro Resource file (WordPerfect for Win)
1065. .msc Microsoft C makefile
1066. .msg Message
1067. .msp Bitmap graphics (Microsoft Paint)
1068. .mss Manuscript text file (Perfect Writer - Scribble - MINCE - Jove)
1069. .mst Minispecification file (Prosa)
1070. .mst Setup script (MS Windows SDK)
1071. .msw Text file (MS Word)
1072. .msx Compressed CP/M file archive created by MSX
1073. .mth Math file (Derive)
1074. .mtm Multitracker Module music
1075. .mtw Datafile (Minitab)
1076. .mu Menu (Quattro Pro)
1077. .mus Sound file (MusicTime)
1078. .mvf Stop frame file (AutoCAD AutoFlix)
1079. .mvi Movie command file (AutoCAD AutoFlix)
1080. .mvw Log file (Saber LAN)
1081. .mwf Animation (ProMotion)
1082. .mwp Lotus Approach Smartmaster
1083. .mxt Data (MS C)
1084. .myp Presentation (MM Make Your Point)
1085. .nap Naplps file (VideoShow) (EnerGraphics)
1086. .nb Text file (Nota Bene)
1087. .nc Graphics (netcdf)
1088. .nc Instructions for NC (Numerical Control) machine (CAMS)
1089. .ncc Cnc (Computer Numeric Control) control file (CamView 3D)
1090. .ncd Norton Change Directory support file (Norton Commander)
1091. .ndb Network database (Intellicom - Compex)
1092. .ndx Index file (dBASE II - III - IV - dBFast)
1093. .neo Raster graphics (Atari Neochrome)
1094. .net Network configuration/info file
1095. .new New info
1096. .nfo Info file
1097. .ng Online documentation database (Norton Guide)

1098. .nlm Netware Loadable Module
1099. .nlx Form (FormWorx 3
1100. .0)
1101. .np Project schedule (Nokia Planner) (Visual Planner 3
1102. .x)
1103. .npi Source for DGEN
1104. .EXE interpreter (dBASE Application Generator)
1105. .nst Music (NoiseTracker)
1106. .nt Startup files (Windows NT)
1107. .ntr Executable ASCII text file (strip header and rename) (netrun31
1108. .zip)
1109. .nts Tutorial (Norton)
1110. .nts Executable ASCII text file (strip header and rename) (netsend1
1111. .zip)
1112. .ntx Index (Clipper 5)
1113. .nuf Message for new users on their 1st call (Procomm Plus)
1114. .nws Info text file (latest news) (ASCII)
1115. .nxt Sound (NeXT format)
1116. .o Object file (unix - Atari - GCC)
1117. .o\$\$ Outfile (Sprint)
1118. .oaz Fax (NetFax Manager)
1119. .ob Object cut/paste file (IBM LinkWay)
1120. .obj Object code (Intel Recolatable Object Module)
1121. .obr Object browser data file (Borland C++)
1122. .obs Script (ObjectScript)
1123. .obv Visual interface (ObjectScript)
1124. .ocf Object Craft File (Object Craft)
1125. .ocr Incoming fax transcribed to text (FAXGrapper)
1126. .ocx OLE custom control
1127. .odl Type library source (Visual C++)
1128. .ofd Form definition (ObjectView)
1129. .off Object File Format vector graphics
1130. .okt Music (Oktalizer)
1131. .olb Object library (VAX)
1132. .old Backup file
1133. .oli Text file (Olivetti)
1134. .oom Swap file (Shroom)
1135. .opn Active options (Exact)
1136. .opt Optimize support file (QEMM)
1137. .opw Organization chart (Org Plus for Windows)
1138. .opx Inactive options (Exact)
1139. .ora Parameter file (Oracle)
1140. .org Calendar file (Lotus Organizer)
1141. .otl Outline font description (Z-Soft Type Foundry)
1142. .otx Text file (Olivetti Olitext Plus)
1143. .out Output file
1144. .ov1 Overlay file (part of program to be loaded when needed)
1145. .ov2 Overlay file (part of program to be loaded when needed)
1146. .ovd Datafile (ObjectVision)
1147. .ovl Overlay file (part of program to be loaded when needed)

1148. .ovr Overlay file (part of program to be loaded when needed)
1149. .p Pascal source code file
1150. .p Rea-C-Time application parameter file (ReaGeniX code generator)
1151. .p Picture file (APPLAUSE)
1152. .p16 Music (16 channels) (ProTracker Studio 16)
1153. .p22 Patch file (Patch22)
1154. .pa1 Worktable (PageAhead)
1155. .pac Stad Image (graphics ?)
1156. .pac Package (SBStudio II)
1157. .pad Keypad definition (Telemate)
1158. .pak Compressed file archive created by PAK (pak251
1159. .exe)
1160. .pal Color palette
1161. .pan Printer-specific file (copy to coreldrw
1162. .ink) (CorelDRAW)
1163. .par Parts application (Digitalk PARTS)
1164. .par Parameter file (Fractint)
1165. .par Permanent output file (Windows 3
1166. .x)
1167. .pas Pascal source code file
1168. .pat Hatch patterns (AutoCAD - Photostyler)
1169. .pat Vector fill files (CorelDRAW)
1170. .pb Fax (FAXability Plus)
1171. .pb Phonebook (WinFax Pro)
1172. .pb Setup file (PixBase)
1173. .pb1 Document (First Publisher for Windows)
1174. .pba Powerbasic BASIC source code (Genus)
1175. .pbd Phone book (FaxNOW! - Faxit)
1176. .pbi Powerbasic include file (Genus)
1177. .pbi Profiler Binary Input (MS Source Profiler)
1178. .pbl Powerbasic library (Genus)
1179. .pbm Pbm Portable Bit Map graphics
1180. .pbm Planar bitmap graphics (XLib)
1181. .pbo Profiler Binary Output (MS Source Profiler)
1182. .pbt Profiler Binary Table (MS Source Profiler)
1183. .pc Text file containing IBM PC specific info
1184. .pc3 Custom palette (Harvard Graphics 3
1185. .0)
1186. .pc8 Ascii text IBM8 character set (NewWave Write)
1187. .pcc Cutout picture vector graphics (PC Paintbrush)
1188. .pcd Graphics (Kodak PhotoCD)
1189. .pcf Profiler Command File (MS Source Profiler)
1190. .pch Patch file
1191. .pch Precompiled header (MS C/C++)
1192. .pcj Multimedia authoring tool graphics (IBM's Linkaway-Live)
1193. .pck Pickfile (Turbo Pascal)
1194. .pcl HP-PCL graphics data (HP Printer Control Language)
1195. .pct Bitmap graphics (Macintosh b&w PICT1 - color PICT2)
1196. .pcw Text file (PC Write)
1197. .pcx Bitmap graphics (PC Paintbrush)

1198. .pda Bitmap graphics
1199. .pdb Data (TACT)
1200. .pdf Package Definition File
1201. .pdf Graphics file (ED-SCAN 24bit format)
1202. .pdl Project Description Language file (Borland C++ 4
1203. .5)
1204. .pds Pds graphics
1205. .pds Pldasm source code file (hardware assembly)
1206. .pdv Printer driver (Paintbrush)
1207. .pdw Document (Professional Draw)
1208. .peb Program Editor bottom overflow file (WordPerfect Library)
1209. .ped Program Editor delete save (WordPerfect Library)
1210. .pem Program Editor macro (WordPerfect Library)
1211. .peq Program Editor print queue file (WordPerfect Library)
1212. .per Program Editor resident area (WordPerfect Library) (vakioalue)
1213. .pes Program Editor work space file (WordPerfect Library)
1214. .pet Program Editor top overflow file (WordPerfect Library)
1215. .pfa Type 3 font file (unhinted PostScript font)
1216. .pfb Type 1 font file
1217. .pfc Text file (First Choice)
1218. .pfk Programmable function keys (XTreePro)
1219. .pfm Windows Type 1 font metric file
1220. .pfs Database (PFS:FILE) - text file (PFS:Write)
1221. .pft Printer font (ChiWriter)
1222. .pg Page cut/paste file (IBM LinkWay)
1223. .pgi Printer Graphics File device driver (PGRAPH library)
1224. .pgm Portable Grayscale bitMap graphics
1225. .pgm Program (Signature)
1226. .pgp Support file (Pretty Good Privacy RSA System)
1227. .pgs Manual page (man4dos)
1228. .ph Optimized
1229. .goh file (Geoworks)
1230. .ph Perl header file
1231. .ph Phrase-table (MS C/C++)
1232. .phn Phone list (UltraFax - QmodemPro)
1233. .pho Phone database (Metz Phone for Windows)
1234. .phr Phrases (LocoScript)
1235. .pic Pixar picture file (SDSC Image Tool)
1236. .pic Bitmap graphics (Macintosh b&w PICT1 - color PICT2)
1237. .pic Bitmap graphics (many eg
1238. . Lotus 1-2-3 - PC Paint)
1239. .pif Program Information File (Windows 3
1240. .x)
1241. .pif Vector graphics GDF format (IBM mainframe computers)
1242. .pit Compressed Mac file archive created by PACKIT (unpackit
1243. .zoo)
1244. .pix Alias image file (SDSC Image Tool)
1245. .pj Project (CA-SuperProject)
1246. .pjt Project memo (FoxPro)
1247. .pjx Project (FoxPro)

1248. .pk Packed bitmap font bitmap file (TeX DVI drivers)
1249. .pka Compressed file archive created by PKARC
1250. .pkg Installer script (Next)
1251. .pkt Fidonet packet
1252. .pl Perl source code file
1253. .pl Prolog source code file
1254. .pl Property List font metric file (TeX)
1255. .pl Palette (Harvard Graphics)
1256. .pl1 Room plan (3D Home Architect)
1257. .pl3 Chart palette (Harvard Graphics 3
1258. .0)
1259. .plb Library (FoxPro)
1260. .plc Add-in file (functions - macros - applications) (Lotus 1-2-3)
1261. .pll Pre-linked library (Clipper 5)
1262. .pln Spreadsheet (WordPerfect for Win)
1263. .plt Hpgl plotter file vector graphics (AutoCAD)
1264. .plt Palette
1265. .plt Pre-linked transfer file (Clipper 5)
1266. .ply Data (PopMail)
1267. .ply Presentation screen (Harvard Spotlight)
1268. .pm Bitmap graphics (Presentation Manager)
1269. .pm3 Document (PageMaker 3)
1270. .pm4 Document (PageMaker 4)
1271. .pm5 Document (PageMaker 5)
1272. .pmc Graphics (A4TECH Scanner)
1273. .pmm Program file (Amaris BTX/2)
1274. .pn3 Printer device driver (Harvard Graphics 3
1275. .0)
1276. .png Bitmap graphics (Portable Network Graphics)
1277. .pnm Pbm Portable aNy Map (PNM) graphics
1278. .pnt Macintosh painting
1279. .pnt Qwk reader pointer file (MarkMail 2
1280. .x)
1281. .poh Optimized
1282. .goh file (Geoworks)
1283. .pop Messages index (PopMail)
1284. .pop Pop-up menu object (dBASE Application Generator)
1285. .pov Raytraced graphics image (Persistence Of Vision)
1286. .pow Chord chart (PowerChords)
1287. .pp Compressed Amiga file archive created by POWERPACKER
1288. .ppb Button bar for Print Preview (WordPerfect for Win)
1289. .ppl Polaroidpaletteplus ColorKey device driver (Harvard Graphics 3
1290. .0)
1291. .ppm Portable Pixel Map graphics
1292. .ppo Pre-processor output (Clipper 5)
1293. .ppp Publication (PagePlus)
1294. .pps Storyboard (Personal Producer)
1295. .ppt General file extension (PowerPoint)
1296. .pr2 Presentation (Aldus Persuasion 2
1297. .x)

1298. .pr2 Printer driver (dBASE IV)
1299. .pr3 Postscript printer driver (dBASE IV)
1300. .pr3 Presentation (Aldus Persuasion 3
1301. .x)
1302. .prd Printer driver (many)
1303. .pre Presentation (Freelance Graphics)
1304. .pre Settings (Programmer's WorkBench - MS C/C++)
1305. .prf Pixel Run Format graphics (Improces - Fastgraph)
1306. .prf Printer driver (dBASE IV)
1307. .prf Profiler output
1308. .prg Program (Atari)
1309. .prg Program source (dBASE IV - FoxPro - Clipper 5 - dBFast)
1310. .pri Printer definitions (LocoScript)
1311. .prj Project
1312. .prm Parameters
1313. .prn Printer driver (Signature)
1314. .prn Text file (Lotus 1-2-3 - Symphony)
1315. .pro Prolog source code file
1316. .pro Graphics profile file (DOS)
1317. .prs Printer Resource eg
1318. . fonts (WordPerfect for Win)
1319. .prs Presentation (Harvard Graphics Win)
1320. .prs Procedure (dBASE IV)
1321. .prt Printer driver (Dr
1322. .Halo)
1323. .prx Compiled program (FoxPro)
1324. .ps Postscript file (text/graphics) (ASCII)
1325. .psd Graphics (Photoshop 3
1326. .0)
1327. .pse Bitmap graphics (IBM printer Page SEgment)
1328. .psf Outline PostScript printer font (ChiWriter)
1329. .psm Music (MASI - ProTracker)
1330. .psm Symbol table of IDE (Turbo Pascal)
1331. .psp Procedure (Prodea Synergy)
1332. .pt3 Device driver (Harvard Graphics 3
1333. .0)
1334. .pt3 Template (PageMaker 3)
1335. .pt4 Template (PageMaker 4)
1336. .ptb Script (PubTech BatchWorks)
1337. .ptm Macro (PubTech BatchWorks)
1338. .ptr Qwk reader pointer file (QMail)
1339. .pub Page template (MS Publisher)
1340. .pub Public key ring file (Pretty Good Privacy RSA System)
1341. .pub Publication (Ventura Publisher - 1st Publisher)
1342. .put Compressed file archive created by PUT (put334
1343. .zip)
1344. .pvd Script (Instalit)
1345. .pvl Library (Instalit)
1346. .pvt Local Fidonet pointlist
1347. .pw Text file (Professional Write)

1348. .pwl Password List
1349. .pwp Text document (Professional WritePlus)
1350. .px Primary database index (Paradox)
1351. .py Python script file
1352. .pyc Compiled PYTHON script file
1353. .pzd Default settings (Pizazz Plus)
1354. .pzo Overlay file (Pizazz Plus)
1355. .pzp Palette (Pizazz Plus)
1356. .pzs Settings (Pizazz Plus)
1357. .pzt Transfer file (Pizazz Plus)
1358. .pzx Swap file (Pizazz Plus)
1359. .qag Quick Access Group (Norton Desktop)
1360. .qap Application (Omnis Quartz)
1361. .qbe Saved query (Query By Example) (dBASE IV - Quattro Pro)
1362. .qbo Compiled query (dBASE IV)
1363. .qbw Spreadsheet (QuickBooks for Windows)
1364. .qd0 Data file - segment 10 (Omnis Quartz)
1365. .qd1 Data file - segment 1 (Omnis Quartz)
1366. .qd2 Data file - segment 2 (Omnis Quartz)
1367. .qd3 Data file - segment 3 (Omnis Quartz)
1368. .qd4 Data file - segment 4 (Omnis Quartz)
1369. .qd5 Data file - segment 5 (Omnis Quartz)
1370. .qd6 Data file - segment 6 (Omnis Quartz)
1371. .qd7 Data file - segment 7 (Omnis Quartz)
1372. .qd8 Data file - segment 8 (Omnis Quartz)
1373. .qd9 Data file - segment 9 (Omnis Quartz)
1374. .qdk Backup of startup files created by Optimize (QEMM)
1375. .qdv Graphics (Steve Blackstock Giffer)
1376. .qef Query file (Q+E for MS Excel)
1377. .qfx Fax (QuickLink)
1378. .qlb Quick library (MS C/C++)
1379. .qlc Data (PostScript help file) atmfonts
1380. .qlc
1381. .qlp Printer driver (QuickLink)
1382. .qm4 Options or services file (QMail 4
1383. .x Mail Door)
1384. .qpr Generated query program (FoxPro)
1385. .qpr Print queue device driver (OS/2)
1386. .qpx Compiled query program (FoxPro)
1387. .qrs Equation Editor support file (WordPerfect for Win)
1388. .qrt Qrt ray tracing graphics
1389. .qry Query (dBASE IV)
1390. .qt Quicktime movie (animation)
1391. .qwk Qwk reader message file
1392. .qxd Document (QuarkXPress)
1393. .qxl Element library (QuarkXPress)
1394. .r Ratfor (FORTRAN preprocessor) file
1395. .r8 Raw graphics (one byte per pixel) plane one (PicLab)
1396. .r8p Pcl 4 bitmap font file (Intellifont)
1397. .ra Music (RealAudio)

1398. .ram Ramfile (RealAudio)
1399. .rar Compressed file archive created by RAR (rar1_402
1400. .exe)
1401. .ras Sun Rasterfile graphics
1402. .rat Datafile (RATS)
1403. .raw Raw RGB 24-bit graphics
1404. .rbf Datafile (Rbase)
1405. .rc Resource script (MS C/C++ - Borland C++)
1406. .rc Configuration (emacs)
1407. .rcg Netscape newsgroup file (netsc
1408. .rcg)
1409. .rdf Compiled UIC source code (Geoworks UI Compiler)
1410. .rdi Device-independent bitmap file (RIFF RDIB format)
1411. .rdx Datafile (Reflex)
1412. .rec Datafile (EpiInfo)
1413. .rec Record file (Sprint)
1414. .rec Recorded macro file (Windows 3
1415. .x)
1416. .red Path info (Clarion Modula-2)
1417. .ref Cross-reference
1418. .reg Ole Registration (Windows 3
1419. .x)
1420. .reg Registration (Corel programs)
1421. .rem Remarks
1422. .rep Qwk reader reply file
1423. .rep Report (Report Designer - CodeReporter - DataBoss)
1424. .req Request
1425. .res Compiled resource (MS C/C++ - Borland C++)
1426. .res Dbase resources (dBASE IV)
1427. .rev Revision file (Geoworks)
1428. .rex Rexx source code file
1429. .rex Report definition (Oracle)
1430. .rez Resource file
1431. .rf Sun raster graphics
1432. .rft Dca/RFT Revisable Format Text file (IBM DisplayWrite 4
1433. .0-5
1434. .1)
1435. .rgb Sgi RGB image file (SDSC Image Tool)
1436. .rgx Symbol tables etc
1437. .info (ReaGeniX code generator)
1438. .rh Resource header file (Borland C++ 4
1439. .5)
1440. .ri Data (Lotus 1-2-3)
1441. .rib Graphics in Renderman format (3DReality)
1442. .ric Fax (Ricoh)
1443. .rif Riff bitmap graphics (Fractal Design Painter)
1444. .rip Graphics (Remote Access)
1445. .rix Bitmap graphics (ColorRIX VGA Paint)
1446. .rl4 Bitmap graphics
1447. .rl8 Bitmap graphics

1448. .rla Wavefront raster image file (SDSC Image Tool)
1449. .rlb Data (Harvard Graphics Win) hgw
1450. .rlb
1451. .rlc Graphics 1bit/pixel scanner output
1452. .rle Utah Run Length Encoded raster graphic (SDSC Image Tool)
1453. .rlz Realizer source code file (CA-Realizer)
1454. .rmi Midi file (RIFF RMID format)
1455. .rmk Makefile (Clipper RMake)
1456. .rn Xpl program for Nota Bene users
1457. .rnd Rendering Slide (AutoCAD AutoShade)
1458. .rno Runoff file (VAX)
1459. .rol Fm music Adlib Music File (Roland)
1460. .rpd Database (RapidFile)
1461. .rpl Text document (Replica)
1462. .rpt Report
1463. .rs Data file (Amiga Resource - Reassembler)
1464. .rs_ Resource fork of a Macintosh file (Mac-ette)
1465. .rsc Resource file
1466. .rsp Response file
1467. .rtf Rich Text Format text file (many - Windows Word)
1468. .rtf Windows Help file script
1469. .rtl Run Time Library (NU 7
1470. .0)
1471. .rtl Text file
1472. .rtp Rtpatch software update package data file
1473. .rts Runtime library file (CA-Realizer)
1474. .rvw Review
1475. .rws Resource Workshop data file (Borland C++)
1476. .rwx Script (RenderWare)
1477. .s Assembly source code file (unix)
1478. .s Scheme source code file
1479. .s\$\$ Temporary sort file (Sprint)
1480. .s3m Music (16 channels) (Scream Tracker 3
1481. .0)
1482. .sal Datafile (SORITEC)
1483. .sam Text file (Samna - Lotus Ami/Ami Pro)
1484. .sar Compressed file archive created by SAR (sar1
1485. .zip)
1486. .sav Backup file (saved file)
1487. .sav Configuration
1488. .sav Saved game situation (eg
1489. . NetHack)
1490. .sb Audio file (signed byte)
1491. .sbd Storyboard (Storyboard Editor)
1492. .sbi Sound Blaster Instrument file (Creative Labs)
1493. .sbp Dml program (Superbase 4)
1494. .sbr Support file (Source Browser)
1495. .sbt Notes related to record (Suberbase 4 Windows)
1496. .sc Pal script (Paradox)
1497. .sc Display driver (Framework II)

1498. .sc3 Renamed dBASE III screen mask file (dBASE IV)
1499. .sc3 Screen device driver (Harvard Graphics 3
1500. .0)
1501. .sca Datafile (SCA)
1502. .scc Text file
1503. .scd Scodl Scan Conversion Object Description Language graphics
1504. .scf Multimedia show (ScoreMaker)
1505. .scf Spelling checker configuration (Symphony)
1506. .sch Project schedule (Schedule Publisher)
1507. .sch Schematics file (ORCAD)
1508. .sci System Configuration Information
1509. .sci Fax (SciFax)
1510. .scm Scheme source code file
1511. .scn Screen file (Kermit)
1512. .sco High score
1513. .scp Script (BITCOM)
1514. .scr Debug source code file (DOS Debug)
1515. .scr Screen - screen snapshot (dBASE IV - Procomm Plus)
1516. .scr Screen font (LocoScript)
1517. .scr Screen saver (Windows 3
1518. .x)
1519. .scr Script (Kermit - 1st Reader)
1520. .sct Screen memo (FoxPro)
1521. .scx Bitmap graphics (ColorRIX)
1522. .scx Chart (Stanford Chart)
1523. .scx Screen (FoxPro)
1524. .scy Security file (ReaGeniX)
1525. .sda Fidonet's Software Distribution Network file archive description
1526. .sdf System Data Format file (fixed length ASCII text)
1527. .sdi Software Distribution Network Info file
1528. .sdn Software Distribution Network compressed file archive (pak251
1529. .exe)
1530. .sea Self-Extracting compressed Macintosh file Archive
1531. .sec Secret key ring file (Pretty Good Privacy RSA System)
1532. .sec Secured animation file (Disney Animation Studio)
1533. .sep Printer separator page
1534. .seq Atari animation file
1535. .seq Sequential Instruction File (Bubble Chamber)
1536. .ses Session info (Clarion Modula-2)
1537. .set Configuration (1st Reader)
1538. .set Driver sets created by Install (Symphony)
1539. .set Setup options file
1540. .sf Ircam Sound File (CSound package - MixView sound sample editor)
1541. .sf Wps attribute storage (OS/2 WorkPlace Shell) wp_root
1542. .sf
1543. .sfi Graphics (SIS Framegrabber)
1544. .sfi Printer font (HP LaserJet landscape) (Ventura Publisher)
1545. .sfl Pcl 4 bitmap font (landscape) (Intellifont) (Ventura Publisher)
1546. .sfn Font (SPX)
1547. .sfp Pcl 4 bitmap font (portrait) (Intellifont) (Ventura Publisher)

1548. .sfs Pcl 5 scalable font file (Intellifont)
1549. .sft Screen font (ChiWriter)
1550. .sg1 Graphics (Stanford Graphics)
1551. .sgf Document with graphics (Starwriter)
1552. .sgi Graphics (IRIS - Silicon Graphics)
1553. .sgp Statistics (STATGRAPHICS Plus)
1554. .sgt Save/get keyboard macro (Signature)
1555. .sh Unix shell script
1556. .sh Unix ASCII file archive created by SHAR (unshar
1557. .zip)
1558. .sh3 Presentation (Harvard Graphics 3
1559. .0)
1560. .shb Background (CorelShow)
1561. .shg Segmented-graphics bitmap
1562. .shk Compressed Apple II file archive created by SHRINKIT
1563. .shm Shell macro (WordPerfect Library)
1564. .shp Shape file and source file for text fonts (AutoCAD)
1565. .shr Unix ASCII file archive created by SHAR (unshar
1566. .zip)
1567. .shw Presentation (Harvard Graphics 2
1568. .0 - CorelShow)
1569. .shw Slide show (WordPerfect Presentations)
1570. .shx Shape entities (AutoCAD)
1571. .sif Setup Installation Files info (Windows NT Setup)
1572. .sig Current program settings (Signature)
1573. .sig Signature file (PopMail)
1574. .sik Backup file (Sicherungskopie) (MS Word)
1575. .sit Compressed Macintosh archive created by STUFFIT (unsit30
1576. .zip)
1577. .sl S-Lang source code file
1578. .slb Slide library (AutoCAD)
1579. .slc Compiled SALT script (Telix)
1580. .sld Slide (AutoCAD)
1581. .sli Slide (MAGICCorp Slide Service)
1582. .slk Syk Symbolic Link format data file (MultiPlan)
1583. .sll Sound data file
1584. .slt Salt Script Application Language for Telix script source (Telix)
1585. .sm Smalltalk source code file
1586. .sm Maillist (SoftSpoken Mailer)
1587. .sm Script (ScriptMaker)
1588. .sm Text file (Samna Word)
1589. .smf Fax (SMARTFAX)
1590. .smm Macro (Ami Pro)
1591. .smp Sample (sound file)
1592. .smt Text file (Smart Ware II)
1593. .snd Digitized sound file (Macintosh/ATARI/PC)
1594. .sng Song (midi sound) (Midisoft Studio - Prism)
1595. .sno Snobol4 source code file
1596. .snp Output video format from Computer Eyes equipment
1597. .sol Solution eg

1598. . game walkthroughs
1599. .som Network serial numbers (Quattro Pro)
1600. .som Sort information (Paradox)
1601. .son Song (SBStudio II)
1602. .sou Sound data (sound tool)
1603. .sp Compressed file archive created by SPLINT (unix)
1604. .spc Program (MS Multiplan)
1605. .spc Temporary file (WordPerfect for Win)
1606. .spd Scalable font (Speedo) (Harvard Graphics 3
1607. .0)
1608. .spf Slide presentation file (EnerGraphics)
1609. .spg Glossary (Sprint)
1610. .spi Graphics (Siemens and Philips scanner)
1611. .spl Compressed file archive created by SPLINT (splint
1612. .arc)
1613. .spl Customized printer driver (Sprint)
1614. .spl Personal spell dictionary (Signature)
1615. .spl Print spooling file (Windows 3
1616. .x)
1617. .spl Sample
1618. .spm Data (WordPerfect) wp{wp}
1619. .spm
1620. .spp Printer file (Sprint)
1621. .spr Document letter (Sprint)
1622. .spr Genarated screen program (FoxPro)
1623. .spr Sprite
1624. .sps Spssx source code file (VAX/VMS)
1625. .sps Screen driver (Sprint)
1626. .spt Spitbol source code file
1627. .spt Support file (MITAC disk/system management utility pack)
1628. .spw Worksheet (SigmaPlot)
1629. .spx Compiled screen program (FoxPro)
1630. .sql SQL report or query
1631. .sqz Compressed file archive created by SQUEEZE (sqz1083e
1632. .exe)
1633. .src Source (DataFlex)
1634. .srf Sun Raster File graphics
1635. .srp Script (QuickLink)
1636. .ss Bitmap graphics (Splash)
1637. .ssd Datafile (SAS/PC)
1638. .ssp Datafile (SAS Transport)
1639. .st Smalltalk source code file (Little Smalltalk)
1640. .st Instrument library (Scream Tracker)
1641. .st Stamp (NeoPaint)
1642. .sta Saved state (Reflection 4
1643. .0)
1644. .sta Stack (Spinmaker Plus)
1645. .stb Stub library (Genus GX Kernel)
1646. .std State Transition Diagram graphic file (Prosa)
1647. .std Standard (something

1648. .
1649. .) (LocoScript)
1650. .stf Compressed file archive created by SHRINKTOFIT
1651. .stm State Transition Diagram model file (Prosa)
1652. .stm Music (Scream Tracker)
1653. .sto Pascal stub OBJ file (Genus GX Kernel)
1654. .str Structure list object file (dBASE Application Generator)
1655. .sts Project status info (MS C/C++)
1656. .sts Song format (Scream Tracker)
1657. .stw Data file (SmartTerm for Windows)
1658. .stx Electronic book (SmarText)
1659. .stx Tax form (CA-Simply Tax)
1660. .sty Style library or sheet (many text and graphics programs)
1661. .sui Suit library (Simple User Interface Toolkit)
1662. .sum Summary
1663. .sun Sun rasterfile graphics
1664. .sup Supplementary dictionary (WordPerfect for Win)
1665. .svd Autosave file for document (MS Word)
1666. .svg Autosave file for glossary (MS Word)
1667. .svs Autosave file for style sheet (MS Word)
1668. .sw Audio file (signed word)
1669. .swg Swag packet (SWAG Reader)
1670. .swp Document backup (Sprint)
1671. .swp Swap file (DOS)
1672. .sy1 Smartpix symbol library (Ami Pro)
1673. .sy3 Symbol file (Harvard Graphics 3
1674. .0)
1675. .syd Backup of startup files created by QEMM (?) autoexec
1676. .syd
1677. .sym Precompiled headers (Borland C++)
1678. .sym Program symbol table (many compilers and linkers)
1679. .sym Symbol file (Harvard Graphics 2
1680. .0)
1681. .syn Sdsc Synu image file (SDSC Image Tool)
1682. .syn Synonym file (MS Word 5)
1683. .sys Datafile (SYGRAPH - SYSTAT - SPSS/PC)
1684. .sys System file - device driver or hardware configuration info (DOS)
1685. .syw Graphics symbols (Harvard Graphics Win)
1686. .t Tads source
1687. .t Tape Archive (tar) without compression
1688. .t Tester symbol table (ReaGeniX code generator)
1689. .t44 Temporary file for Sort or Index (dBASE IV)
1690. .t64 Program (C64S emulator)
1691. .tag Query tag name (DataFlex)
1692. .tah Turbo Assembler Help file (Borland C++)
1693. .tal Text illustration (TypeAlign)
1694. .tar Compressed file archive created by TAR (pax2exe
1695. .zoo)
1696. .taz Compressed ASCII file archive created by TAR and COMPRESS (
1697. .tar

1698. .Z)
1699. .tb1 Font file (Borland Turbo C)
1700. .tb2 Font file (Borland Turbo C)
1701. .tbf Fax (Imavox TurboFax)
1702. .tbk Memo backup (dBASE IV - FoxPro)
1703. .tbk Toolbook (Asymetrix ToolBook)
1704. .tbl Graphics (native format) (PageMaker TableEditor)
1705. .tbl Table of values (OS/2)
1706. .tbs Text elements ?? (Textbausteine) (MS Word)
1707. .tbx Table (Project Scheduler 4)
1708. .tc Configuration (Turbo C - Borland C++)
1709. .tch Turbo C Help file (Borland C++)
1710. .tcl Tool Command Language source code (Swat)
1711. .tcw Drawing (TurboCAD for Windows)
1712. .td Configuration file (Turbo Debugger for DOS)
1713. .td0 Disk image file (Teledisk)
1714. .td2 Configuration file (Turbo Debugger for Win32)
1715. .tdb Database (TACT)
1716. .tdf Font (TheDraw)
1717. .tdf Typeface definition file (Speedo)
1718. .tdh Help file (Turbo Debugger)
1719. .tdk Keystroke recording file (Turbo Debugger)
1720. .tds Symbol table (Turbo Debugger)
1721. .tdw Configuration file (Turbo Debugger for Windows)
1722. .tef Fax (Relisys TEFAX)
1723. .tel Host file (Telnet)
1724. .tem Turbo Editor Macro Language script (Borland C++)
1725. .tem Input template (IconAuthor)
1726. .tex Tex text file (Scientific Word)
1727. .tex Datasheet (Idealist)
1728. .tf Configuration (Turbo Profiler)
1729. .tfa Area file (Turbo Profiler)
1730. .tfc Catalogue file (Tobi's Floppy Cataloguer)
1731. .tfh Help file (Turbo Profiler)
1732. .tfm Tex Font Metric file (TeX)
1733. .tfm Tagged font metric file (Intellifont)
1734. .tfs Statistics (Turbo Profiler)
1735. .tg1 Project file (On Target)
1736. .tga Truevision Targa bitmap graphics
1737. .tgz Compressed file archive created by TAR and GNUzip (
1738. .tar
1739. .gz)
1740. .ths Thesaurus dictionary (WordPerfect for Win)
1741. .tif Tagged Image File Format bitmap graphics (PageMaker -
CorelDRAW)
1742. .til Fuzzy logic knowledge base (Togai InfraLogic Fuzzy-C Compiler)
1743. .tis Tile set (MahJongg 3
1744. .0)
1745. .tjl Backup file (VAXTPU editor)
1746. .tlb Reference table (Bubble Chamber)

1747. .tlb Text library (VAX)
1748. .tlb Type library (Visual C++)
1749. .tlc Compiled Tool Command Language source code (Swat)
1750. .tlp Project (TimeLine)
1751. .tmf Tagged Font Metric file (WordPerfect for Win)
1752. .tmo Ztg global optimizer default output file (Zortech C++)
1753. .tmp Temporary file
1754. .tms Script (Telemate)
1755. .toc Table Of Contents
1756. .tos Self-extracting file archive (Atari ST)
1757. .tp Configuration (Turbo Pascal)
1758. .tp Session-state file (Turbo Profiler)
1759. .tp3 Template (Harvard Graphics 3
1760. .0)
1761. .tpb Downloadable PCL Soft font file backup (HiJaak)
1762. .tpf Downloadable PCL Soft font file (HiJaak)
1763. .tph Help file (Turbo Pascal)
1764. .tpl Resident units library (Turbo Pascal)
1765. .tpl Template (Harvard Graphics 2
1766. .0)
1767. .tpp Protected Mode Units (Borland Pascal 7
1768. .0)
1769. .tpu Turbo Pascal Unit (BGI) (Turbo Pascal)
1770. .tpu Command file (VAXTPU editor)
1771. .tpw Session-state file (Turbo Profiler for Windows)
1772. .tpw Turbo Pascal Unit (BGI) (Turbo Pascal for Windows)
1773. .tpz Compressed file archive created by TAR and GNUzip (
1774. .tar
1775. .gz)
1776. .tr Session-state settings (Turbo Debugger for DOS)
1777. .tr Man page input suitable for troff -man (cawf2
1778. .zip)
1779. .tr2 Session-state settings (Turbo Debugger for Win32)
1780. .trc Debug support file (Power CTrace)
1781. .tre Directory tree file (PC-Tools)
1782. .trm Terminal settings (Windows 3
1783. .x)
1784. .trn Translation support file (Quattro)
1785. .trs Executable file (Micrografx)
1786. .trw Session-state settings (Turbo Debugger for Windows)
1787. .tst Printer test file (WordPerfect for Win)
1788. .ttf TrueType Font file
1789. .tut Tutorial
1790. .tv Table view settings (Paradox)
1791. .tv1 Overflow file above insert point in Doc 1 (WordPerfect for Win)
1792. .tv2 Overflow file above insert point in Doc 2 (WordPerfect for Win)
1793. .tv3 Overflow file above insert point in Doc 3 (WordPerfect for Win)
1794. .tv4 Overflow file above insert point in Doc 4 (WordPerfect for Win)
1795. .tv5 Overflow file above insert point in Doc 5 (WordPerfect for Win)
1796. .tv6 Overflow file above insert point in Doc 6 (WordPerfect for Win)

1797. .tv7 Overflow file above insert point in Doc 7 (WordPerfect for Win)
1798. .tv8 Overflow file above insert point in Doc 8 (WordPerfect for Win)
1799. .tv9 Overflow file above insert point in Doc 9 (WordPerfect for Win)
1800. .tvf Table view settings (dBASE)
1801. .txf Compressed file archive created by TAR and FREEZE (
1802. .tar
1803. .f)
1804. .txi Support file (TeX)
1805. .txt Text file
1806. .tym Time Stamp (PageMaker 4)
1807. .tz Compressed file archive created by TAR and COMPRESS (
1808. .tar
1809. .Z)
1810. .tzb Compressed file archive created by TAR - COMPRESS - BTOA (
1811. .tar
1812. .Z
1813. .btoa)
1814. .ub Audio file (unsigned byte)
1815. .uc2 Compressed file archive created by UltraCompressor II (uc2
1816. .zip)
1817. .ucn New compressed file archive created by UltraCompressor II
1818. .udf Filter (Photostyler)
1819. .ue2 Encrypted file archive created by UltraCompressor II
1820. .uhs Universal Hint System (binary file)
1821. .ui Espire source code file (Geoworks UI Compiler)
1822. .ui User interface (Sprint)
1823. .uif Long prompts for windows (WordPerfect for Win)
1824. .uih Espire header file (Geoworks UI Compiler)
1825. .ul Ulaw audio file
1826. .uld Information about uploaded files (Procomm Plus)
1827. .ult Music (UltraTracker)
1828. .umb Backup file (MemMaker)
1829. .uni Unimod music module (MIKMOD)
1830. .uni Datafile (Forecast Pro)
1831. .unx Text file containing UNIX specific info
1832. .upd Program update info
1833. .upd Update data (dBASE)
1834. .upo Compiled update data (dBASE)
1835. .usp Printer font with USASCII extended character set (PageMaker)
1836. .usr User database file (Procomm Plus - Turbo C++ tour)
1837. .uu Compressed ASCII file archive created by UUDE/ENCODE
1838. .uue Compressed ASCII file archive created by UUENCODE (uuexe515
1839. .exe)
1840. .uw Audio file (unsigned word)
1841. .v Consistency check support file (ReaGeniX code generator)
1842. .v Main input file for an image (Vivid 2
1843. .0)
1844. .val Validity checks and referential integrity (Paradox for Windows)
1845. .val Values list object file (dBASE Application Generator)
1846. .van Animation (VistaPro)

1847. .var Variable file (IconAuthor)
1848. .vbx Visual Basic eXtension (Visual Basic)
1849. .vc Include file with color definitions (Vivid 2
1850. .0)
1851. .vc Spreatsheet (VisiCalc)
1852. .vcw Visual workbench information (MS Visual C++)
1853. .vcx Spreatsheet (VisiCalc Advanced)
1854. .vda Bitmap graphics
1855. .vdr Drawing (ComputerEasy Draw)
1856. .view View file (Clipper 5, Lotus Approach)
1857. .vfm Voting Form (Voter)
1858. .vfn Voting Form for Customers (Voter)
1859. .vga Vga display driver
1860. .vga Vga display font
1861. .vgd Vga display driver (Generic CADD)
1862. .vgr Graphics (Ventura Publisher)
1863. .vi Graphics (Jovian Logic VI)
1864. .vic Vicar graphics
1865. .vid Ms-DOS Shell Monitor file (MS-DOS 5)
1866. .vid Bitmap graphics (YUV12C M-Motion Frame Buffer)
1867. .vid Screen device driver (Word)
1868. .vif Khoros Visualization image file (SDSC Image Tool)
1869. .vik Viking graphics
1870. .vis Vis graphics
1871. .vm Virtual Memory file (Geoworks)
1872. .vmc Virtual memory configuration (Acrobat reader)
1873. .vmf Font characteristics (Ventura Publisher)
1874. .vms Text file containing VMS specific info
1875. .vo Include file with object definition (Vivid 2
1876. .0)
1877. .voc Digitized samples (Creative Voice file)
1878. .vof Object folder (VZ Programmer)
1879. .vpg Graphics (VPGraphics)
1880. .vrm Overlay file (QuattroPro)
1881. .vrp Project (WATCOM VXùRexx)
1882. .vrs Video Resource eg
1883. . video device driver (WordPerfect)
1884. .vs Include file with surface definition (Vivid 2
1885. .0)
1886. .vsd Diagram (Shapeware Visio)
1887. .vsm Simulation model (VisSim)
1888. .vsp Sprite (SPX)
1889. .vss Smartshapes file (Shapeware Visio)
1890. .vst Truevision Vista bitmap graphics
1891. .vue Animation (3D Studio)
1892. .vue View (dBASE IV - FoxPro)
1893. .vw Text file (Volkswriter)
1894. .vwr File viewer file (PC Tools)
1895. .vxd Virtual device driver (MS Windows)
1896. .w Word chart file (APPLAUSE)

1897. .w30 Printer font (AST TurboLaser) (Ventura Publisher)
1898. .w31 Startup file (Windows 3
1899. .1)
1900. .w44 Temporary file for Sort or Index (dBASE)
1901. .wav Waveform audio file (RIFF WAVE format)
1902. .wb1 Notebook (Quattro Pro)
1903. .wb2 Spreadsheet (Quattro Pro)
1904. .wbf Ms Windows Batch File (Catch)
1905. .wbk Document/workbook (WordPerfect for Win)
1906. .wbt Batch file (WinBatch)
1907. .wcd Macro token list (WordPerfect for Win)
1908. .wcm Data transmission file (MS Works)
1909. .wcm Macro (WordPerfect for Win)
1910. .wcp Product information description (WordPerfect for Win)
1911. .wdb Database (MS Works)
1912. .web Web source code file
1913. .wfm Form object (dBASE Form Designer)
1914. .wfn Font (CorelDRAW)
1915. .wfx Data file (Winfax)
1916. .wg1 Worksheet (Lotus 1-2-3/G)
1917. .wg2 Worksheet (Lotus 1-2-3 for OS/2)
1918. .wid Width table (Ventura Publisher)
1919. .win Window file (FoxPro - dBASE)
1920. .wiz Page wizard (MS Publisher)
1921. .wk1 Spreadsheet (Lotus 1-2-3 version 2
1922. .x - Symphony 1
1923. .1+)
1924. .wk3 Spreadsheet (Lotus 1-2-3 version 3
1925. .x)
1926. .wk4 Spreadsheet (Lotus 1-2-3 version 3
1927. .4)
1928. .wkb Document (WordPerfect for Win)
1929. .wke Spreatsheet (Lotus 1-2-3 educational version)
1930. .wkq Spreatsheet (Quattro)
1931. .wks Spreadsheet (Lotus 1-2-3 version 1A - Symphony 1
1932. .0 - MS Works)
1933. .wks Workspace (Xlisp)
1934. .wlk Graphics (Virtus Walkthrough)
1935. .wmc Backup of startup files by Windows MathCad autoexec
1936. .wmc
1937. .wmc Macro file (WordPerfect for Win)
1938. .wmc Text file (WordMARC)
1939. .wmf Windows MetaFile vector graphics
1940. .wn Text (NeXT WriteNow)
1941. .wnf Outline font description (CorelDRAW native format)
1942. .woa Swap file (Windows 3
1943. .x)
1944. .woc Organization (Windows OrgChart)
1945. .wow Music (8 channels) (Grave Mod Player)
1946. .wp Text file (WordPerfect 4

1947. .2)
1948. .wp5 Document (WordPerfect 5
1949. .x)
1950. .wpd Document (WordPerfect 6
1951. .0 - PFS:WindowWorks)
1952. .wpx Fax (WorldPort)
1953. .wpx Form (WordPerfect)
1954. .wpg Wordperfect Graphics vector graphics (DrawPerfect)
1955. .wpm Macros (WordPerfect for Win)
1956. .wpm Macros (WordPerfect)
1957. .wps Text document (MS Works)
1958. .wq! Compressed spreadsheet (Quattro Pro)
1959. .wq1 Spreadsheet (Quattro Pro)
1960. .wr1 Spreatsheet (Symphony 1
1961. .1 - 1
1962. .2 - 2)
1963. .wrd Template (Charisma)
1964. .wri Text file (Windows Write)
1965. .wrk Spreatsheet (Symphony 1
1966. .0)
1967. .wrp Compressed Amiga file archive created by WARP
1968. .wrs Windows Resource eg
1969. . printer driver (WordPerfect for Win)
1970. .ws Text file (WordStar 5
1971. .0-6
1972. .0)
1973. .ws2 Text file (WordStar 2000)
1974. .wsd Document (WordStar)
1975. .wsp Workspace (Fortran PowerStation)
1976. .wst Text file (WordStar)
1977. .wwb Button bar for document window (WordPerfect for Win)
1978. .wwk Keyboard layout (WordPerfect for Win)
1979. .wxd Document (EXP for Windows)
1980. .x Avs X image file (SDSC Image Tool)
1981. .x Lex source code file
1982. .x01 Secondary index (Paradox)
1983. .x02 Secondary index (Paradox)
1984. .x03 Secondary index (Paradox)
1985. .x04 Secondary index (Paradox)
1986. .x05 Secondary index (Paradox)
1987. .x06 Secondary index (Paradox)
1988. .x07 Secondary index (Paradox)
1989. .x08 Secondary index (Paradox)
1990. .x09 Secondary index (Paradox)
1991. .xbm X11 Bitmap graphics
1992. .xfn Printer font (Xerox 4045) (Ventura Publisher)
1993. .xft 24 pin printer font (ChiWriter)
1994. .xla Xlib Archive (xlibpas2
1995. .zip)
1996. .xla Add-in macro sheet (MS Excel)

1997. .xlb Data (MS Excel)
1998. .xlc Chart document (MS Excel)
1999. .xll Excel Dynamic Link Library (MS Excel)
2000. .xlm Macro sheet (MS Excel)
2001. .xls Worksheet (MS Excel)
2002. .xlt Template (MS Excel)
2003. .xlt Translation table (Lotus 1-2-3 - Symphony - Procomm Plus)
2004. .xlw Workbook (MS Excel)
2005. .xm Music (Fast Tracker)
2006. .xmi Compressed eXtended MIDI music
2007. .xnf Standard Network File form
2008. .xpm X11 Pixel Map graphics
2009. .xqt Executable file (Waffle)
2010. .xqt Macro sheet (SuperCalc)
2011. .xrf Cross-reference file
2012. .xtb External translation table (LocoScript)
2013. .xwd X Window System window dump image graphics (SDSC Image
Tool)
2014. .xwk Keyboard mapping (Crosstalk)
2015. .xwp Session (Crosstalk)
2016. .xwp Text file (Xerox Writer)
2017. .xx Compressed file ASCII archive created by XXENCODE (uuexe515
2018. .exe)
2019. .xxe Compressed file ASCII archive created by XXENCODE (uuexe515
2020. .exe)
2021. .xy Text file (XY Write)
2022. .xy3 Text file (XYWrite III)
2023. .xyw Text file (XyWrite III)
2024. .y Yacc grammar file
2025. .y Compressed Amiga file archive created by YABBA
2026. .y01 Secondary index (Paradox)
2027. .y02 Secondary index (Paradox)
2028. .y03 Secondary index (Paradox)
2029. .y04 Secondary index (Paradox)
2030. .y05 Secondary index (Paradox)
2031. .y06 Secondary index (Paradox)
2032. .y07 Secondary index (Paradox)
2033. .y08 Secondary index (Paradox)
2034. .y09 Secondary index (Paradox)
2035. .yal Data (Arts & Letters)
2036. .yuv Yuv graphics
2037. .yz Compressed file archive created by YAC
2038. .z Compressed file ASCII archive created by COMPRESS (comp430d
2039. .zip)
2040. .z Compressed file archive created by PACK (Unix SysV pack)
2041. .z3 Infocom game module
2042. .zdg Compressed ZiffNet text document (Zview)
2043. .zer Data file (Zerberus)
2044. .zgm Graphics (Zenographics)
2045. .zip Compressed file archive created by PKZIP (pkz204g

- 2046. .exe)
- 2047. .zom Compressed Amiga file archive created by ZOOM
- 2048. .zoo Compressed file archive created by ZOO (zoo210
- 2049. .exe)
- 2050. .zvd Zyxel Voicefile (Z-Fax)
- 2051. .~\$~ Temporary file (1st Reader)
- 2052. .~ap Old AppExpert project database (Borland C++ 4
- 2053. .5)
- 2054. .~de Project backup (Borland C++ 4
- 2055. .5)
- 2056. .~mn Menu backup (Norton Commander)
- 2057. .\201\$\201 Temporary file (1st Reader)